



# **Operator's Manual**

# **CAYENNE ELECTRIC COUNTERTOP GRIDDLE**





Item	Description	Voltage	HZ	kW	Plug
40715	Griddle Flat Top 14"	120V	50/60	1.8 (15 Amps)	5-15P
40716	Griddle Flat Top 24"	220V	50/60	3.0 (14 Amps)	6-15P
40717	Griddle Flat Top 36"	220V	50/60	8.4 (39 Amps)	6-50P

Thank you for purchasing this Vollrath Counter Top Cooking Equipment. Before operating the unit, read and familiarize yourself with the following operating and safety instructions. SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE. Save the original box and packaging. Use this packaging to ship the unit if repairs are needed.

#### SAFETY PRECAUTIONS

To ensure safe operation, read the following statements and understand their meaning. This manual contains safety precautions which are explained below. Please read carefully.



#### WARNING

Warning is used to indicate the presence of a hazard that *can* cause *severe* personal injury, death, or substantial property damage if the warning is ignored.



#### CAUTION

Caution is used to indicate the presence of a hazard that *will* or *can* cause *minor* personal injury or property damage if the caution is ignored.

#### **NOTE**

Note is used to notify people of installation, operation, or maintenance information that is important but not hazard-related.

#### For Your Safety!

These precautions should be followed at all times. Failure to follow these precautions could result in injury to yourself and others.

To reduce risk of injury or damage to the unit:

- Use only grounded electrical outlets matching the nameplate rated voltage.
- Have equipment installed by a qualified personnel in accordance with local codes and ordinances.
- Unit must only be used in a flat, level position.
- Do not use an extension cord with this unit.
- Unplug unit, turn off and let it cool before cleaning or moving.
- Do not spray controls or outside of unit with liquids or cleaning agents.
- Do not clean the unit with steel wool.
- Keep unit and power cord away from open flames, electric burners or excessive heat.
- Do not operate unattended.
- Do not operate unit in public areas and/or around children.
- The unit may be hot, even though the pilot light is not on.
- Do not operate if unit has been damaged or is malfunctioning in any way.

#### FUNCTION AND PURPOSE

This unit is intended to be used for contact grilling foods in commercial foodservice operations only. It is not intended for household, industrial or laboratory use.

Before using this equipment it must be cleaned and dried thoroughly.

This grill is a medium duty appliance capable of a wide variety of grilling applications. The temperature is thermostatically controlled. The temperature range is 120°F (49°C) and 550°F (288°C). The thermostat is also the ON / OFF switch. An indicator lamp adjacent to the thermostat dial indicates when the elements are heating.

#### UNPACKING THE EQUIPMENT AND INITIAL SETUP

Dispose of all packaging and materials in an environmentally responsible manner.

- Remove all packing material and tape, as well as any protective plastic from the unit.
- 2. Clean any glue residue left over from the plastic or tape.
- 3. Place the unit in the desired position and height.
- 4. Plug unit into a properly grounded electrical supply matching the nameplate rating. Damage to the unit can occur if incorrect power is supplied to unit.
- 5. Install the four (4) legs and feet onto the unit. See Figure 1.

#### FEATURES AND CONTROLS



Figure 1. Features and Controls.

- A LEG. Supports the unit.
- B ADJUSTABLE FEET. Used to adjust the level of the unit.
- C THERMOSTAT CONTROL dial. Used to set or adjust the temperature of the heating surface. The numbers on the dial correspond with the oil temperature. The "0" position is off.
- PILOT LIGHT. This light indicates that the surface is heating. Once the set temperature has been reached the light will go out. Unit will continue to maintain heat and temperature with the light cycling on and off. This is not a power indicator light.
- E DRIP TROUGH. Opening on the front of the grill for grease or oil to drain out.
- F GRIDDLE PLATE. Cooking surface.
- G DRIP TRAY. A container under the grease trough that collects grease and oil from the grease trough.

## **VOLLRATH**

#### **OPERATION**



# **WARNING**

#### Burn Hazard.

Do not touch hot food, liquid or heating surfaces while unit is heating or operating.

Hot surfaces and food can burn skin. Allow the hot surfaces to cool before handling. Do not drop or spill water into the cooking surface as it can spray or splatter.

Before initial use, turn the thermostat control to the maximum setting, and allow unit to burn-in for 30 minutes. You will notice smoke appearing due to the cooking surface burning-in. This is normal. After 30 minute burn in period the unit is ready for use.

To adjust the leveling feet:

1. Hold the leg (A) and rotate the feet so the unit is level. See Figure 1.

To begin heating or cooking:

- 1. Check that drip tray (G) is in place
- Turn thermostat control (C) to desired temperature and preheat for 15 minutes.
- 3. Cook food products in desired manner.





#### Electrical Shock Hazard.

Keep water and other liquids from entering the inside of the unit. Liquid inside the unit could cause an electrical shock.

Do not spray water or cleaning products. Liquid could contact the electrical components and cause a short circuit or an electrical shock. Do not use unit if power cord is damaged or has been modified

- 4. At the end of each cooking cycle allow unit to cool. Wipe down cooking plates and never allow excess fat, oil, or grease to build up as this will result in a build-up of carbon on the plate.
- 5. Empty the drip tray (G) periodically to ensure it does not overflow. See Figure 1.

#### CLEANING

To maintain the appearance and increase the service life, clean your unit daily.





#### Burn Hazard.

Do not touch hot food, liquid or heating surfaces while unit is heating or operating.

Hot surfaces and food can burn skin. Allow the hot surfaces to cool before handling. Do not drop or spill water into the cooking surface as it can spray or splatter.

#### NOTE:

#### Do not clean the unit with steel wool.

Allow the unit to cool completely before cleaning.



# **WARNING**

#### Electrical Shock Hazard.

Keep water and other liquids from entering the inside of the unit. Liquid inside the unit could cause an electrical shock.

Do not spray water or cleaning products. Liquid could contact the electrical components and cause a short circuit or an electrical shock. Do not use unit if power cord is damaged or has been modified

2. Unplug the unit.

#### NOTE:

Do not immerse the cord, plug or unit in water or any other liquid.

- Wipe grease or oil to the drip trough (E) and into the drip tray (G). See Figure 1.
- Using a damp cloth, sponge dipped in soapy water, metal scraper or griddle stone to clean the unit; rinse thoroughly.
- Dry thoroughly after cleaning.
- 6. Empty and clean drip tray (G). Place the drip tray into the unit.
- 7. Apply a light coat of vegetable to prevent rust on the griddle plate (F).

#### **Troubleshooting**

#### TROUBLESHOOTING CHART


Problem	It might be caused by	Course of Action	
Pilot Light does not come on when	The unit is not plugged in.	Plug unit in.	
Pilot Light does not come on when the temperature control is turned up.	Pilot Light malfunction.	Replace Pilot Light.	
The light comes on, unit does not	Thermostat Control malfunction.	Replace Thermostat Control.	
heat.	Heating Element malfunction.	Replace Heating Element.	


#### SERVICE AND REPAIR

There are no user serviceable parts within this appliance. To avoid serious injury or damage, never attempt to repair the unit or replace a damaged power cord yourself. Do not send units directly to the Vollrath Company. Please contact the qualified professional repair service listed below.

#### VOLLRATH Technical Service • 1-800-628-0832


## ELECTRICAL DRAWING - COUNTERTOP ELECTRIC GRIDDLE, MODELS ~ 40715, 40716







# ELECTRICAL DRAWING - COUNTERTOP ELECTRIC GRIDDLE, MODEL ~ 40717




Callout	Part Number	Description	
1	XTSA0007	Control Thermostat	
2	XTFA0008	Heating Element, 220V ~ 2800 Watt	
3	XAA0002	Pilot Light, 220V, Red	

# SPARE PARTS LIST - Countertop Electric Griddle, Models ~ 40715

Callout	Part Number	Description	
1	N/A	Grill Plate	
2	N/A	Body	
3	XAA0009	Control Panel Facia	
4	N/A	Light Facia	
5	XAA0011	Pilot Light, 120V, Amber	
6	XTSA0015	Thermostat Control Knob	
7	XFTA0006	Drip Tray	
8	XTSA0007	Thermostat	
9	N/A	Vollrath Logo Decal	
10	N/A	Element Clamp	
11	N/A	Thermostat Probe Bracket	
12	N/A	Element Cover	
13	N/A	Rear L-Shape Cover	
14	N/A	Rear Cover	
15	N/A	Insulated Pad	
16	XFTA0001	Heating Element 120V ~ 1800 Watts	
17	XFTA0010	Leg (includes Ref. 21)	
18	XCOA1013	Power Cord Restraint	
19	XAA0005	Power Cord, 120V, NEMA 5-15P Plug	
20	XTSA0005	Connector Block	
21	N/A	Foot	


# **EXPLODED VIEW - C**OUNTERTOP **E**LECTRIC **G**RIDDLE, **M**ODELS ~ 40715



# SPARE PARTS LIST - Countertop Electric Griddle, Models ~ 40716


Callout	Part Number	Description	
1	N/A	Grill Plate	
2	N/A	Body	
3	XAA0009	Control Panel Facia	
4	N/A	Light Facia	
5	XAA0002	Pilot Light, 220V, Red	
6	XTSA0015	Thermostat Control Knob	
7	XFTA0006	Drip Tray	
8	XTSA0007	Thermostat	
9	N/A	Vollrath Logo Decal	
10	N/A	Element Clamp	
11	N/A	Thermostat Probe Bracket	
12	N/A	Rear Cover	
13	N/A	Rear L-Shape Cover	
14	N/A	Insulation Pad	
15	N/A	Element Cover	
16	XFTA0005	Heating Element 220V ~ 1500 Watts	
17	XFTA0010	Leg (includes Ref. 21)	
18	XCOA1013	Power Cord Restraint	
19	XAA0006	Power Cord, 220V, NEMA 6-15P Plug	
20	XTSA0005	Connector Block	
21	NA	Foot	

# **EXPLODED VIEW - C**OUNTERTOP **E**LECTRIC **G**RIDDLE, **M**ODELS ~ 40716



Callout	Part Number	Description	
1	N/A	Grill Plate	
2	N/A	Body	
3	XAA0009	Control Panel Facia	
4	N/A	Light Facia	
5	XAA0002	Pilot Light, 220V, Red	
6	XTSA0015	Thermostat Control Knob	
7	XTSA0007	Thermostat	
8	XFTA0006	Drip Tray	
9	XFTA0008	Heating Element 220V ~ 2800 Watts	
10	N/A	Insulation Pad	
11	N/A	Element Cover	
12	N/A	Vollrath Logo Decal	
13	N/A	Rear Cover	
14	N/A	Rear L-Shape Cover	
15	XFTA0010	Leg (includes Ref. 19)	
16	XCOA5012	Power Cord Restraint	
17	XCOA5013	Power Cord, 220V, NEMA 6-50 Plug	
18	XFTA0002	Connector Block	
19	N/A	Foot	





#### WARRANTY STATEMENT FOR THE VOLLRATH CO. L.L.C.

The Vollrath Company LLC warrants the products it manufactures and distributes against defects in materials and workmanship for a period of one year, except as specifically provided below. The warranty runs 12 months from the date of original installation. (End user receipt)

- Refrigeration compressors The warranty period is 5 years.
- Replacement parts The warranty period is 90 days.
- Fry pans and coated cookware The warranty period is 90 days
- EverTite™ Riveting System The warranty covers loose rivets
- Cayenne® Heat Strips The warranty period is 1 year plus an additional 1 year period on heating element parts only.
- Intrigue™ Ultra and Professional Induction Ranges The warranty period is 2 years 6.
- ServeWell® Induction Workstations The warranty period is one year on the workstation table and 2 years on induction hobs
- Slicers The warranty period is 10 years on gears and 5 years on belts
- Mixers The warranty period is 2 years
- 10. Extended warranties are available at the time of sale.
- 11. Boxer Mixers (Vollrath customer base) 1 Year exchange Warranty
- 12. Boxer Mixers (Avantco Clark Brand) 3 month replacement 13. Boxer Slicers (Avantco Clark Brand) 3 month replacement

All products in the Jacob's Pride® collection, including the following, have a lifetime warranty:

- NSF Certified One-Piece Dishers
- NSF Certified Spoodle® Utensils NSF Certified Heavy-Duty Spoons with Ergonomic Handle
- NSF Certified Heavy-Duty Basting Spoons
- Heavy duty Turners with Ergonomic handle One-Piece Tongs\*
- Heavy-Duty One-Piece Ladles\* Nylon Handle Whips
- One-Piece Skimmers
- Tribute®, Intrigue®, and Classic Select® Cookware\*

\*Jacob's Pride® warranty does not cover Kool-Touch®, non stick coatings and silicone handles.

#### Items sold having no warranty:

- Meat Grinder Knives
- Light Bulbs in Convection Ovens and Hŏt Food Merchandiser
- Oven Door Seals
- Oven Door Glass
- Hot Food Merchandisers / Display Case
- Calibration and set up of gas equipment

### THIS WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE

As The Vollrath Company LLC's only responsibility and the purchaser's only remedy, for any breach of warranty, The Vollrath Company LLC will repair or, at its option, replace the defective product or part without charge, except as otherwise provided below:

- For refrigeration compressors and the second year of the warranty on Cayenne® Heat Strips and mixers, The Vollrath Company LLC will provide the repaired or replacement part only; and the buyer will be responsible for all labor charges incurred in performing the repair or replacement.
   To obtain warranty service, the buyer will be responsible to return to The Vollrath Company LLC any product (other than gas equipment that is permanently installed) weighing less than 110 lbs. or located outside of a 50-mile radius of a certified technician designated by The Vollrath Company LLC to perform warranty repairs. If a Vollrath Technician cannot be contacted check the website for service contact points. (Please refer to the Product Catalogue for weights and sizés of product)
- No remedy will be available for products that have been damaged by accident, carelessness, improper installation, lack of proper setup or supervision when required, neglect, improper use, installation or operation contrary to installation and operating instructions or other causes not arising out of defects in materials or workmanship. At the buyer's request, The Vollrath Company LLC will repair and or replace such products at a reasonable cost.

  No remedy will be available for slicers where blade has not been sharpened (Refer to owner's manual for sharpening instructions)
- No remedy will be available for mixers damaged by changing gears while unit is running or overloading, in either case as determined by a Vollrath Certified
- Warranty work must be authorized in advance by The Vollrath Company LLC. See the operating and safety instructions for each product for detailed warrantý claim procedures.
- No remedy will be available for product returned and found to be acceptable to the product specification.
- No remedy will be available under any warranty not registered as required below.

#### LIMITATION OF LIABILITY:

THE VOLLRATH COMPANY LLC SHALL HAVE NO LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, WHETHER BASED UPON NEGLIGENCE OR OTHER TORT, BREACH OF WARRANTY, OR ANY OTHER THEORY.



#### WARRANTY PROCEDURE

On all warranty calls, the following process and information is required:

- All warranty claims will start with a call to Vollrath Technical Service support line.(800-628-0832).
  A technical support professional will work to diagnose the issues, and provide the details for the service solution.
  Name and phone number of person calling
  Business name, street address, city, state and zip
  Model and serial number
  Date of purchase and proof of purchase (Receipt)
  Name of dealer where unit was purchased

NOTE: Vollrath will not accept products sent without the proper procedure being followed.

#### Important:

TO MAKE A CLAIM FOR ANY REMEDY UNDER THIS WARRANTY, YOU MUST REGISTER YOUR WARRANTY.

#### REGISTER TODAY

ONLINE: Register your warranty on-line now at www.Vollrathco.com

NO WEB ACCESS: If you do not have access to the web, kindly register by completing the warranty registration form and faxing it to The Vollrath Co. LLC office in the country of purchase.

WARRANTY REGISTRATION			
Business Name			
KEY CONTACT NAME		EMAIL	
STREET ADDRESS			
Сіту	State Z		ZIP CODE
Country	PHONE FAX		
Model		ITEM NUMBER	}
SERIAL NUMBER			-
Operation Type			
☐ Limited Service Restaurant ☐ Convenience Store ☐ Business/Industry ☐ Long-Term Care REASON FOR SELECTING OUR PRODU	☐ Full Service Restaurant ☐ Recreation ☐ Primary/Secondary School ☐ Senior Living	<ul><li>□ Bars and Taverns</li><li>□ Hotel/Lodging</li><li>□ Colleges/University</li><li>□ Military</li></ul>	☐ Supermarket ☐ Airlines ☐ Hospitals ☐ Corrections
<ul><li>☐ Appearance</li><li>☐ Ease of Operation</li></ul>	Full Service Restaurant Versatility of Use Full-Line Catalog and Remain on Our	Availability Price R Mailing List?	<ul><li>Sellers Recommendation</li><li>Brand</li><li>Yes</li><li>No</li></ul>



www.vollrathco.com

The Vollrath Company, L.L.C. 1236 North 18th Street Sheboygan, WI 53081-3201 U.S.A.

Main Tel: 800.628.0830 Service Tel: 800.628.0832 FAX: 800.752.5620 Vollrath of Canada, Co. Tel: 800.695.8560 FAX: 800.752.5620

© 2010 The Vollrath Company, L.L.C.