


# Floor Care Maintenance

## SmartFit™ Floor Squeegee

The innovative floor squeegee, designed to save money and built to last.



### UNIVERSAL SOCKET

Fits industry handles 15/16" to 1-1/8".



### EASY FLUSH & RINSE

Minimizes bacteria buildup.



### FLEXIBLE COLOR-CODING SYSTEM

For designated cleaning areas.

## SmartFit Kits

SmartFit kits feature a convenient and economical way to buy squeegees and handles.

A three-part, easy-to-assemble, pro-strength handle and squeegee are packed together.

This eliminates a separate shipment, reducing cost and waste.





Quality Tools for Smart Cleaning™

# Floor Care Maintenance SmartFit™ Floor Squeegees



AL14G Handle included with kit.

## SmartFit™ WaterWand™ HeavyDuty

Heavy duty usage floor squeegee. Removes water easily from uneven floor surfaces such as grouted tile or non-slip and broadcast grid floors with double black foam-rubber blade.

- Perfect for moving standard volumes of liquid.

Part No.	Size	Case Qty.
HM22A	22"/55 cm	10
HM30A	30"/75 cm	10

Complete kit with 3-section handle. Easy to assemble. Pole length: 4.5'.

Part No.	Size	Contents	Case Qty.
HM22K	22"/55 cm	Includes AL14G Handle	1
HM30K	30"/75 cm	Includes AL14G Handle	1



AL14G Handle included with kit.

## SmartFit™ WaterWand™ HeavyDuty Red

Heavy duty usage floor squeegee. Removes water easily from uneven floor surfaces, such as grouted tile, or non-slip and broadcast grid floors with double red neoprene foam-rubber blade.

- Chemical resistant rubber.

Part No.	Size	Case Qty.
HW30A	30"/75 cm	10

Complete kit with 3-section handle. Easy to assemble. Pole length: 4.5'.

Part No.	Size	Contents	Case Qty.
HW30K	30"/75 cm	Includes AL14G Handle	1



MS14G Handle included with kit.

## SmartFit™ WaterWand™ Standard

General purpose floor squeegee. Twin natural foam-rubber blade.

- Standard version for lighter jobs, kitchens, decks, pools, etc.

Part No.	Size	Case Qty.
MW18A	18"/45 cm	10
MW22A	22"/55 cm	10

Complete kit with 3-section handle. Easy to assemble. Pole length: 4.5'.

Part No.	Size	Contents	Case Qty.
MW18K	18"/45 cm	Includes MS14G Handle	1
MW22K	22"/55 cm	Includes MS14G Handle	1



MS14G Handle included with kit.

## SmartFit™ Sanitary Standard

Plastic body sanitary floor squeegee ideal for food service; won't rust.

- Plastic frame provides increased hygiene.

Part No.	Size	Case Qty.
PM45G	18"/45 cm	10
PM55G	22"/55 cm	10

Complete kit with 3-section handle. Easy to assemble. Pole length: 4.5'.

Part No.	Size	Contents	Case Qty.
PM45K	18"/45 cm	Includes MS14G Handle	1
PM55K	22"/55 cm	Includes MS14G Handle	1



MS14G Handle included with kit.

## SmartFit™ Sanitary Brush

Squeegee and brush in one. Acid-resistant, non-corroding polypropylene frame for use where metal is undesirable.

- Double black foam-rubber squeegee is perfect for drying tiles and grout lines.
- Polypropylene bristles offer effective scrubbing while being gentle on floors.
- Brush loosens dirt in grouted floors.

Part No.	Size	Case Qty.
PB45G	18"/45 cm	10
PB55G	22"/55 cm	10

Complete kit with 3-section handle. Easy to assemble. Pole length: 4.5'.

Part No.	Size	Contents	Case Qty.
PB45K	18"/45 cm	Includes MS14G Handle	1
PB55K	22"/55 cm	Includes MS14G Handle	1

# Floor Care Maintenance Floor Squeegees



Quality Tools for Smart Cleaning™



## Sanitary Standard

Squeegee with natural black double foam-rubber blade with ACME thread and splash guard.

- Plastic frame provides increased hygiene.
- Durable threaded socket accepts ACME threaded handles.

Part No.	Size	Case Qty.
PM45A	18"/45 cm	10
PM55A	22"/55 cm	10



## Sanitary Brush

Squeegee and brush in one. Acid-resistant, non-corroding.

- Double black foam-rubber squeegee is perfect for drying tiles and grout lines.
- Polypropylene bristles offer effective scrubbing while being gentle on floors.

Part No.	Size	Case Qty.
PB45A	18"/45 cm	10
PB55A	22"/55 cm	10



## PushPull – SBR

Frame is made of lightweight, heavy-duty aluminum with a pivoting channel and rust-resistant plated steel handle socket.

- For pushing and pulling standard water volumes.
- Ideal for light- to medium-duty industrial applications.
- Hard SBR tan rubber for smooth coated concrete and commercial floors.

Part No.	Size	Case Qty.
FH450	18"/45 cm	10
FH600	24"/60 cm	10
FH900	36"/90 cm	10



## AquaDozer® HeavyDuty

For heavy-duty jobs and moving large volumes of water, mud, debris, etc. Made with black EPDM rubber.

- Constructed with 14 gauge powder-coated steel frame.
- Reinforced zinc alloy handle socket.
- Optional ACME threaded insert sold separately.

Part No.	Size	Case Qty.
FP450	Straight 18"/45 cm	6
FP600	Straight 24"/60 cm	6
FP750	Straight 30"/75 cm	6
FP900	Straight 36"/90 cm	6
FP60C	Curved 24"/60 cm	6
FP90C	Curved 36"/90 cm	6



## AquaDozer® Eco

14 gauge galvanized steel frame with black EPDM rubber.

- Optional ACME threaded insert sold separately.

Part No.	Size	Case Qty.
FE450	Straight 18"/45 cm	6
FE600	Straight 24"/60 cm	6



## AquaDozer® ACME Insert

Easily converts AquaDozer® squeegees from tapered to an ACME compatible socket for use with either type of handle.

Part No.	Type	Case Qty.
FAA10	ACME	10



## WaterWand™ HeavyDuty

Removes water easily from uneven floor surfaces such as grouted tile or non-slip and broadcast grid floors with double black foam-rubber blade.

- Reinforced handle socket to tackle heavy dirt.
- Sturdy 20 gauge steel frame, with socket clamp.
- Perfect for moving standard volumes of liquid.
- Optional ACME thread insert sold separately.

Part No.	Socket	Size	Case Qty.
HM550	Clamp	Straight 22"/55 cm	10
HM750	Clamp	Straight 30"/75 cm	10



## WaterWand™ HeavyDuty Red

Removes water easily from uneven floor surfaces, such as grouted tile, or non-slip and broadcast grid floors with double red neoprene foam-rubber blade.

- Reinforced handle socket to tackle heavy dirt.
- Sturdy 20 gauge steel frame with socket clamp.
- Optional ACME thread insert sold separately.

Part No.	Socket	Size	Case Qty.
HW750	Clamp	Straight 30"/75 cm	10



## WaterWand™ Standard

Screw-locking socket and twin natural foam-rubber blade.

- Standard version for lighter jobs, kitchens, decks, pools, etc.
- Sturdy 20 gauge steel frame with socket clamp.
- Optional ACME thread insert sold separately.

Part No.	Socket	Size	Case Qty.
MW450	Clamp	Straight 18"/45 cm	10
MW550	Clamp	Straight 22"/55 cm	10



## WaterWand™ ACME Insert

Easily converts WaterWand™ squeegees from tapered to an ACME compatible socket for use with either type of handle.

Part No.	Size	Case Qty.
FWA10	ACME	10






Quality Tools for Smart Cleaning™

# Floor Care Maintenance Handles • Tool Holders

All aluminum handles are made with lightweight, long-lasting fluted aluminum. They are 1" in diameter with comfortable grip and a hang hole for storage convenience.



## ProALUMINUM 1.5° (AL140)

- Taper



## ProALUMINUM 1.5° Knock Down (AL14G)

- 3 individual sections assemble into one handle.
- Taper



## ProALUMINUM ACME (AL14A)

- Top made of zinc alloy. ACME thread.



## ProALUMINUM 3.0° (AL14T)

- 3° conical top

### ProAluminum 1.5°

- 56"/1.40 m long handle with 1.5° taper socket.
- Ideal for WaterWand™ and PushPull squeegees.

Part No.	Size	Case Qty.
AL140	56"/1.40 m	10

### ProAluminum 1.5° Knock Down

- Heavy-duty handle with rigid, fluted aluminum construction.
- 3 individual sections assemble into one 56"/1.40 m long handle.

Part No.	Size	Case Qty.
AL14G	56"/1.40 m	10

### ProAluminum ACME

- 58"/1.47 m handle with threaded zinc alloy tip.
- Ideal for AquaDozer® squeegees as well as other products with universal sockets.

Part No.	Size	Case Qty.
AL14A	58"/1.47 m	10

### ProAluminum 3.0°

- 61"/1.55 m long handle with 3.0° taper socket combined with ACME threaded zinc alloy tip.
- For use with ACME products, 3.0° tapered or universal threaded sockets.

Part No.	Size	Case Qty.
AL14T	61"/1.55 m	10

Floor Squeegee	AL140	AL14G	AL14A	AL14T
<b>AQUADOZER®</b> with ACME thread insert			●	●
<b>AQUADOZER®</b> without ACME thread insert				●
<b>WATERWAND™</b> with ACME thread insert			●	●
<b>WATERWAND™</b> without ACME thread insert	●	●		
<b>SANITARY SQUEEGEES</b>			●	●
<b>PUSHPULL</b>	●	●		



### Hold Up

Tools are inserted from the bottom and held in place by strong rubber fingers.

- Equipped with hooks on the front to hang up smaller tools.

Part No.	Size	Case Qty.
HU450	18"/45 cm	5
HU900	36"/90 cm	5

HU900

HU450



### Hang Up

All-purpose tool holder. Tools are inserted in the front.

- Tools are held firmly in place by rubber grips.
- Snap tools quickly in and out of holder.
- Ideal for easy access.

Part No.	Size	Holders	Case Qty.
HO350	14"/35 cm	3	5
HO700	28"/70 cm	6	5

HO700

HO350



# Floor Care Maintenance Floor Scrapers



Quality Tools for Smart Cleaning™



## 4" LightDutyScraper

For light-duty jobs, with a 4'/1.2 m aluminum handle and 4" angled zinc alloy head.

- Lightweight with ergonomic grip and hang hole.
- 4" blade for scraping gum, stickers, wax, etc.

Part No.	Size	Case Qty.
LH12C	4'/1.20 m	10



## 4" ReplacementBlades - Carbon Steel

For STMAX, LH12C, SH00C, SH25C.

- Compact handy dispenser safely stores new and used blades.
- Blades easily slide in and out of dispenser.
- Sharp edge for scraping off paint, stickers, etc. Dull side for removing cement and stucco.
- RB10C: 10 dispensers of 10 blades.
- RB30C: 30 dispensers of 10 blades.

Part No.	Size	Case Qty.
RB10C	4"/10 cm	10
RB30C	4"/10 cm	30



## 4" ReplacementBlades - Stainless Steel

For STMAX, LH12C, SH00C, SH25C, GS050, GS100.

- Compact handy dispenser safely stores new and used blades.
- Blades easily slide in and out of dispenser.
- Long lasting, rust-free stainless steel.
- Sharp blade for scraping off paint, stickers, etc. Dull side for removing cement and stucco.
- 10 dispensers of 10 blades.

Part No.	Size	Case Qty.
RB100	4"/10 cm	10

## 6" MediumDutyScraper

For medium-duty jobs, with a 5'/1.50 m aluminum handle and 6" angled zinc alloy head.


- Good for industrial scraping, tape and heavy dirt.
- Ergonomic grip and hang hole.

Part No.	Size	Case Qty.
MDSC0	5'/1.50 m	10

## 6" ReplacementBlades

For MDSC0, five tubes of 10 blades. Double-edged .036" thick carbon steel blades.

Part No.	Size	Case Qty.
MDSB0	6"/15 cm	5



## Unger Floor Scrapers

All scraper heads are angled for better performance, greater control and strength.

**Blades:** Razor sharp blade eliminates the need for strenuous scraping on hard surfaces, such as vinyl and resilient tile floors, and flat smooth surfaces. Blunt blade for delicate, uneven floors.



## 8" HeavyDutyScraper

For heavy-duty jobs, with a 5'/1.50 m steel handle with 8" angled zinc alloy head.

- 8" blade for stripping tile floors, removing carpets and heavy-duty adhesives.
- 1" diameter galvanized steel handle with ergonomic grip.

Part No.	Size	Case Qty.
HDSS0	5'/1.50 m	5

## 8" HeavyDutyScraper Telescopic


For heavy-duty jobs, telescopic pole extends from 3' to 5' with 8" angled zinc alloy head.

Part No.	Size	Case Qty.
HDSC0	3'-5'/1 m-1.50 m	5

## 8" ReplacementBlades

For HDSC0 and HDSS0. Five tubes of 10 blades. Double-edged .036" thick carbon steel blades.

Part No.	Size	Case Qty.
HDSB0	8"/20 cm	5





Quality Tools for Smart Cleaning™

# Floor Care Maintenance Waxing System • Buckets



## WonderWaxer

The super-light WonderWaxer is ideal for almost all floor types. The head swivels to reach difficult areas. The sleeve is replaceable and fits firmly on the T-Bar. Perfect for use on gym and commercial floors. Use with ProBucket.

### WonderWaxer Complete

Use to apply wax to wooden floors.

- 17"/43 cm sleeve made out of washable, low-lint fabric.
- 56"/142 cm long aluminum handle and ergonomic grip.

Part No.	Size	Case Qty.
QS140	56"/142 cm	10

### WonderWaxer Replacement Sleeve

- 17" replacement sleeve made out of washable, low-lint fabric.
- Snap fasteners for quick replacement and secure fit.

Part No.	Size	Case Qty.
QS010	17"/43 cm	10



## ProBucket 6-Gallon

Heavy-duty, 6-gallon bucket that easily fits WonderWaxer. The optional caster set provides added flexibility, allowing the bucket to be wheeled from task to task. The optional Bucket Sieve is ideal for wringing out WonderWaxer.

### ProBucket

Heavy-duty bucket with ergonomic handle for use with WonderWaxer.

- Holds over 6 gallons.
- Includes measuring units, large footprint for increased stability and rounded pour spouts on 2 corners for easy emptying.

Part No.	Capacity	Case Qty.
QB220	6 gal./28 liters	5

### ProBucket Lid

Sturdy snap-on lid for ProBucket.

- Notched tabs lock handle into upright position when lid is in place.
- Inner seal provides splash and leak protection.
- Removes easily using tabs on each corner.

Part No.	Case Qty.
QB080	5

### BucketSieve

Bucket sieve for wringing out washers.

- Lightweight, easy to handle.
- Features a chemical-resistant coating.
- Can wring out up to an 18" washer.

Part No.	Case Qty.
QB060	5



## TheBucketBarge

Barge with swivel-ball casters and bumper guards for ProBucket.

- Features smooth-gliding swivel ball casters.
- Bumper guards protect against splashes.
- Holds onto bucket base, easily detaches.

Part No.	Case Qty.
QB230	5



## ProBucket Casters

Swivel casters with threaded inserts for ProBucket.

- Casters easily snap into ProBucket base.
- Four casters to a set.

Part No.	Size	Case Qty.
QB070	5 x 4 packs	5



## 4.5 GallonBucket with Sieve

Excellent for window cleaning.

- Easy to handle and lightweight.
- Plastic sieve for washer and squeegee.
- Holds up to 4.5 gallons and 14" washer.

Part No.	Capacity	Case Qty.
QB120	4.5 gal./18 liters	10