Lid for Bucket 5686, 3.17 Gallon(s), Purple





Lid for Vikan Hygiene Bucket 5686x. The bucket lid is useful for preventing spillage and uses a clip system to lightly secure the lid.

Technical Data

Material Polypropylene Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 000427117-103, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 * Width 12 2 * Height 1.6 * Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 fts Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (mon food contact)	Item Number	56878
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Food contact) 212 "F Max usage temperature (non food contact) 212 "F Max. usage temperature (non food contact) 212 "F Min. usage temperature 2 "F Max. drying temperature 2 "F Max. drying tempe	Material	Polypropylene
Manufacturing Practice FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 000427117-0001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 212 "F Max usage temperature 24 "F Min. usage temperature 24 "F Min. usage temperature 36 "F	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 212 "F Max usage temperature 4 "F Max. drying temperature 2 PH Max. ph-value in usage concentration 2 pH Max. ph-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 212 "F Max usage temperature 4 "F Max. drying temperature 248 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number </th <th>FDA-compliant raw material (CFR 21)</th> <th>Yes</th>	FDA-compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 248 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568784 Customs Tari	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Design Registration No. EU 000427117-03, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 248 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Count	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Min. usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 248 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country o	Use of phthalates and bisphenol A	No
Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 0.1058 lbs Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Min. usage temperature (non food contact) 212 °F Min. usage temperature 4 °F Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 510 Pcs. Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Design Registration No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet) 36 Pcs. Length 14.4 " Width 12.2 " Height 0.16 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature 4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Box Quantity	6 Pcs.
Length 14.4 " Width 12.2 " Height 0.1058 lbs Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature 4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Quantity per Pallet (80 x 120 x 180-200 cm)	510 Pcs.
Width 12.2 " Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature 4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Quantity Per Layer (Pallet)	36 Pcs.
Height 1.6 " Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature 4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Length	14.4 "
Net Weight 0.1058 lbs Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Width	12.2 "
Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568784 Gustoms Tariff No. 39241000 Country of Origin Denmark	Height	1.6 "
Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature 4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Net Weight	0.1058 lbs
Gross Weight0.216 lbsCubic Feet0.1599 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Tare Cardboard	0.11 lbs
Cubic Feet0.1599 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Tare Total	0.11 lbs
Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Gross Weight	0.216 lbs
Max. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Cubic Feet	0.1599 ft3
Max usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Max. cleaning temperature (Dishwasher)	199.4 °F
Min. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Max usage temperature (food contact)	212 °F
Max. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Max usage temperature (non food contact)	212 °F
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Min. usage temperature	-4 °F
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568787GTIN-14 Number (Box quantity)15705020568784Customs Tariff No.39241000Country of OriginDenmark	Max. drying temperature	248 °F
Recycling Symbol "5", Polypropylene (PP) GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705020568787 GTIN-14 Number (Box quantity) 15705020568784 Customs Tariff No. 39241000 Country of Origin Denmark	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) Customs Tariff No. 39241000 Country of Origin Denmark	Recycling Symbol "5", Polypropylene (PP)	Yes
Customs Tariff No.39241000Country of OriginDenmark	GTIN-13 Number	5705020568787
Country of Origin Denmark	GTIN-14 Number (Box quantity)	15705020568784
	Customs Tariff No.	39241000
Content Gallon 3.17 Gallon(s)	Country of Origin	Denmark
	Content Gallon	3.17 Gallon(s)

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.