



BEVERAGE-AIR®

2025 PRODUCT OVERVIEW



BEVERAGE-AIR®

BREADTH OF PRODUCTS

Top Mount Reach-Ins

HR/HF	Horizon Series
PR/PF	P Series
CT	Cross Temp Series

Bottom Mount Reach-Ins

RB/FB	Vista Series
HBR/HBF	Horizon Series
RI	RI Series

Warming Cabinets

HH	Horizon Series
PH	P Series

Glass Door Merchandisers

MT	Marketeer Series
MM	MarketMax Series
BDC/NC	Dipping Cabinets
CF/CT	Countertop Units

Deli Cases

CDR	Deli Cases
-----	------------

Open Air Merchandisers

BZ	Breeze Series
VM	VueMax

Food Prep Tables

SPE	Sandwich Prep Tables
DP	Pizza Prep Tables
SPE-S	Salad Bars

Worktops & Undercounters

WTR/WTF	Worktops
UCR/UCF	Undercounters

Chef Bases

WTRCS/WTFCS	Chef Bases
-------------	------------

Bar & Wine Equipment

DD/DZ/BM	Direct Draw
BM23/DZ24	Bar Mobile
BB/DZ	Back Bar
DW	Bottle Coolers
GF/FLG	Glass & Plate Chiller

Milk Coolers

SM/SMF	Single Access
ST/STF	Dual Access

Blast Chillers / Shock Freezers

CF/BF	Self Contained
BF200	Blast Chiller/Freezer/Thawer





BEVERAGE-AIR

Beverage-Air has a full range of premium refrigeration and food service equipment solutions to meet the diverse needs of restaurant, chain, retail, convenience store, educational, and healthcare settings.

360° SERVICE SUPPORT

**MEETING ALL YOUR SERVICE NEEDS WITH IMPROVED
SERVICE TECH DISPATCH & WARRANTY PROCESS**



Service School

Our Technical Service team is doing hands-on service training in the field

First-Time Fix Program

Implemented a reward system for service tech companies that fix the issue on the first service call

R290 Service Providers

Ensuring service techs are certified and trained on R290 refrigerant

Service Locator on Website

Up-to-date service provider list on website

HORIZON® SERIES

Top Mount Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 Year warranty on parts, labor,
and compressor**

Heavy Duty Construction

2" CFC and HCFC-free foamed-in place
polyurethane insulation

Full electronic Control

with one-touch defrost

Multiple finish options

Door locks standard

Solid doors only (optional on glass door models)

Field-reversible doors

Solid doors only

Cam-lift hinges

with 120 degree stay open feature

**Sealed system makes service
and maintenance quick and easy**

LED lighting standard

Back rack airflow distribution system

Self-closing doors

6" heavy duty casters standard

3" casters or 6" leg option available
at no charge when specified on order

**Environmentally friendly,
energy efficient R290 refrigerant**



BACK CHANNEL
to promote air flow



FIELD-REVERSIBLE DOORS
for flexibility to get your kitchen set
up exactly how you want it

P SERIES

Spec Line Refrigeration



Maximum resistance to wear and tear with stainless steel breaker caps and door liners

Configurable interior gives ultimate flexibility for shelf and slide combinations

7 Year warranty on parts, labor, and compressor

LED lighting

Full electronic control

Self-closing doors

with 120° stay-open feature, on cam-lift hinges

Expansion valve technology

Freezer only

Door locks standard

Solid and Glass doors

Magnetic gasket attached to each door

for positive seal

Sealed system makes service and maintenance quick and easy

6" adjustable legs

(3" casters or 6" caster option available at no charge when specified on order)

3 epoxy coated wire shelves

per section


Removable access panel

for ease of service and maintenance



TRAY SLIDES A AVAILABLE

holds one 18x26" or two 14x18"



TRAY SLIDES A/C AVAILABLE

hold one 18x26", or two 14x18", or two 12x20"

CROSS TEMP® SERIES

Convertible Refrigeration



Variable speed compressor technology achieves up to 30% more energy efficiency compared to a single-speed

7 Year warranty on parts, labor, and compressor

Temperature range of -15 to 40° F

Modulates coil temp to achieve desired set point
while achieving maximum energy efficiency

Single cabinet configurable to all menu initiatives

Intuitive compressor
adjusts for optimal effectiveness in high-use situations

Quicker pull-down
for both air and product temperatures

Improved product stability

Smart-defrost

Expansion valve

Rapid-recovery after defrost
consistent product temperature and ensures food quality

Door locks standard
Solid doors only (optional on glass door models)

Field-reversible doors
(except for CT12-12HC models)

Featuring environmentally friendly energy efficient R290 refrigerant

Cross Temp Chef Bases available



EASY-TO-USE CONTROLLER
to quickly adjust set points



VARIABLE SPEED SYSTEM
modulates coil temp

VISTA® SERIES

Bottom Mount Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 Year warranty on parts, labor,
and compressor**

Full electronic control

Door locks standard

(solid doors only, optional on glass door models)

One piece grille

Cartridge style door hinges

with 120 degree stay-open feature

LED lighting standard

Self-closing doors


Right and Left hinged models available

(specify at time of order)

6" heavy duty casters standard

(3" casters or 6" leg option available
at no charge when specified on order)

**Environmentally friendly,
energy efficient R290 refrigerant**



DOOR LOCKS STANDARD

on solid door units for loss prevention
(available as an option for glass doors)



FULL ELECTRONIC CONTROL

with easy to read digital display

HORIZON® SERIES

Bottom Mount Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 Year warranty on parts, labor,
and compressor**

Heavy Duty Construction

(2" CFC and HCFC-free foamed-in place
polyurethane insulation)

Full electronic Control

with one-touch defrost

Door locks standard

(solid doors only, optional on glass door models)

Cartridge-style hinges

with 120 degree stay open feature


LED lighting standard

Self-closing doors

6" heavy duty casters standard

(3" casters or 6" leg option available at
no charge when specified on order)

Environmentally friendly, energy efficient R290 refrigerant



DOOR LOCKS STANDARD

on solid door units for loss prevention
(available as an option for glass doors)



FULL ELECTRONIC CONTROL

with easy to read digital display

RI SERIES

Bottom Mount Refrigerators



**Designed to perform in
high ambient conditions**

**7 Year warranty on parts, labor,
and compressor**

Compact design

to fit challenging kitchen layouts

Heavy Duty Construction

(2" CFC and HCFC-free foamed-in place
polyurethane insulation)

Cartridge-style hinges

with 120 degree stay open feature

LED lighting standard

Self-closing doors

6" heavy duty casters standard


(3" casters or 6" leg option available at
no charge when specified on order)

**Uses environmentally friendly,
energy efficient R290 refrigerant**



FULL ELECTRONIC CONTROL

with easy to read digital display



BUILT-IN LED LIGHTS

Improved LED lighting for better product display

HORIZON® SERIES

Warming Cabinets



Optimal airflow for consistent cabinet temperature

7 Year parts and labor warranty

Adjustable Electronic Temp Control

From 80°F To 180°F

Built-In Adjustable Humidity Control Vent

Safety Shielded Strip Type Heating Elements

Externally Mounted Blower

Maintains Even Temperatures

Stainless Steel Front

With Gray Painted Galvanized Sides

Corrosion Resistant Aluminum Interior

Stainless Steel Breaker Caps

Snap-In Magnetic Door Gasket


Heavy-Duty Cam Lift Hinges

Stay-Open Door Feature

For Easy Product Loading

3 Heavy-Duty Epoxy Coated Shelves


per section



Illustrated with the safety shield removed to give a good view of the heating element and vent.

P SERIES

Spec Line Warming Cabinets



Maximum resistance to wear and tear with stainless steel breaker caps and door liners

Modular interior gives maximum flexibility for shelf and slide combinations

7 Year parts and labor warranty

Stainless steel breakers

Full electronic control

Self-closing doors

with 120° stay-open feature, on cam-lift hinges

Built-in adjustable humidity control

Door locks standard

for both Solid and Glass doors

Magnetic gasket attached to each door

for positive seal

6" adjustable legs

(3" casters or 6" caster option available at no charge when specified on order)

3 chrome-plated wire shelves

per section

Removable access panel


for ease of service and maintenance

Temperature range from 80-180° F



TRAY SLIDES A AVAILABLE

holds one 18x26" or two 14x18"



TRAY SLIDES A/C AVAILABLE

hold one 18x26", or two 14x18", or two 12x20"

MARKETEER® SERIES

Merchandiser Refrigerators



Energy Star rated (select models)

Unique sizing options

**3 Year warranty on parts & labor,
5 year warranty on compressor**

Double pane Low-E argon-filled glass doors

LED lighting

creates dynamic product presentation

Refrigerators have electro-mechanical control

**Energy efficient and environmentally
friendly R290 refrigerant**

Energy Star rated

(select models)

Self-closing hinged doors

with mechanical locks standard (MT21, MT41)

Sliding glass doors available

on select units

Bottle Coolers now available (MT41)



MECHANICAL LOCKS

standard on all hinged units
(excluding MT21 models)



BUILT-IN LED LIGHTS

for dynamic product presentation

MARKETMAX[®] SERIES

Merchandiser Refrigerators & Freezers



Also available with:

- **IQ Electronic Smart Lock**
- **Wine Specific Models with additional Wine Upgrades**

Energy efficient R290 provides solution for all environmental concerns

Designed to perform in high ambient conditions

Double pane, lowE argon-filled glass doors

Freezers have triple pane

Field-reversible (refrigerator only)

Requires additional hardware kit

Self-closing doors

120° stay open feature

LED lighting

creates dynamic product presentation

Brightly lit sign panel

Custom door decals and signage available

Full electronic temperature control

Energy efficient and environmentally friendly R290 refrigerant

5 epoxy coated wire shelves per section

1, 2 & 3 door model options available

Sliding glass doors available on select units

7 Year warranty on parts, labor, and warranty



FULL ELECTRONIC CONTROL
with easy to read digital display



BRIGHTLY LIT HEADER PANEL
to grab attention and increase sales

DIPPING CABINETS



R290 refrigerant provides low energy consumption and is environmentally friendly

3 Year warranty on parts & labor, 5 year warranty on compressor

Galvanized metal cabinet
with powder coated painted surface

Easy-to-clean interior

Full electronic control

Sliding glass lids are LowE tempered

Lock and keys standard

2" Heavy-duty casters
allow easy and fast movement

Drain plug for easy cleaning

Lexan sneeze guard

Heavy-duty PVC coated wire support racks
allows containers to be placed on top level for optimal storage

Each rack designed to hold
multiple 3-gallon ice cream containers

R290 refrigerant provides low energy consumption and is environmentally friendly



LID LOCKS STANDARD
for loss prevention



LED LIGHTING
for dynamic product presentation

NOVELTY CASES



R290 refrigerant provides low energy consumption and is environmentally friendly

3 Year warranty on parts & labor, 5 year warranty on compressor

White coated steel exterior

White powder coated surface interior

R290 refrigerant provides low energy consumption

LED lighting

Adjustable thermostat

Operating temperature of -10°F

Angle top design with LowE tempered glass lids

Lids are easily removable

Lid lock & keys

Round exterior edges

Integrated tag molding

2" heavy duty casters

Drain plug for easy cleaning

Removable baskets



LID LOCKS STANDARD

for loss prevention



LED LIGHTING

for dynamic product presentation

COUNTERTOPS

Refrigerators & Freezers



CT96 Refrigerator

Double pane, tempered glass door with locks

Heavy-duty black textured steel exterior

with black plastic door frames

Heavy-duty white epoxy coated steel interior

LED lighting

creates dynamic product presentation

3 epoxy coated shelves

top 2 shelves are adjustable

Full electronic temperature control with display

Refrigeration system uses R600a refrigerant

to comply with all environmental concerns

System is serviceable from the rear

Custom graphics available

1 year parts & labor warranty

AGENCY CERTIFICATIONS



CF3 Freezer

Triple pane, tempered glass door

Pre-painted, steel interior and exterior
for easy cleaning

LED lighting

creates dynamic product presentation

2 shelves standard

one full & one half shelf

Custom graphics available

2" leveling legs

with up to 1" for leveling of the unit

Refrigeration system uses R290 refrigerant

to comply with all environmental concerns

1 year parts & labor warranty

AGENCY CERTIFICATIONS



UCF20 Freezer

Glass door provides clear merchandising of ice cream

Oversized refrigeration system holds -15°F product temperature

Full electronic control

for enhanced defrost

AGENCY CERTIFICATIONS



Forced air design does not require unit to undergo manual defrost


which is a major advantage to comparable cold wall freezers

20" footprint for countertop

or undercounter applications

7 Year warranty on parts, labor, and compressor

DELI CASES



Ideal for gourmet shops, bakeries, delicatessens and convenience stores

3 Year warranty on parts & labor, 5 year warranty on compressor

Open-food rated

Sliding rear glass doors, easily removed for cleaning

Curved front glass

Full electronic control

LED lighting with on and off switch

Additional electrical outlet for scale

Adjustable shelves for better product display

Price tag molding standard

Powder coated galvanized steel exterior

Stainless steel floor with mirrored interior end caps



ACCESSIBLE OUTLET

Conveniently located for secondary small equipment such as scales.



REMOVABLE SLIDING DOORS

for easy maintenance and cleaning of the unit and doors.

BREEZE™ SERIES



Unique size suited for endcaps and schools

Custom graphics available

**3 Year warranty on parts & labor,
5 year warranty on compressor**

Exterior finish is a heavy-duty steel
with a durable, baked on black or white coating

Curved design with open front & side shield
to maximize product display

Interior is white coated steel

2 recessed interior lights
provide maximum product visibility

3 epoxy coated shelves

Modern grille is easy to remove
for cleaning or service


Gravity-Flo organizer

Holds unit temperature from 32°-40°F

Certified for bottled beverage & packaged foods

Brightly lit sign panel

**Featuring environmentally friendly
energy-efficient R290 refrigerant**



SIDE SHIELD
to maximize product display



GRAVITY-FLO
organizer standard

VUEMAX™ SERIES



Ideal for gourmet shops, delicatessens, convenience stores & bakeries

3 Year warranty on parts & labor, 5 year warranty on compressor

Heavy duty steel exterior
with a durable paint finish

Glass sides enhance product visibility
from side viewpoints

Foamed in place CFC-free polyurethane
insulation enhances the structural strength of the cabinet and increases energy efficiency

LED lighting
enhances product illumination for maximum visibility

Shelving display flexibility
Shelves can be installed in two positions

Full electronic temperature control
from 36° -40°F, with display

Certified for bottled beverage & packaged foods

Night curtain

Stylish impact bumper

Featuring environmentally friendly energy-efficient R290 refrigerant



SIDE SHIELD
to maximize product display



CUSTOM GRAPHICS AVAILABLE
for brand or product promotion

SALAD BARS



**Designed to perform in
high ambient conditions**

**7 year warranty on parts, labor,
and compressor**

Locking divider bars

Lift-off lids standard

to help maintain product temperature

Heavy-duty aluminum pan liner

Easy to clean and prevents spills from falling into cabinet while also ensuring coldest air flows across bottom of pans

Field-reversible doors with 120 degree stay-open feature

Two epoxy coated shelves per door section standard

Snap-in door gaskets

Accommodates up to 6" deep food service pans

4" deep 1/3 size polycarbonate pans are included


6" heavy duty casters standard

3" casters or 6" leg option available
at no charge when specified on order



PERFECT SEAL PAN LINER

ensures airflow under pans and protects
bottom of cabinet from pan spills



LIFT-OFF LIDS standard

to help maintain product temperature

SANDWICH PREP

Food Prep Tables



Designed to perform in high ambient conditions

7 year warranty on parts, labor, and compressor

Full electronic control

Heavy-duty aluminum pan liner

easy to clean and prevents spills from falling into cabinet while also ensuring coldest air flows across bottom of pans

Reversible cutting boards

1/2" thick, 10" deep

Locking divider bars

Field-reversible doors

with 120 degree stay-open feature

Two epoxy coated shelves

per door section standard

Snap-in door gaskets

Accommodates up to 6" deep food service pans

4" deep 1/6 size polycarbonate pans are included

Heavy duty insulated covers

protects products and eliminates sweating when closed

6" heavy duty casters standard

3" casters or 6" leg option available at no charge when specified on order



PERFECT SEAL PAN LINER

ensures airflow under pans and protects bottom of cabinet from pan spills



CLEAR LIDS AVAILABLE

for optimized product display

STANDARD TOP

Two rows of food pans for easy access to ingredients. Perfect for smaller sandwich, salad or back of the house line service



MEGA TOP

Three rows of food pans offer 50% more capacity than a standard top prep table. Ideal for users with a wide array of ingredients



CUT TOP

An extra deep, 14" cutting board on a standard top unit offers additional workspace for larger item prep, catering or complicated menu items



PIZZA PREP

Pizza & Deli Prep Tables



Low-profile design for enhanced ergonomics and product display

Improved airflow maintains consistent pan temperature in top rail

Designed to perform in high ambient conditions

Duct system features uniform airflow distribution
over evaporator coil and throughout raised rail

Electronic controller with smart-defrost

12-Gauge stainless steel drawer slides with Delrin® rollers rated at 275 lbs

Electrical defrost heater
terminates defrost sooner, reducing product instability

Right or left compressor placement
specify at time of order

Field-reversible doors
with 120 degree stay open feature

Heavy-duty aluminum pan liner
is easy to clean and prevents spills from falling into cabinet

Accommodates up to 6" deep food service pans
Not included

Improved serviceability
Removable service panel for easy access to refrigeration system

Featuring environmentally friendly energy efficient R290 refrigerant

7 Year warranty on parts, labor, and warranty



3 DRAWERS IN SINGLE SECTION
available on all sizes



CLEAR LIDS AVAILABLE
for optimized product display

WORKTOPS

Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 year warranty on parts, labor,
and compressor**

Stainless steel top

(side-mount worktops come standard with 16-gauge stainless steel top)

Mechanical or Full electronic control

- Mechanical controller standard in refrigerator units sizes 20-34
- Full electronic controller standard in refrigerator units sizes 36 and higher, and in all freezer and dual-temp units

Self-closing doors

with 120° stay-open feature, on cartridge style hinges

Magnetic gasket

attached to each door for positive seal

**Featuring environmentally friendly
energy efficient R290 refrigerant**

**Two epoxy-coated steel
wire shelves per section**

Field-reversible doors

On select models

6" heavy duty casters

various ADA compliant mounting options



REMOVABLE BACKSPLASH

available as an option, as well as a Flat Top, or a Foamed-in-Place backsplash



FIELD-REVERSIBLE DOORS
for layout flexibility

UNDERCOUNTERS

Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 year warranty on parts, labor,
and compressor**

**Undercounter units feature a 1/2"
thick sub-top**

Mechanical or Full electronic control

- Mechanical controller standard in refrigerator units sizes 20-34
- Full electronic controller standard in refrigerator units sizes 36 and higher, and in all freezer and dual-temp units

Interior thermometer

Self-closing doors

with 120° stay-open feature, on cartridge style hinges

**Easy door removal for service and
cleaning**

**Magnetic gasket attached to each
door**

for positive seal


6" heavy duty casters standard

3" casters or 6" leg option available
at no charge when specified on order

Two epoxy-coated steel wire shelves
per section

Field-reversible doors

On select models



3" CASTERS AVAILABLE
at no charge when specified at the
time of order



FIELD-REVERSIBLE DOORS
for layout flexibility

CHEF BASES

Refrigerators, Freezers & Cross Temp®



**Designed to perform in
high ambient conditions**

**7 year warranty on parts, labor,
and compressor**

**LIFETIME WARRANTY on all
drawers and slides (parts only)**

**12-gauge stainless steel drawer
slides with Delrin® rollers
rated at 275 lbs**

**Heavy-duty, fireproof, insulated
16-gauge top with fully integrated
heat-shield**

(must adhere to manufacturer's clearance)

**Compressor available on
left or right side**

(specify at time of order)


**Consistent product temperature
with intelligent airflow design**

**Improved drawer systems for easier
installation, field adjustment,
and increased pan capacity**

**Full refrigeration system service-
ability from the front of the cabinet,
eliminating the need to remove the lid**

**Accommodates 6-inch-deep full-size
food service pans in top & bottom
drawers**

**Featuring environmentally friendly
energy-efficient R290 refrigerant**



12-GAUGE DRAWER SLIDES
with 3 Delrin encased stainless steel
roller bearings per each drawer slide



ACCOMMODATES 6" PANS IN
top and bottom drawers



BAR MOBILES



Wide variety of options and accessories
7 year warranty on parts, labor, and compressor

Stainless steel drip tray for easy cleaning

Heavy-duty stainless steel floor

Stainless steel top with black glass rails

4" Casters

Mechanical control - BM23

Full electronic control - DZ24

Interior thermometer

Tower has continuous source of cold air

Portable unit with waste bottle

for beer and wine from drain

Self-closing doors with locks

Field-reversible door

Magnetic gasket attached to each door

for positive seal



PORTABLE WASTE BOTTLE
for beer and wine from drain



STAINLESS STEEL DRIP TRAY
for easy cleaning

DIRECT DRAWS

3-IN-1 DRAFT SOLUTIONS

Dispense beer, wine, or coffee (other non-alcoholic beverages) with the same tap-no line/manifold changes needed



All sizes are now available in both standard and shallow depth

7 Year warranty on parts, labor, and compressor

Stainless steel top with drip tray

Galvanized steel interior liner

with heavy duty stainless steel floor

Full electronic control

(except DD24 which has mechanical control)

Drain hose located at the rear

on compressor side for connection to floor drain

Self-closing doors with locks

Magnetic gasket attached to each door

for positive seal

Compressor standard on left side

specify at time of order for -alt compressor

Club top models available

Only available in standard depth

Twelve (12) Tap Towers models available



LEFT OR RIGHT COMPRESSOR

Specify which side the compressor should be located at time of order



DRAIN TUBE

at the rear on compressor side for connection to floor drain

BACK BAR COOLERS

Also available in:

- Sliding glass doors
- Pass-thru models
- Food rated models



All sizes are now available in both standard and shallow depth

7 Year warranty on parts, labor, and compressor

Galvanized steel interior

Stainless steel floor

1" Stainless steel top standard
ada compliance

Full electronic control

Compressor standard on left side
specify at time of order for -alt
compressor

Led lighting

Two epoxy coated shelves per section

Stay open doors and locks

Sliding glass doors
on select models (door frames only
come in black)

Pass thru models available

Food rated models available
stainless steel interior

Magnetic gasket attached to each door
for positive seal
solid and glass door only



LEFT OR RIGHT COMPRESSOR

Specify which side the compressor
should be located at time of order;
left side standard



OPEN FOOD RATED MODELS
for increased storage options

BOTTLE COOLERS



Heavy-duty sliding lids

7 year warranty on parts, labor, and compressor

Galvanized steel interior and floor

Full electronic temperature control


100% Metal lids

reinforced to prevent bowing

Stainless steel top

Bottle opener and cap catcher standard

Adjustable wire dividers



ADJUSTABLE DIVIDERS

to organize cooler to meet your specific needs



100% METAL LIDS

reinforced to prevent bowing

GLASS & PLATE CHILLERS



Heavy-duty sliding lids

7 year warranty on parts, labor, and compressor

Front or top loading

Interior thermometer

Self-closing door with 120° stay-open feature
(Front Loading Models)

Field-reversible door
(Front Loading Models)

Easy door removal
for service and cleaning (Top Loading)

Magnetic gasket attached to each door
for positive seal


Auto-defrost

Built-in Condensate Evaporator System

Operating Temperature -10F


Two Epoxy Coated Shelves

R290 Refrigerant



ADJUSTABLE DIVIDERS


to organize cooler to meet your specific needs



100% METAL LIDS

reinforced to prevent bowing (GF models)

MILK COOLERS



One-piece bottom for maximum support

7 year warranty on parts, labor, and compressor

CFC & HCFC-free insulation is foamed-in-place

for increased structural strength & energy efficiency

Epoxy coated, steel wire racks included

for added floor protection

Flexible compression door gaskets


ensure a tight seal for added temperature control

Cylinder Locks

Bottom drain for connection to drain hose and easy cleaning

External digital thermometer

Coolers hold milk between 36°-38°F
until ready to serve for maximum refreshment



ONE-PIECE REINFORCED FLOOR

for maximum milk crate support and made with stainless steel



SINGLE AND DUAL ACCESS

models available

BLAST CHILLERS/SHOCK FREEZERS

Self-Contained



NOW WITH R290 REFRIGERANT

Stainless steel exterior and interior

Die-formed interior floor

Central drain for easy cleaning

Automatic recognition of core probe

HACCP alarm display button

Timed manual defrost button

Automatic product storing at end of cycle

Up to 99 custom programmable cycles

**5" Touchscreen LCD Display (RBS models)
LED Controller (SB model)**

High precision heated multi sensor probe

3 Year Warranty parts and labor

5 Year Warranty on compressor



CORE PROBE

measures product temperature



INTUITIVE PROGRAMMABLE DISPLAY

5" touchscreen on RBS models
LED Controller on SB model

BLAST CHILLER/FREEZER/THAWER

Self-Contained



Shown with optional ramp

5" High Definition, Easy-To-Use Touch Display
Blast Chilling, Shock Freezing, Thawing Mode
Self-Contained R404A Refrigeration System

Stainless Steel Exterior And Interior

Rounded interior corners for proper cleaning

High Density, Polyurethane Insulation

Hinged Door With Gasket

with Closing Ramp System and Ergonomic Vertical Door Handle

Anti-Condensation Resistance

Placed On The Door Under The Gasket

Stainless Steel Door Liner

Thick Stainless Steel Internal Bumper

to Avoid Damage Caused By The Cart

Die-Formed Leak-Proof Floor

Heated Core Probe

with 4 Measuring Points


Customized Blast Chilling, Blast Freezing and Thawing Cycles

320 cycles can be memorized

USB Connection

for Uploading And Downloading Data And Recipes

3 Year Warranty parts and labor 5 Year Warranty on compressor



EXPANDABILITY AND CONTROL

easily add, edit or rename recipes, all organized by product type and function



TOUCH CONTROL PHOTO MENU

is easy to use, and the function selection is immediate and intuitive

THE BEVERAGE-AIR DIFFERENCE

WE STRIVE TO SET OURSELVES APART FROM THE COMPETITION BY DELIVERING UNMATCHED VALUE AND SERVICE TO OUR CUSTOMERS

Designed to Perform in High Ambient Locations

When kitchens heat up, Beverage-Air refrigerators and freezers are there to keep things cool

R290 Refrigerant

Increased energy efficiency and better for the environment

Largest Breadth of Product Offering

If there's a need for a commercial refrigerator, Beverage-Air has the right unit

Huge Assortment of Standard Units

Our range of standard units includes many unique items

Custom Models

If we don't have a standard solution that fits, we can build custom units to spec

Celebrating Over 75 Years of Quality & Innovation

We've been at this a long time, and our legacy shows in the quality of our machines

Unmatched, Award Winning Customer Service & Support

Our team has been recognized by every major buying group for our excellent service

Dedicated Service Center

We're here when you need us

ANY Certified Refrigeration Contractor Can Work On Beverage-Air Under Warranty

Helps ensure consistent field service

Equipment & Accessories Receive Your Same Discount

We make sure you're getting the best value for everything you purchase

Online Warranty Registration & Processing

With 24-Hour Acknowledgement

CONTACT US

Contact	Office	Cell	Email Address	Responsibility
Logan Noll		724-312-2871	lnoll@alirefna.com	Vice President of Sales
Madi Nommsen		336-793-6282	mnommsen@alirefna.com	Director of Sales
Daniel Short		434-390-6428	dshort@alirefna.com	Director of Consultant Services
Alicia Glick		260-316-1085	aglick@alirefna.com	Regional Sales Manager
Corey Young		724-487-4540	cyoung@alirefna.com	Regional Sales Manager
Mitch Carb	336-245-6464	989-493-2778	mcarb@alirefna.com	VP of Marketing & Project Management
Sean Larkin	336-245-6418	336-340-5627	slarkin@alirefna.com	Marketing Manager
Joann LaPort	336-245-6404	336-831-4591	jlaport@alirefna.com	Sales Coordinator
Ann Radick	336-245-6443	864-237-0456	aradick@alirefna.com	Director of Customer Relations
Alex Vogler	336-245-6449		avogler@alirefna.com	Director of Technical Services & Quality
Trae Bailey	336-245-6400 ext. 16465		tbailey@alirefna.com	Warranty/Dispatch Supervisor

Customer Service Team

Keri McCarroll – kmccarroll@alirefna.com

Debra Goins – dgoins@alirefna.com

Melissa Frye – mfrye@alirefna.com

Technical Service Team

Cedric Leverett – cleverett@alirefna.com

Kevin Arrieta – karrieta@alirefna.com

Jeffrey Kachmar – jkachmar@alirefna.com

Jake Wallace – jwallace@alirefna.com

Jared Kallam – jkallam@alirefna.com

Richard Cain – rcain@alirefna.com

Warranty Dispatch

Summer Riley – sriley@alirefna.com

Carson Patella – cpatella@alirefna.com

Stephanie Giampetro – sgiampetro@alirefna.com

Factory Headquarters Sales Office

3779 Champion Blvd
Winston-Salem, NC 27105
Phone: (336) 245-6400
Fax: (336) 245-6453
Email: sales@bevair.com
Web: www.beverage-air.com

Factory Customer Service

Phone: (888) 845-9800
Fax: (800) 253-5168

Factory Technical Service

Phone: (800) 684-1199
Fax: (800) 262-9381

Warranty Dispatch

(877) 866-1223

Manufacturing Facility

1028 Route 28
Brookville, PA 15825



BEVERAGE-AIR®

2025 PRODUCT OVERVIEW