





Solutions that advance your business.

When you're faced with challenges, trust Alto-Shaam to deliver solutions and support when and where you need it. Our equipment systems are designed to add value to your business, helping create superior food experiences that drive long-term profitability. We pioneer equipment that is intuitive and dependable—giving you the confidence and support you need to embrace changes in rapidly evolving markets. With headquarters and manufacturing in Menomonee Falls, Wisconsin, Alto-Shaam proudly provides foodservice equipment solutions made in the USA to more than 90 countries globally.



"Since implementing the heated shelf merchandiser, we're seeing an 8 to 10% increase in our rotisserie chicken sales volume. We've also expanded its use to include meat loaf, ribs, and mashed and red potatoes. It has a bright, wonderful visual presentation and graphics that have made it a real asset in our store."

Emily Peterson | Deli Manager Fox Bros. Piggly Wiggly

WHICH ONE IS RIGHT FOR ME?

Boost impulse sales.

As the foodservice industry continues to evolve, more and more consumers are looking for hot and fresh ready-to-eat meals. Drive profits and streamline food service by showcasing grab-and-go, prepared food options in an Alto-Shaam heated shelf merchandiser or display case.

Θ

Featuring exclusive Halo Heat® fanless technology for precise, even heating, merchandisers and display cases are designed to maintain the highest food quality all while extending holding times. Merchandisers and display cases are available in a variety of sizes and configurations to fit the needs of any foodservice operation.

Install separately or as part of a full system to cook, hold, and merchandise rotisserie chickens, pizzas, bakery, sandwiches and more.



NDISERS	HEATED DISPLAY CASES
e	Employees serve customer
d throughout , etc.]	Hot deli bar – ready to serve hot meals and sides
ackaged he slice, ıffins, etc.)	Ready-to eat, bulk prepared food scooped, measured and served to customers by employees [mixed vegetables, macaroni and cheese, fried chicken, mashed potatoes, gravy, etc.]
/es	3, 5 or 7 in-case configurable pan zones
S	Countertop with legs Floor standing with mobile or stationary base



Quality on display.

Convenient, high-quality food paired with an attractive display increases sales and keeps customers coming back for more. Durable, easy-to-install equipment keeps prepared food programs running efficiently. Discover exclusive features that set Alto-Shaam merchandisers and display cases apart—and foodservice operations up for long-term success.

Reduced Food Waste

Exclusive Halo Heat® technology holds food at optimal, precise temperatures for minimal food waste. Drive foodservice profits and convert more food into sales with high-quality holding.

Longer Hold Times

Halo Heat technology keeps food fresh, warm and full of flavor for longer periods of time without compromising food quality. No fans, forced air or harsh, inconsistent heating elements. No overcooking or drying out. No hot or cold spots. Only gentle, consistent heat.

Visual Displays

Boost impulse sales with eye-catching displays. Draw customers in with customizable branding, LED-lighting, interchangeable graphics, window sides, mirrors and more.

Precise Temperatures

Adjustable, independent temperature controls keep food at the optimal serving temperatures and quality regardless of the type of food or packaging.

Streamlined Service

Effortlessly introduce a grab-and-go program or streamline existing programs with merchandisers and display cases. Safely merchandise and serve prepared food anywhere with a variety of casters, display bases and equipment configurations.

Low Operating Costs

Energy-efficient Halo Heat technology provides gentle, low temperature heating—using significantly less electricity than traditional merchandising and display equipment.



Countertop Merchandisers

Floor-Standing Merchandisers



* Swing Back Door Optional

HSM-24/3S/T

CAPACITY Three (3) 20-7/8" (530mm) wide shelves, Six [6] chicken boats with dome covers per shelf.

VOLTAGES 120V, 1Ph, 60Hz 208–240V, 1Ph, 50/60Hz

HSM-36/2S/T

CAPACITY Two [2] 32-7/8" [835mm] wide shelves, Eight (8) chicken boats with dome covers per shelf.

VOLTAGES 120V 1Ph, 60Hz 208–240V, 1Ph, 50/60Hz

HSM-36/2S/T/F

CAPACITY Two (2) 32-7/8" (835mm) wide shelves, Eight (8) chicken boats with dome covers per shelf.

VOLTAGES 120V 1Ph. 60Hz 208–240V. 1Ph. 60Hz

* Swing or Slide Back Door Optional



Shown with custom graphics

Shown with custom graphics

Shown with custom graphics & Front Door Option

HSM-36/3S/T

CAPACITY Three [3] 32-7/8" (835mm) wide shelves, Eight (8) chicken boats with dome covers per shelf.

VOLTAGES 208-240V. 1Ph. 50/60Hz

311 lb (141 kg) PRODUCT CAPACITY 24 lb (11 kg) per shelf

SHIPPING WEIGHT

462 lb (210kg)

NET WEIGHT

45-7/8" x 24" x 27-1/4" (1163mm x 609mm x 693mm)

SHIPPING WEIGHT 300 lb (136 kg)

DIMENSIONS H x W x D

NET WEIGHT 250 lb (113 kg)

PRODUCT CAPACITY 16 lb (7 kg) per shelf

DIMENSIONS H x W x D 35-7/8" x 36" x 27-1/4"

SHIPPING WEIGHT

372 lb (169 kg)

NET WEIGHT

224 lb [102 kg]

PRODUCT CAPACITY

24 lb (11 kg) per shelf

DIMENSIONS H x W x D

[816mm x 914mm x 667mm]

32-1/8" x 36" x 26-1/4"

SHIPPING WEIGHT

372 lb [169 kg]

224 lb (102 kg)

PRODUCT CAPACITY 24 lb (11 kg) per shelf

NET WEIGHT

(910mm x 914mm x 692mm)

* Swing or Slide Back Door Optional







* Swing or Slide Back Door Optional

Shown with custom graphics & Front Door Option

DIMENSIONS H x W x D 45-3/4" x 36" x 27-5/16" [1162mm x 914mm x 694mm]

* Swing or Slide Back Door Optional



3-shelf 36" merchandisers also available with a floor-standing display base.

HSM-24/5S/T

CAPACITY

Five (5) 20-7/8" (530mm) wide shelves, Six [6] chicken boats with dome covers per shelf.

VOLTAGES 208–240V, 1Ph, 60Hz

DIMENSIONS H x W x D 79-1/2" x 24" x 27-3/16" [2020mm x 609mm x 694mm]

SHIPPING WEIGHT 550 lb (249 kg)

NET WEIGHT 406 lb (184 kg)

PRODUCT CAPACITY 16 lb (7 kg) per shelf

HSM-36/5S/T

CAPACITY Five (5) 32-7/8" (835mm) wide shelves, Eight [8] chicken boats with dome covers per shelf.

VOLTAGES 208–240V, 1Ph, 60Hz

DIMENSIONS H x W x D 82-1/16" x 36" x 27-1/4" (2029mm x 914mm x 694mm)

SHIPPING WEIGHT 590 lb [268 kg]

NET WEIGHT 496 lb [225 kg] PRODUCT CAPACITY 24 lb (11 kg) per shelf

HSM-48/5S/T

CAPACITY

Five (5) 44-7/8" (1140mm) wide shelves, Twelve [12] chicken boats with dome covers per shelf

VOLTAGES 208–240V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

79-7/8" x 48" x 27-5/16" [2029mm x 1218mm x 692mm]

SHIPPING WEIGHT 772 lb (350 kg)

NET WEIGHT 563 lb (255 kg)

PRODUCT CAPACITY 40 lb (18 kg) per shelf

Display Cases



ED3-48

PAN CAPACITY 3 Full-Size Hotel Pans or 3 GN 1/1 Pans or 2 Full-Size Sheet Pans

VOLTAGES 208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz (767mm x 1227mm x 1108mm) SHIPPING WEIGHT

DIMENSIONS H x W x D

30-3/16" x 48-5/16" x 43-5/8"

372 lb (169 kg) **NET WEIGHT** 297 lb (135 kg)

PRODUCT CAPACITY 48 lb [22 kg]

ED3-48 with mobile base, standard height

PAN CAPACITY (DIMENSIONS)

3 Full-Size Hotel Pans or 3 GN 1/1 Pans or 2 Full-Size Sheet Pans

VOLTAGES

208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz **SHIPPING WEIGHT** 472 lb [214 kg]

DIMENSIONS H x W x D 63-3/8" x 48" x 43-5/8"

(1610mm x 1219mm x 1108mm)

NET WEIGHT 397 lb (180 kg)

PRODUCT CAPACITY 48 lb [22 kg]

ED3-48 with mobile base, short PAN CAPACITY (DIMENSIONS) DIMENSION

MENSIONS) DIMENSIONS H x W x D

3 Full-Size Hotel Pans or 3 GN 1/1 Pans or 2 Full-Size Sheet Pans

VOLTAGES

208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz

58-1/2" x 48" x 43-5/8" (1487mm x 1219mm x 1108mm)

SHIPPING WEIGHT 427 lb [214 kg]

> **NET WEIGHT** 397 lb (180 kg)

PRODUCT CAPACITY 48 lb [22 kg]

ED3[SYS]-48 with stationary base PAN CAPACITY DIMENSIONS 3 Full-Size Hotel Pans or 48-5/16" x 48 3 GN 1/1 Pans or [1227mm x 12 2 Full-Size Sheet Pans

Stationary

Base

VOLTAGES 208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz **DIMENSIONS H x W x D** 48-5/16" x 48" x 47-3/16" [1227mm x 1219mm x 1204mm]

SHIPPING WEIGHT 500 lb [227 kg]

NET WEIGHT 450 lb (204 kg)

> **PRODUCT CAPACITY** 48 lb [22 kg]



Mobile Base [Standard Height]



Mobile Base (Short Height)



DISPLAY CAS





Mobile Base (Standard Height)



Mobile Base (Short Height)



Stationary Base



ED3-72

PAN CAPACITY

5 Full-Size Hotel Pans or 5 GN 1/1 Pans or 3 Full-Size Sheet Pans

VOLTAGES

208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

30-3/16" x 72" x 43-13/16" (767mm x 1829mm x 1113mm)

SHIPPING WEIGHT 465 lb [210 kg]

NET WEIGHT 419 lb [190 kg]

PRODUCT CAPACITY 80 lb [36 kg]

ED3-72 with mobile base, standard height

PAN CAPACITY (DIMENSIONS)

5 Full-Size Hotel Pans or 5 GN 1/1 Pans or 3 Full-Size Sheet Pans

VOLTAGES

208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

63-3/8" x 72" x 43-13/16" (1609mm x 1829mm x 1113mm)

SHIPPING WEIGHT 595 lb [270 kg]

NET WEIGHT 549 lb [249 kg]

PRODUCT CAPACITY 80 lb [36 kg]

ED3-72 with mobile base, short

PAN CAPACITY (DIMENSIONS)

5 Full-Size Hotel Pans or 5 GN 1/1 Pans or 3 Full-Size Sheet Pans

VOLTAGES

208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

57-5/16" x 72" x 43-13/16" (1457mm x 1829mm x 1113mm)

SHIPPING WEIGHT 595 lb [270 kg]

NET WEIGHT 549 lb [249 kg]

PRODUCT CAPACITY 80 lb [36 kg]

ED3[SYS]-72 with stationary base

PAN CAPACITY

5 Full-Size Hotel Pans or 5 GN 1/1 Pans or 3 Full-Size Sheet Pans

VOLTAGES

208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

48-5/16" x 72" x 47-7/16" (1227mm x 1829mm x 1205mm

SHIPPING WEIGHT 700 lb [317 kg]

NET WEIGHT

621 lb (282 kg) **PRODUCT CAPACITY** 80 lb (36 kg)

Display Cases





ED3-96

PAN CAPACITY 7 Full-Size Hotel Pans or 7 GN 1/1 Pans or 4 Full-Size Sheet Pans

VOLTAGES 208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz

NET WEIGHT 526 lb (239 kg)

SHIPPING WEIGHT

585 lb (265 kg)

PRODUCT CAPACITY 112 lb (51 kg)

DIMENSIONS H x W x D 30-3/16" x 96" x 43-13/16"

[767mm x 2438mm x 1113mm]

ED3-96 with mobile base, standard height

PAN CAPACITY (DIMENSIONS)

7 Full-Size Hotel Pans or 7 GN 1/1 Pans or 4 Full-Size Sheet Pans

VOLTAGES

208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz (1609mm x 2438mm x 1113mm) SHIPPING WEIGHT 735 lb (333 kg)

DIMENSIONS H x W x D 63-5/16" x 96" x 43-13/16"

NET WEIGHT 676 lb (307 kg)

PRODUCT CAPACITY 112 lbs (51 kg)

ED3-96 with mobile base, short

PAN CAPACITY (DIMENSIONS)

7 Full-Size Hotel Pans or 7 GN 1/1 Pans or 4 Full-Size Sheet Pans

VOLTAGES

208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz

(1486mm x 2430mm x 1113mm) SHIPPING WEIGHT 735 lb [333 kg]

DIMENSIONS H x W x D 58-1/2" x 96" x 43-13/16"

NET WEIGHT

676 lb (307 kg) PRODUCT CAPACITY 112 lbs (51 kg)

ED3[SYS]-96 with stationary base

PAN CAPACITY

7 Full-Size Hotel Pans or 7 GN 1/1 Pans or 4 Full-Size Sheet Pans

VOLTAGES 208V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz

DIMENSIONS H x W x D 48-3/16" x 96" x 47-7/16" (1225mm x 2438mm x 1204mm

SHIPPING WEIGHT 716 lb (325 kg)


NET WEIGHT 796 lb (361 kg)

PRODUCT CAPACITY 112 lb (51 kg)




Mobile Base (Short Height)





PAN CONFIGURATIONS





Display Cases







TY2-48

PAN CAPACITY (DIMENSIONS)

3 Full-Size Hotel Pans or 3 GN 1/1 Pans or 2 Full-Size Sheet Pans

VOLTAGES 120V/208–240V, 1Ph, 50-60Hz

DIMENSIONS H x W x D

33-7/16" x 48" x 49-5/8" (849mm x 1219mm x 1260mm)

_

SHIPPING WEIGHT 415 lb [188 kg]

NET WEIGHT 225 lb (116 kg)

PRODUCT CAPACITY 48 lbs [22 kg]

TY2-72

PAN CAPACITY (DIMENSIONS)

5 Full-Size Hotel Pans or 5 GN 1/1 Pans or 3 Full-Size Sheet Pans

VOLTAGES 120V/208–240V, 1Ph, 50-60Hz

DIMENSIONS H x W x D

33-7/16" x 72" x 49-5/8" (849mm x 1829mm x 1260mm)

SHIPPING WEIGHT 600 lb [272 kg]

NET WEIGHT 385 lb [175 kg[

PRODUCT CAPACITY 80 lbs [36 kg]

TY2-96

PAN CAPACITY (DIMENSIONS)

7 Full-Size Hotel Pans or 7 GN 1/1 Pans or 4 Full-Size Sheet Pans

VOLTAGES 120V/208–240V, 1Ph, 60Hz

DIMENSIONS H x W x D

33-7/16" x 96" x 49-5/8" [849mm x 2438mm x 1260mm]

SHIPPING WEIGHT 610 lb [277 kg]

NET WEIGHT 501 lb [227 kg]

PRODUCT CAPACITY 112 lbs [51 kg]

A partner you can rely on.

At Alto-Shaam we're relentlessly driven to design and manufacture products that perform flawlessly in the most demanding conditions to give operators confidence and consistency in every meal. And our team is just as committed to providing industry-leading service and support. From installation consultation to equipment training to around the clock, every day technical assistance to culinary support—you can trust that we are here for you.



Menomonee Falls, WI U.S.A. Phone 800-558-8744 | +1-262-251-3800 | alto-shaam.com

> FRANCE Aix en Provence, France Phone +33(0)4-88-78-21-73

AUSTRALIA Brisbane, Queensland Phone 800-558-8744

ASIA

Shanghai, China

Phone +86-21-6173-0336

CANADA Concord, Ontario Canada Toll Free Phone 866-577-4484 Phone +1-905-660-6781

Full Line Commercial Kitchen Equipment:

- Combination Ovens - Food Wells
- Cook & Hold Ovens - Heated Holding
- Quickchillers™

- Smokers

- Rotisseries - Carving Stations
- Multi-Cook Ovens

- Merchandisers & Display Cases



SEEING IS BELIEVING

Your equipment purchase shouldn't be taken lightly. Get the confidence you need by attending an interactive demonstration.

Click Here to schedule a demo today!

ALTO-SHAAM

GMBH Bochum, Germany Phone +49 [0]234 298798-0

ITALY Firenze, Italy Phone +39 3319273313

INDIA Pune, India Phone +91 9657516999

MEXICO Phone 262-251-3800 Ext. 6506

MIDDLE EAST & AFRICA Dubai, UAE Phone +971-4-321-9712

CENTRAL & SOUTH AMERICA Miami, FL USA Phone 262-251-3800 Ext. 6506





www.alto-shaam.com