DRNX BY BROOD







Mocktail



Sparkling Water







Menu Transformation.

DRNX infuses any cold brew, not just coffee. Extend your menu and watch your margins soar with a unique offering of nitro-infused juice, tea, cocktails, and more.

Five drinks per minute.

Fast Pouring – Pour five drinks per minute consistently, from coffee to cocktails. Our nitro tap system speeds up operations, impressing guests with unmatched flavor and service speed.


Consistent Perfection.

Achieve a rich, garnish-ready head with a smooth, creamy taste. *Mesmerize with a cascade lasting up to 2 minutes.*Pour ice-cold nitro-infused coffee on tap for a reliably rich and flavorful refreshment.



Intuitive & Compact.
Fits seamlessly into an operation, DRNX is under 10 inches wide, sitting discreetly on any countertop.
An intuitive design with a button lets you effortlessly serve nitro or still drinks.





Canadian Excellence

Crafted close to home, BROOD partners with leading Canadian organizations, ensuring the highest standards of excellence.

Time and Labor SavingsPre-batch beverage mixes in advance, reducing the need for skilled labor during busy hours.







Nitro Drought Latte
SALTED CARAMEL SYRUP + OATMILK

Nitro Espresso Martini PREMIX ESPRESSO MARTINI

Nitro Coffee Lemonade COLD BREW + LEMONADE







BROD, © BROOD REFRESHMENTS COMPANY LTI


DRNY BY BROOK



DRNX COMPARISON CHART







	SLM	DUO	MIX
FUNCTION	COLD NITRO & COLD STILL	COLD NITRO & COLD STILL	COLD NITRO & COLD STILL
TAPS	1	2	1
POWER SUPPLY	100-120V / 60HZ 200-240V / 50-60HZ	100-120V / 60HZ 200-240V / 50-60HZ	100-120V / 60HZ 200-240V / 50-60HZ
PHASE	SINGLE	SINGLE	SINGLE
AMPS	2.8A	3.0A	2.8A
DIMENSIONS (W/H/D)	9.25/14.74/18.25IN	9.25/14.74/18.25IN	9.25/14.74/18.25IN
WEIGHT	75LBS	78LBS	78LBS
DISPENSING CAPACITY	102 L/HOUR	102 L/HOUR PER TAP	102 L/HOUR
COFFEE TEMPERATURE AT TAP	36°F (+/- 3°F)	36°F (+/- 3°F)	36°F (+/- 3°F)
INTERNAL TUBING CAPACITY	20 OZ	20 OZ PER TAP	20 OZ
OPTIONAL ACCESSORIES	BIB BAGS BIB BOXES 1.5 GAL RESERVOIR 3.5 GAL RESERVOIR	BIB BAGS BIB BOXES 1.5 GAL RESERVOIR 3.5 GAL RESERVOIR	BIB BAGS BIB BOXES
WARRANTY	1 YEAR	1 YEAR	1 YEAR
PRESSURE AT TAP	34 PSI	34 PSI	34 PSI
INPUT BEVERAGE	READY-TO-DRINK (RTD)	READY-TO-DRINK (RTD)	CONCENTRATE
WATER ACCESS	NO	NO	YES
WATER ACCESS INLET	N/A	N/A	%IN BARB
DRAINAGE	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED
RATIO RANGE	N/A	N/A	1:1 TO 13:1
DISPENSE OPTIONS	PUSH BUTTON TAP HANDLE	PUSH BUTTON TAP HANDLE	PUSH BUTTON TAP HANDLE

FEATURES

Dispenses both nitro and still cold brew from the same tap

Extracts nitrogen from the air; no nitrogen tank necessary

Pulls from any container, kegs are only one option

Plug & play in 2 minutes

Consistency with every pour

Chills on demand to 36°F

Works with any drink

No need to deal with gas tanks or companies

Compact design; can be placed over or under the counter

Patent Pending

In-line dosing pump that works with all ratios of cold brew concentrates