Two-in-One Performance: AMTL Door-Type Commercial Dishwasher

XXXXXX

E

Get higher throughput and operational efficiency with the industry's best lifetime value.





## **SMALL FOOTPRINT. BIG PERFORMANCE.**

Recognizing the needs of busy kitchens, we have engineered a new kind of commercial dishwasher designed to enhance your dishroom operations. Unlike any machine on the market today, the Hobart AMTL offers two wash chambers to help optimize dishroom speed and efficiency while delivering superior wash performance.

# HOBART MAKES IT EASY



Responsive Service Team in all 50 States

**Customized Service Programs** 

Installation Programs

18 Month & Extended Warranty

Financing Options with Low Monthly Payments

(A) WASH  $\left( \overset{\circ}{\circ} \overset{\circ}{,} \right)$ 163∘<sub>F</sub> (A) WASH

Highest throughput for door 1 machines rated at 80 racks per hour.

3

Independent wash chambers 2 with separate pumped rinse systems increases capacity and helps ensure consistent rinse performance every cycle.

Top mounted touchscreen 3 display with simple operation and wireless connectivity.

Multiple-cycle operations including a utensil cycle and NSF pot & pan mode for heavily soiled ware, wash lightly soiled ware in the upper section and heavily soiled ware in the lower section.



· # 🔳 



**Pillarless Design** the top chamber.

Pumped Drain









Two Level Operation -Wash a variety of ware on the top and the bottom to maximize throughput during peak times. Both sections enabled.

· == ==



**Extended/Utensil Operation** – Door type operation on top and multiple wash cycles on the bottom to maintain throughput, while including extended cycle times for heavy food soils and cutlery.

### Insulated 5-Sided Hood And Lower Door

Retains heat inside the machine reducing heat gain in the dishroom.

Makes loading, unloading and cleaning easier. Ability to wash a sheet pan in

Provides flexibility for wall or floor drain installation.

#### Sense-A-Temp<sup>™</sup> Booster

Helps ensure 180° sanitizing rinse on every cycle.

	RACKS/HOUR	80
	GAL/RACK	.62 upper chamber .62 lower chamber
<b>++</b>	DOOR OPEN	17" upper chamber 9" lower chamber
9		$\checkmark$

## HOBART SMART CONNECT: PERFORMANCE AT YOUR FINGERTIPS

Thanks to built-in Wi-Fi, you can connect your AMTL commercial dishwasher to our easy-to-use smart phone app. With the free Hobart Smart Connect app, you can create better procedures and enhance performance in the dishroom by monitoring sanitization; analyzing usage, consumption and costs; and by getting emails for critical events.



**Easily connect with your commercial dishwasher's onboard Wi-Fi.** To get started, visit SmartConnect365.com



# **SPECIFICATIONS**

STANDARD FEATURES	AMTL	
Upper Wash System	17"	
Lower Wash System	9"	
Racks Per Hour	80	
Rinse Rate (Gal/Hr)	(.62 Top   .62 Bottom)	
Booster	Sense-A-Temp	
Wash Arms	Standard Top   Snap In Bottom	
Filtration, wash water	Two Staged	
Electrical (SPEC)	Factory Wired	
Hood Design	Pillarless	
Operator Interface	Full Digital Touchscreen	
Final Rinse	Pumped	
Tank Drain	Pumped	
Wireless Connectivity	$\checkmark$	
Control Location	Top Mounted	
Sanitization Method	Hot	



# ACCESSORIES

#### Racks

Peg Rack · Combo Rack · Glass Rack

### Installation/Code Required Kits

Drain Water Tempering • Air Gap Kit • Water Hammer Arrestor Kit • Flanged/ Seismic Feet • Fold Down Table





## **Ready to Achieve Hobart Clean?**

Call 888-4Hobart (888-446-2278) or contact us online today to get more information, receive a quote, or request a free cost of operations audit.



www.hobartcorp.com/AMTL



www.hobartcorp.com Hobart 701 S. Ridge Ave.

Hobart 701 S. Ridge Ave. Troy, Ohio 45373 1-937-332-3000 「**ア** 伊 FOOD EQUIPMENT GROUP **F48591 (01/21) ©2020 ITW**