


# **SAFETY CABINETS**

A leader in the manufacturing of Safety Cabinets for nearly 50 years, Eagle Manufacturing has set the industry standard for high-quality Safety Cabinets for the storage of flammables and other liquids. In 2011, Eagle designed a new state-of-the-art production facility and created a cabinet design incorporating improved convenience and safety features. Our Safety Cabinet product line is designed and manufactured to best meet the ever-changing needs of today's business, industrial and laboratory environments and is made in the USA.



### Eagle Steel Safety Cabinet features include:

- Reinforced double wall construction with 1½ in. (3.8 cm.) air space on sides, top, bottom, back and doors
- Constructed of 18-gauge steel
- Lead-free, high-gloss, baked-on powder finish
- Continuous piano hinges
- Ground connection
- Four adjustable galvanized leveling legs
- Trilingual warning labels
- 2 in. (5.1 cm.) raised leakproof sill
- Patented, adjustable galvanized steel shelves direct spills to back and bottom of leakproof sump and hold 350 lbs. (158.8 kg.) Uniform Distributed Load (UDL)
- Internal and external welded construction
- Two 2 in. (5.1 cm.) internal vents with fire baffle and cap
- Flush mounted door handle with key lock





- Three-point stainless steel bullet latching system provides fail-safe, positive door closure with increased heat and corrosion resistance
- 3 in. (7.6 cm.) centers for shelf brackets
- Self-latching doors
- Door closings: Manual Close (180° Opening)

Self-Closing (135° Opening)

- Self-closing cabinets only: - Concealed self-close mechanism provides obstruction-free access to top shelf space
- Self-indexing doors close in sequence and ensure a tight closure from top to bottom

(Available in 2- (7.6 L) to 110- (426.4 L) gallon sizes. Manual Close or Self-Closing.)

## SAFETY CABINETS

	FLAMMAB	LE LIQUID S	AFETY CABIN	ETS								
Capacity (Gal.)	7.6 L 2 gal.	15.2 L 4 gal.	45.5 L 12 gal.	56.7 L 15 gal.	60.6 L 16 gal.	83.3 L 22 gal.	90.9 L 24 gal.	90.9 L 24 gal.	113.6 L 30 gal.	170.4 L 45 gal.	181.7 L 48 gal.	:
Common Name	Bench Top	Bench Top	Space Saver	Add On	Space Saver	Under Counter	Wall- Mount	Space Saver	Standard 30	Standard 45	Deep Space Saver	Ē
Model Numbers Door Self Close: Styles Manual Close: Sliding Self Close:	1900X ▲ 1901X -	1903X 📐 1904X -	1924X ▲ 1925X -	ADD14X ▲ ADD15X -	1905X ▲ 1906X -	1970X ⚠ 1971X −	1975X ▲ 1976X -	2310X ▲ 1923X -	3010X ▲ 1932X 1930X ▲	4510X ⚠ 1947X 1945X ⚠	4610X ▲ 1946X -	
Outside Width: Dimensions Depth: Height:	cm.in.43.21743.21745.718	cm.in.43.21743.21755.922	cm.in.59.123¼45.71888.935	cm.in.109.24345.7186124	cm.in.59.123¼45.718111.844	cm.in.88.93555.92288.935	cm.in.109.24330.512111.844	cm.         in.           59.1         23¼           45.7         18           165.1         65	cm.         in.           109.2         43           45.7         18           111.8         44	cm.in.109.24345.718165.165	cm.in.59.1231/486.434165.165	<u>cn</u> 86 86 165
Inside Width: Dimensions Depth: Height:	cm.in.34.913¾34.913¾36.814½	cm.in.34.913¾34.913¾44.517½	cm.in.50.8203714.677.530½	cm.in.100.339½3714.649.519½	cm.in.50.8203714.6100.339½	cm.in.80.631¾47.618¾67.326½	cm.         in.           101         39¾           22.2         8¾           100.3         39½	cm.in.50.8203714.6153.760½	cm.         in.           100.3         39½           37         14.6           100.3         39½	cm.in.100.339½3714.6153.760½	cm.in.50.82077.130.3153.760½	<u>en</u> 78 77 153
No. of Shelves Extra Shelf Model No.	1 <b>29935</b>	1 <b>29935</b>	1 <b>29936</b>	1 <b>29937</b>	1 <b>29936</b>	1 <b>29939</b>	3 <b>29938</b>	3 <b>29936</b>	1 <b>29937</b>	2 29937	3 <b>29941</b>	
Shelf Depth	33 cm. 13 in.	33 cm. 13 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	45.7 cm. 18 in.	21.9 cm. 8 5⁄8 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.	
Maximum Weight	27.7 kg. 61 lbs.	30.8 kg. 68 lbs.	60.8 kg. 134 lbs.	76.7 kg. 169 lbs.	70.8 kg. 156 lbs.	88 kg. 194 lbs.	102.5 kg. 226 lbs.	95.3 kg. 210 lbs.	111.6 kg. 246 lbs.	145.1 kg. 320 lbs.	142.4 kg. 314 lbs.	1
Compliance	SHA OSHA	NIA OSHA	NEPA OSHA	OSHA	NEPA OSHA	IN OSHA	MIT OSHA	SHA	DSHA	OSHA	SHA OSHA	NEPA
Approvals	-	-	FM	FM	FM	FM	FM	FM	FM	FM	FM	<

ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5



Did you know?

Improper storage and handling of flammable liquids is the leading cause of industrial fires. All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.



A WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

A WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



### **SAFETY CABINETS**

TOWER <sup>™</sup> SAFETY CABINETS [ YELLOW ONLY ]								TOWER <sup>™</sup> SAFE	TOWER <sup>™</sup> SAFETY CABINETS PAINT & INK SAFETY CABINETS					
		RIN												
Capacity (Gal.)	45.5 L 12 gal.	60.6 L 16 gal.	113.6 L 30 gal.	170.4 L 45 gal.	227.2 L 60 gal.	340.7 L 90 gal.	151.4 L 40 gal.	227.2 L 60 gal.	363.4 L 96 gal.	90.8 L / 24 gal. (168 Aerosol Cans)	113.6 L / 30 gal. (252 Aerosol Cans)	151.4 L 40 gal.	227.2 L 60 gal.	363.4 L 96 gal.
Common Name	Space Saver	Space Saver	Standard 30	Standard 45	Standard 60	Standard 90	Standard 40	Standard 60	Standard 96	Aerosol Can Storage	Aerosol Can Storage	Standard 40	Standard 60	Standard 96
Model Numbers Door Self Close: Styles Sliding Self Close: Sliding Self Close:	1924XLEGS ▲ 1925XLEGS -	1905XLEGS ▲ 1906XLEGS -	3010XLEGS ▲ 1932XLEGS -	4510XLEGS ▲ 1947XLEGS -	6010XLEGS ▲ 1962XLEGS -	9010XLEGS ▲ 1992XLEGS -	PI32XLEGS**	Cabinets are available _ PI47XLEGS _	e in yellow - when ordo – Pl62XLEGS –	ering add a "Y" before model 1975XRED <u>A</u> 1976XRED –	number (to order 1975 or PI7710X 🛦 PI77X –	1976 in yellow drop the R PI3010X A PI32X PI30X A	ED from the model numbe P14510X A P147X P145X A	PI6010X ▲ PI62X -
Outside Width: Dimensions Depth: Height:	cm.in.59.1231/445.71899.139	cm.in.59.1231/445.718121.948	cm.in.109.24345.718121.948	<b>cm. in.</b> 109.2 43 45.7 18 175.3 69	cm.         in.           86.4         34           86.4         34           175.3         69	<u>em.</u> <u>in.</u> 109.2 43 86.4 34 175.3 69	cm.         in.           109.2         43           45.7         18           121.9         48	cm.in.109.24345.718175.369	cm.in.86.43486.434175.369	cm.         in.           109.2         43           30.5         12           111.8         44	cm.in.109.24330.512165.165	cm.         in.           109.2         43           45.7         18           111.8         44	cm.in.109.24345.718165.165	cm.         in.           86.4         34           86.4         34           165.1         65
Inside Width: Dimensions Depth: Height:	cm.in.50.8203714.677.530½	cm.in.50.8203714.6100.339½	cm.         in.           100.3         39½           37         14.6           100.3         39½	cm.         in.           100.3         39½           37         14.6           153.7         60½	cm.in.78.130¾77.130.3153.760½	cm.         in.           100.3         39½           77.1         30.3           153.7         60½	cm.         in.           100.3         39½           37         14.6           100.3         39½	em.         in.           100.3         39½           37         14.6           153.7         60½	cm.         in.           78.1         30¾           77.1         30.3           153.7         60½	cm.         in.           101         3934           22.2         834           100.3         39½	cm.in.100.339½21.78.6153.760½	cm.         in.           100.3         39½           37         14.6           100.3         39½	cm.in.100.339½3714.6153.760½	cm.         in.           78.1         30¾           77.1         30.3           153.7         60½
<b>No. of Shelves</b> Extra Shelf Model No.	1 29936	1 <b>29936</b>	1 <b>29937</b>	2 <b>29937</b>	2 <b>29944</b>	2 29945	3 <b>29937</b>	5 <b>29937</b>	5 <b>29944</b>	3 <b>29938</b>	5 <b>29938</b>	3 <b>29937</b>	5 <b>29937</b>	5 <b>29944</b>
Shelf Depth	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.	73.7 cm. 29 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.	21.9 cm. 8 % in.	21.9 cm. 8 % in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.
Maximum Weight	66.2 kg. 146 lbs.	76.2 kg. 168 lbs.	114.8 kg. 253 lbs.	143.8 kg. 317 lbs.	182.2 kg. 403 lbs.	230 kg. 507 lbs.	119.7 kg. 264 lbs.	153.3 kg. 338 lbs.	187.8 kg. 414 lbs.	102.5 kg. 226 lbs.	134.3 kg. 296 lbs.	113.4 kg. 250 lbs.	148.3 kg. 327 lbs.	191.4 kg. 422 lbs.
Compliance	IN OSHA	NER OSHA	IN OSHA	SHA OSHA	SHA OSHA	OSHA	OSHA	NTR OSHA	OSHA	SHA OSHA	NR OSHA	SHA	SHA	OSHA
Approvals	FM	FM	FM	FM	FM	FM	FM	FM	FM	FM	FM	FM	FM	FM
	<ul> <li>ALL CABINETS INCLUDE STANDARD FEATURES &amp; BENEFITS SHOWN ON PAGE 5</li> <li>Tower cabinets include 4-inch adjustable legs for the added benefits of: <ul> <li>Placing cabinets over floor or wall ventilation</li> <li>Providing easy cleaning under cabinet</li> <li>Protecting the cabinet in areas where floor moisture is a concern</li> <li>Moving with a forklift or pallet jack</li> </ul> </li> <li>ALL CABINETS INCLUDE STANDARD FEATURES &amp; BENEFITS SHOWN ON PAGE 5</li> <li>Did you know?</li> <li>The use of approved safety cans is you of protection against fire. Storage of sa approved safety cabinets provides you layer of protection.</li> </ul>					s is your first layer ge of safety cans in	** <b>PI32LEGS</b> is Manual Close	Paint & Ink cab <ul> <li>Additional shelve</li> </ul>	<b>inets include:</b> es for storage of .) paint or ink cans, or on the number	<ul> <li>Aerosol cabinets includ brackets. 24-gallon (90, designed to hold up to cans and the 30-gallon designed to hold up to</li> </ul>				

▲ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.





### OAFETV OADINIETO

SAI		ARINETS										
	DRUM SAFETY (	CABINETS		HAZ-MAT SAFET	Y CABINETS			PESTICIDE SAFETY C	ABINETS			
	NI Z											
								220	•			
Capacity (Gal.)	208.2 L 55 gal.	208.2 L 55 gal.	416.4 L 110 gal.	208.2 L 55 gal.	416.4 L 110 gal.	227.2 L 60 gal.	Capacity (Gal.)	45.5 L 12 gal.	113.6 L 30 gal.	170.4 L 45 gal.	208.2 L 55 gal.	227.2 L 60 gal.
Common Name	One Drum Vertical	One Drum Horizontal	Two Drum Vertical	HAZ One Drum Vertical	HAZ Two Drum Vertical	HAZ Two Drum (30 gal. Drums)	Common Name	Space Saver	Standard 30	Standard 45	One Drum Vertical	Standard 60
Model Numbers Door Self Close: Styles Manual Close:	2610X 🛦 1926X	2810X 🛧 1928X	5510X ▲ 1955X	HAZ2610X 🛧 HAZ1926X	HAZ5510X ▲ HAZ1955X	HAZ9010X ▲ HAZ1992X	Model Numbers Door Styles	PEST24X 🛦 PEST25X	PEST3010X 🛦 PEST32X	PEST4510X ▲ PEST47X	PEST2610X 🛦 PEST26X	PEST6010X 🛦 PEST62X
Outside Width: Dimensions Depth: Height:	cm.in.86.43486.434165.165	cm.in.76.230121.94812750	cm.in.149.95986.434165.165	cm.in.86.43486.434165.165	cm.in.149.95986.434165.165	cm.in.109.24386.434165.165	Outside Dimensions	cm.in.59.123¼45.71888.935	cm.in.109.24345.718111.844	cm.in.109.24345.718165.165	cm.in.86.43486.434165.165	cm.         in.           86.4         34           86.4         34           165.1         65
Inside Width: Dimensions Depth: Height:	cm.in.78.130¾77.130.3153.760½	cm.in.67.926¾113.744¾115.645½	em.         in.           142.2         56           77.1         30.3           153.7         60½	cm.in.78.130¾77.130.3153.760½	cm.         in.           142.2         56           77.1         30.3           153.7         60 ½	cm.in.100.339½77.130.3153.760½	Inside Dimensions	cm.         in.           50.8         20           37         14.6           77.5         30½	cm.         in.           100.3         39½           37         14.6           100.3         39½	em.         in.           100.3         39½           37         14.6           153.7         60½	cm.         in.           78.1         30¾           77.1         30.3           153.7         60½	cm.         in.           78.1         30¾           77.1         30.3           153.7         60½
<b>No. of Shelves</b> Extra Shelf Model No.	1 <b>29946</b>	_	1 <b>29947</b>	1 <b>29946</b>	1 <b>29947</b>	1 <b>29945</b>	No. of Shelves Extra Shelf Model No.	1 <b>29936</b>	1 <b>29937</b>	2 29937	1 <b>29946</b>	2 <b>29944</b>
Shelf Depth	35.6 cm. 14 in.	_	73.7 cm. 29 in.	35.6 cm. 14 in.	73.7 cm. 29 in.	73.7 cm. 29 in.	Shelf Depth	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	35.6 cm. 14 in.	73.7 cm. 29 in.
Maximum Weight	178.3 kg. 393 lbs.	164.7 kg. 363 lbs.	269.9 kg. 595 lbs.	196.4 kg. 433 lbs.	293.5 kg. 647 lbs.	239.5 kg. 528 lbs.	Maximum Weight	60.8 kg. 134 lbs.	108.9 kg. 240 lbs.	140.6 kg. 310 lbs.	178.3 kg. 393 lbs.	175.1 kg. 386 lbs.
Compliance	NIN OSHA	SHA	IN OSHA	SHA OSHA	OSHA	SHA	Compliance	NET OSHA	NER OSHA	SHA	NEPA OSHA	NER OSHA
Approvals	FM	FM	FM	FM	FM	FM	Approvals	FM	FM	FM	FM	FM

ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5

#### Drum safety cabinets include:

- Drum support guides in the bottom and one shelf (vertical cabinets only)
- Roller conveyors in the bottom, one shelf and hazardous waste labels on Haz-Mat safety cabinets

#### Did you know?

Regulations require not more than 60 gal. (227.2 L) of Class II liquids and not more than 120 gal. (454.2 L) of Class III liquids in any one safety cabinet.



#### Pesticide safety cabinets:

- Offer safe, secure, lockable storage of pesticides including herbicides, insecticides, fungicides and other poisons
- Provide excellent protection for companies specializing in lawn care, golf course or agricultural management

▲ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

A WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

- Include poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Are available in 100 percent polyethylene construction for storage of highly corrosive pesticides or poisons

EAGLE