

Imperial/Regal Shelving & Fixed Shelf Filing





Imperial Shelving

1. Expandability

Attach any number of add-on units with "T" posts to create a continuous row of files

2. Pre-configured Units

Individual units are available in 76" and 88" heights and widths of 36" in letter and legal depth and 48" in letter depth only. Everything you need is packaged in one or two cartons.

3. Super Strong Framework

Steel shoulder rivets, combined with steel uprights and shelf supports, offer up to 400 lbs. capacity per shelf, depending on size.

4. Large, Adjustable Dividers with Backstop Extra-large 7½" high by 10½" deep shelf divide

Extra-large 7½" high by 10½" deep shelf dividers adjust in 2" increments and keep folders upright, while backstop keeps folders from falling off shelf.

5. Easy, Tool-Free Assembly

Imperial's unique Keyhole Slot design offers time saving snap-together assembly without tools.

6. No Sway Braces Required

Rigid framework requires no nuts, bolts or sway braces for obstacle-free access to files.

7. Adjustable Steel Shelves


Shelves adjust vertically in 1½" increments to fit your exact requirements.


8. Double Wall Uprights

Double wall post construction conceals the keyhole slots for a clean, attractive appearance. Welded steel panel between posts provides a clean look.


9. Protect Your Flooring

Carpet friendly molded PolyEthylene feet protect your flooring and carpet.





MORE STORAGE IN LESS SPACE



Imperial Shelving saves precious floor space by taking advantage of ample vertical space. Most applications result in space savings of up to 60% – at a fraction of the cost of conventional vertical or lateral drawer files.

EASY ACCESS & VISIBILITY



Filing doesn't have to be a chore. Imperial's large dividers offer the right combination of end tab folder visibility and easy retrieval.

Place uprights opposite each other, held in place with a shelf support. Then, starting at the bottom, insert two additional shelf supports.

DOUBLE ENTRY AVAILABE FOR EASY ACCESS



Maximize space and efficiency in your office with Tennsco's Imperial Shelving Double Entry Unit. With a center stop, dividers can be placed where needed allowing full access on either side.

Imperial Shelving Systems

Imperial Shelving is the ideal solution for all your filing needs—especially in the office. Its unique space saving design saves up to 60% floor space when compared to conventional filing equipment.

Imperial Shelving can be used within the office environment anywhere tab filing is used. It makes files more visible when using a color-coding system, and more accessible by keeping them upright and orderly.

LOOKS GREAT IN ANY DÉCOR



Imperial's unique construction offers a smooth, clean, attractive appearance. Its unique design conceals supports and keyhole slots, while the shelf lip covers the shelf support making it appropriate for any office application.

REFERENCE SHELF ACCESSORY



Create a convenient pull-out work space with our sliding Reference Shelf. (Note: Reduces filing space by 1".)

EASY ASSEMBLY




2. Lay a shelf over the bottom shelf supports. Then, moving upward, continue to add supports and shelves at each level.




Add back stops or center stops before inserting dividers.

To add additional sections, use "T" uprights as common center posts and finish the row with "L" uprights. Add shelves as previously installed.

Keep Information Private and Secure







Tennsco offers three options to secure business and medical documents. Choose from (A) Hinged Style Locking Doors, (B) Sliding Locking Doors or (C) Rollup Locking Tambour Door. Door options can be added to new or existing installations. Each meets HIPAA* healthcare privacy regulations for safeguarding personal health information.

Cat. No. O	pening	s W	D	н	Wt.	
SIN	GLE EN	TRY S	TAR	TER		
1276PC	6	36	12	76	117	
127648PC	6	48	12	76	140	
1576PC	6	36	15	76	125	
1288PC	7	36	12	88	133	
128848PC	7	48	12	88	156	
1588PC	7	36	15	88	145	
SINGLE ENTRY ADD-ON						

SINC	ILE I	ENIKY A	-טט	ON	
1276AC	6	36	12	76	108
127648AC	6	48	12	76	130
1576AC	6	36	15	76	114
1288AC	7	36	12	88	125
128848AC	7	48	12	88	147
1588AC	7	36	15	88	132

DOUBLE ENTRY STARTER							
2476PC	6	36	24	76	199		
247648PC	6	48	24	76	247		
3076PC	6	36	30	76	220		
2488PC	7	36	24	88	229		
248848PC	7	48	24	88	286		
3088PC	7	36	30	88	256		

DOUBLE ENTRY ADD-ON							
2476AC	6	36	24	76	177		
247648AC	6	48	24	76	222		
3076AC	6	36	30	76	205		
2488AC	7	36	24	88	203		
248848AC	7	48	24	88	257		
3088AC	7	36	30	88	225		

Cat. No.	W	D	Н	Wt.
HINGED DOORS FOR	76"	HIC	SH UI	NITS †
LTHD-3676RH	36	13/8	76	56
LTHD-4276RH	42	13/8	76	64
LTHD-4876RH	48	13/8	76	81
HINGED DOORS FOR	88"	HIC	SH UI	NITS †
LTHD-3688RH	36	13/8	88	63
LTHD-4288RH	42	13/8	88	74

HINGED DO	OORS SPA	ACE	R KIT	S
HDFK-76	36	3	76	12
HDFK-88	36	3	88	13
SLIDING DOORS	FOR 76"	HIG	H UN	ITS ++
SD-3676-1	36	41/2	76	103

42 41/2 76 121

48 41/2 76 138

42 3 88

88

48 3

LTHD-4888RH

SD-4276-1

SD-4876-1

LTTD-4288

LTTD-4888

SLIDING DOORS FO	R 88"	HIG	iH UN	NITS++
SD-3688-1	36	41/2	88	120
SD-4288-1	42	41/2	88	139
SD-4888-1	48	41/2	88	160

TAMBOUR DOORS FOR	76"	HIGH	UNITS	†††
LTTD-3676	36	3	76	30
LTTD-4276	42	3	76	36
LTTD-4876	48	3	76	42
TAMBOUR DOORS FOR	88"	HIGH	UNITS	†††
LTTD-3688	36	3	88	36

Item No.	Description	Wt.
	ACCESSORIES	
RSMB-12	Reference Shelf	9.3
RSMB-15	Reference Shelf	9.7
ISK-3612	Extra Shelf Kit	13.0
ISK-3615	Extra Shelf Kit	14.1
ISK-4812	Extra Shelf Kit	18.8

Cat. No.	W	ע	н	Wt.
TWO	PIECE B	ACK	S	
LTBP-3676-2	36	_	763/16	18.6
LTBP-3688-2	36	_	883/16	21.0
LTBP-4876-2	48	_	763/16	25.0
LTBP-4888-2	48	_	883/16	29.0

- † Hinged Door Kit with recessed handle fits single units and extends 2" from unit front, including handles; frame uses 2" vertical filing space.
- 11 Sliding Door Kit fits single units and extends 3 3/4" from front of unit; door frame causes no loss of filing space.
- ††† Tambour Door fits single units and extends 2 7/8" from front of unit; no filing space is lost.

*Health Insurance Portability and Accountability Act of 1996

4



1. Pre-configured Units

Individual units are 76" high, 36" wide and available in three depths (12", 15", and 18"). Everything you need is conveniently packaged in one carton.

2. Optional Shelf Divider Kit

Keep filing materials upright and accessible with this limitlessly adjustable wire divider and backstop.

3. Double Wall Uprights

Double wall post construction conceals the keyhole slots for a clean, attractive appearance. Great for offices!

4. Easy, Tool-Free Assembly

Regal's unique Keyhole Slot design offers time saving snap-together assembly without tools.

5. Adjustable Shelves

Shelves are adjustable in 1½" increments to create custom openings for books, binders, supplies and more.

6. Wood-Lock Shelves

Regal shelves incorporate a 30 gram laminate overlay with a light oak finish over \(\frac{5}{2} \)" particle board. Shelves hold up to 600 lbs. per shelf and stand up to almost any storage application.

7. Obstacle-Free Access

Regal's framework requires no nuts, bolts, or sway braces offering obstacle-free access from all sides.

8. Protect Your Flooring

Carpet friendly molded PolyEthylene feet protect your flooring and carpet.

Regal Shelving



EASY ASSEMBLY





 Lay a shelf over the bottom shelf supports. Then, moving upward, continue to add supports and shelves at each level.



3. Add extra sections by using "T" uprights as common center posts and finish the row with "L" uprights. Install shelves as before.

EXCEPTIONAL DURABILITY



No comparable shelving offers greater strength. Regal's unique design creates a framework capable of supporting up to 600 lbs. per shelf.

VERSATILITY BEYOND COMPARE



Easy adjustability means that Regal Shelving will meet the needs of so many storage applications.

ATTRACTIVE, YET STRONG



Regal's exceptionally strong woodlook laminated shelves make it a perfect fit in today's business world.

Regal Shelving Systems

Regal Shelving offers builtin versatility. Its strength
and durability make it useful
anywhere in your business– front
office, storage rooms or factory.
Unlike lesser made shelving
that uses tab connectors, Regal
Shelving components snap
together with steel shoulder
rivets. This added strength makes
it sturdy enough for warehouse
applications, yet attractive
enough for the front office.

ACCESSORIES



Divider Kit

Keep filing materials upright and accessible with this limitlessly adjustable wire divider. Kit includes one back stop and two sliding dividers per shelf level.



Book Stop

Keep books upright with either a 6" (shown) or 9" high book stop.



Reference Shelf

Create a convenient pull-out work space with our sliding Reference Shelf. (Note: Reduces filing space or storage space by 1".)

Cat. No.	Openings	W	D	Н	Wt.
	STAR	TER			
RGL-1236S	5	36	12	76	87
RGL-1536S	5	36	15	76	99
RGL-1836S	5	36	18	76	112
	ADD-	ON			
RGL-1236A	5	36	12	76	80
RGL-1536A	5	36	15	76	94
RGL-1836A	5	36	18	76	102

Item No.	Description	W	D	Н	Wt.		
ACCESSORIES							
RSMB-12	Ref. Shelf	30	12	⁵ / ₈	16.3		
RSDK-12	Divider Kit	-	-	-	11.2		
BSN6	Book Stop	4 ⁵ / ₈	13/4	6	.6		
BSN9	Book Stop	4 ⁵ / ₈	13/4	9	1.1		

7

Fixed Shelf Filing Systems

Tennsco's Fixed Shelf File helps take the hassle out of office filing. Whether you're a business or professional practice, you'll really appreciate the convenience and timesaving of a filing unit that requires absolutely no assembly... simply remove from the box and insert the dividers where desired.

Just because Tennsco's Fixed
Shelf Filing Unit is convenient
doesn't mean that we've spared
on features. You'll find solidsteel reinforced construction
throughout to assure rigidity.
Add adjustable polymer dividers
to keep file folders upright and
you have a sturdy yet attractive
filing unit that will stand up to
years of daily use.



Fixed Shelf Filing

1. Premium Finish

Attractive yet highly durable powder coat finish ensures years of durability and good looks.

2. Movable Dividers

Keep file folders organized and upright with adjustable dividers. Each unit is standard with 28 black dividers.

3. Optional Slide-Out Posting Shelf

Optional slide-out posting shelf offers added workspace when needed.

4. Rigid All-Steel Frame & Shelf Construction

Welded construction with reinforcing corner gussets and double-wall end panels offer a unit that maintains its rigidity even when fully loaded.

5. Space-Saving Profile

13½" depth offers maximum filing efficiency especially in tight spaces and hallways. Unit is 78" high and 34½" wide with a clear opening of 9¾" high between each shelf.



Cat. No. Openings W D H Wt. OPEN UNITS FSF-78 7 34½ 13½ 78 117 OPTIONAL POST-IT SHELF FSFRS-1 — 30 12 ½ 8.6 EXTRA DIVIDER PD-1108 — — 11 8 0.4

HANDY WORK SURFACE



Optional slide-out posting shelf offers added workspace when needed. Fixed shelves are spaced to allow adding the posting shelf above the third opening.

EASY ACCESS



Tennsco's Fixed Shelf File offers a flush inside surface so folders don't snag, thereby preventing damage to your materials.

FIXED SHELF FILING SYSTEMS MAKE STORAGE EASY, ANYWHERE



All Tennsco shelving units are electrostatically painted with a tough, long lasting powder finish to ensure years of lasting beauty.

Imperial Colors Regal Colors Sand (214) Sand (214) Light Oak*

Putty (216)

*Note: Only available for shelving, not full unit.

Grey (2)

Fixed Shelf Filing Colors Black (3) Sand (214) Champagne/ Light Medium

Standard Colors are available at no additional charge. Premium and Special Matched Colors are available for an upcharge. Finishes shown above are representative of the actual finishes. Please contact your local Tennsco dealer for more precise color swatches.

Grey (53)

A WORD ABOUT TENNSCO

Tennsco Corp., headquartered in Dickson, Tennessee, began operations in 1962. Today, Tennsco is an industry leader with over 1.6 million square feet in eight facilities. Tennsco offers a wide variety of storage and filing systems, steel office furniture, industrial and institutional shelving, lockers and shop equipment.

ENVIRONMENTALLY FRIENDLY PRODUCTS

Tennsco steel products are certified SCS **SCScertified**... Indoor Advantage Gold for indoor air quality and low VOC emissions.



Tennsco products allow our customers to apply for LEED™ credits as described below:

- a. MR Credit 4.1 and 4.2 Recycled Content
- b. MR Credit 5.1 Manufactured Regionally
- c. MR Credit 5.2 Extracted and Manufactured Regionally
- d. EQ Credit 4.2 Low Emitting Materials, Paints



Mailing Address: P.O. Box 1888, Dickson, TN 37056-1888 Shipping Address: 201 Tennsco Drive, Dickson, TN 37055

Customer Service: (866) 446-8686 • Fax (866) 445-7260 | Ordering Fax: (866) 864-4796 | www.tennsco.com • info@tennsco.com

