

Finishes


We are pleased to offer a wide range of shelving finishes to meet the diverse needs and preferences of our customers.

Whether you're looking for style, durability, or functionality, we have a shelving finish that will suit your needs.



Products with this icon fall under Regency Spec Line

REGENCY™
SPEC LINE



Chrome

Low Moisture Environments | Ideal for Dry Storage | Wire Shelf

Best for:

Kitchens, Offices, Retail, Storage, Front of House, Warehouse Space

Benefits:

Sleek, classic design is pleasant to look at and allows for maximum ventilation



Galvanized Steel

Low Moisture Environments | Ideal for Dry Storage | Solid Shelf

Best for:

Kitchens, Offices, Storage, Laboratories, Warehouse Space, Medical Facilities

Benefits:

Protects from dust and prevents small items from falling through cracks



Black Epoxy

All Environments (Dry and Moist) | Epoxy Coated | Wire Shelf

Best for:

Kitchens, Retail, Front-of-house, Office, Dishrooms, Storage, Walk-In Refrigerators and Freezers

Benefits:

Subtle, aesthetically sleek design looks nice in any customer-facing environments while also protecting from moisture



Green Epoxy

All Environments (Dry and Moist) | Epoxy Coated | Wire Shelf

Best for:

Kitchens, Dishrooms, Storage, Walk-In Refrigerator and Freezers, Greenhouses

Benefits:

Ideal back-of-house solution that is suited for areas prone to moisture



Drop Mat

All Environments (Dry and Moist) | Dishwasher Safe | Wire Shelf

Best for:

Kitchens, Dishrooms, Storage, Walk-In Refrigerator and Freezers, Greenhouses

Benefits:

Hybrid design protects from rust and containers that scrape off epoxy coating, creating an easy-to-clean surface



Stainless Steel

All Environments (Dry and Moist) | Attractive & Durable | Wire and Solid Shelf

Best for:

Kitchens, Retail, Front-of-house, Walk-Ins, Offices, Dishrooms, Storage, Warehouse Spaces, Medical Facilities, Laboratories

Benefits:

Fits in all environments and perfect for front or back-of-house solutions

Shelves

Regency shelves are constructed with sturdy metal materials that provide superior durability and strength. This means you can rely on our shelves to last longer and withstand the wear and tear of everyday use.

Chrome


Item Number	Width	Length	Weight Capacity
460EC1224	12"	24"	600 lb.
460EC1230	12"	30"	600 lb.
460EC1236	12"	36"	600 lb.
460EC1242	12"	42"	600 lb.
460FC1248	12"	48"	600 lb.
460EC1254	12"	54"	450 lb.
460EC1260	12"	60"	450 lb.
460EC1272	12"	72"	450 lb.
460EC1424	14"	24"	600 lb.
460EC1430	14"	30"	600 lb.
460EC1436	14"	36"	600 lb.
460EC1442	14"	42"	600 lb.
460EC1448	14"	48"	600 lb.
460EC1454	14"	54"	450 lb.
460EC1460	14"	60"	450 lb.
460EC1472	14"	72"	450 lb.
460EC1824	18"	24"	600 lb.
460EC1830	18"	30"	600 lb.
460EC1836	18"	36"	600 lb.
460EC1842	18"	42"	600 lb.
460EC1848	18"	48"	600 lb.
460EC1854	18"	54"	450 lb.
460EC1860	18"	60"	450 lb.
460EC1872	18"	72"	450 lb.
460EC2124	21"	24"	600 lb.
460EC2130	21"	30"	600 lb.
460EC2136	21"	36"	600 lb.
460EC2142	21"	42"	600 lb.
460EC2148	21"	48"	600 lb.
460EC2154	21"	54"	450 lb.
460EC2160	21"	60"	450 lb.
460EC2172	21"	72"	450 lb.
460EC2424	24"	24"	600 lb.
460EC2430	24"	30"	600 lb.
460EC2436	24"	36"	600 lb.
460EC2442	24"	42"	600 lb.
460EC2448	24"	48"	600 lb.
460EC2454	24"	54"	450 lb.
460EC2460	24"	60"	450 lb.
460EC2472	24"	72"	450 lb.
460EC3030	30"	30"	600 lb.
460EC3036	30"	36"	600 lb.
460EC3042	30"	42"	600 lb.
460EC3048	30"	48"	600 lb.
460EC3054	30"	54"	450 lb.
460EC3060	30"	60"	450 lb.
460EC3072	30"	72"	450 lb.
460EC3636	36"	36"	600 lb.
460EC3642	36"	42"	600 lb.
460EC3648	36"	48"	600 lb.
460EC3654	36"	54"	450 lb.
460EC3660	36"	60"	450 lb.
460EC3672	36"	72"	450 lb.

Black Epoxy

Item Number	Width	Length	Weight Capacity
460EB1224	12"	24"	600 lb.
460EB1230	12"	30"	600 lb.
460EB1236	12"	36"	600 lb.
460EB1242	12"	42"	600 lb.
460EB1248	12"	48"	600 lb.
460EB1254	12"	54"	450 lb.
460EB1260	12"	60"	450 lb.
460EB1272	12"	72"	450 lb.
460EB1424	14"	24"	600 lb.
460EB1430	14"	30"	600 lb.
460EB1436	14"	36"	600 lb.
460EB1442	14"	42"	600 lb.
460EB1448	14"	48"	600 lb.
460EB1454	14"	54"	450 lb.
460EB1460	14"	60"	450 lb.
460EB1472	14"	72"	450 lb.
460EB1824	18"	24"	600 lb.
460EB1830	18"	30"	600 lb.
460EB1836	18"	36"	600 lb.
460EB1842	18"	42"	600 lb.
460EB1848	18"	48"	600 lb.
460EB1854	18"	54"	450 lb.
460EB1860	18"	60"	450 lb.
460EB1872	18"	72"	450 lb.
460EB2124	21"	24"	600 lb.
460EB2130	21"	30"	600 lb.
460EB2136	21"	36"	600 lb.
460EB2142	21"	42"	600 lb.
460EB2148	21"	48"	600 lb.
460EB2154	21"	54"	450 lb.
460EB2160	21"	60"	450 lb.
460EB2172	21"	72"	450 lb.
460EB2424	24"	24"	600 lb.
460EB2430	24"	30"	600 lb.
460EB2436	24"	36"	600 lb.
460EB2442	24"	42"	600 lb.
460EB2448	24"	48"	600 lb.
460EB2454	24"	54"	450 lb.
460EB2460	24"	60"	450 lb.
460EB2472	24"	72"	450 lb.
460EB3030	30"	30"	600 lb.
460EB3036	30"	36"	600 lb.
460EB3042	30"	42"	600 lb.
460EB3048	30"	48"	600 lb.
460EB3054	30"	54"	450 lb.
460EB3060	30"	60"	450 lb.
460EB3072	30"	72"	450 lb.
460EB3636	36"	36"	600 lb.
460EB3642	36"	42"	600 lb.
460EB3648	36"	48"	600 lb.
460EB3654	36"	54"	450 lb.
460EB3660	36"	60"	450 lb.
460EB3672	36"	72"	450 lb.

Green Epoxy

Item Number	Width	Length	Weight Capacity
460EG1224	12"	24"	600 lb.
460EG1230	12"	30"	600 lb.
460EG1236	12"	36"	600 lb.
460EG1242	12"	42"	600 lb.
460EG1248	12"	48"	600 lb.
460EG1254	12"	54"	450 lb.
460EG1260	12"	60"	450 lb.
460EG1272	12"	72"	450 lb.
460EG1424	14"	24"	600 lb.
460EG1430	14"	30"	600 lb.
460EG1436	14"	36"	600 lb.
460EG1442	14"	42"	600 lb.
460EG1448	14"	48"	600 lb.
460EG1454	14"	54"	450 lb.
460EG1460	14"	60"	450 lb.
460EG1472	14"	72"	450 lb.
460EG1824	18"	24"	600 lb.
460EG1830	18"	30"	600 lb.
460EG1836	18"	36"	600 lb.
460EG1842	18"	42"	600 lb.
460EG1848	18"	48"	600 lb.
460EG1854	18"	54"	450 lb.
460EG1860	18"	60"	450 lb.
460EG1872	18"	72"	450 lb.
460EG2124	21"	24"	600 lb.
460EG2130	21"	30"	600 lb.
460EG2136	21"	36"	600 lb.
460EG2142	21"	42"	600 lb.
460EG2148	21"	48"	600 lb.
460EG2154	21"	54"	450 lb.
460EG2160	21"	60"	450 lb.
460EG2172	21"	72"	450 lb.
460EG2424	24"	24"	600 lb.
460EG2430	24"	30"	600 lb.
460EG2436	24"	36"	600 lb.
460EG2442	24"	42"	600 lb.
460EG2448	24"	48"	600 lb.
460EG2454	24"	54"	450 lb.
460EG2460	24"	60"	450 lb.
460EG2472	24"	72"	450 lb.
460EG3030	30"	30"	600 lb.
460EG3036	30"	36"	600 lb.
460EG3042	30"	42"	600 lb.
460EG3048	30"	48"	600 lb.
460EG3054	30"	54"	450 lb.
460EG3060	30"	60"	450 lb.
460EG3072	30"	72"	450 lb.
460EG3636	36"	36"	600 lb.
460EG3642	36"	42"	600 lb.
460EG3648	36"	48"	600 lb.
460EG3654	36"	54"	450 lb.
460EG3660	36"	60"	450 lb.
460EG3672	36"	72"	450 lb.



Shelves Continued



Products with this icon fall under Regency Spec Line

REGENCY™
SPEC LINE

Galvanized

Item Number	Width	Length	Weight Capacity
460SG1424	14"	24"	600 lb.
460SG1430	14"	30"	600 lb.
460SG1436	14"	36"	600 lb.
460SG1442	14"	42"	600 lb.
460SG1448	14"	48"	600 lb.
460SG1454	14"	54"	600 lb.
460SG1460	14"	60"	600 lb.
460SG1472	14"	72"	600 lb.
460SG1824	18"	24"	600 lb.
460SG1830	18"	30"	600 lb.
460SG1836	18"	36"	600 lb.
460SG1842	18"	42"	600 lb.
460SG1848	18"	48"	600 lb.
460SG1854	18"	54"	600 lb.
460SG1860	18"	60"	600 lb.
460SG1872	18"	72"	600 lb.
460SG2124	21"	24"	600 lb.
460SG2130	21"	30"	600 lb.
460SG2136	21"	36"	600 lb.
460SG2142	21"	42"	600 lb.
460SG2148	21"	48"	600 lb.
460SG2154	21"	54"	600 lb.
460SG2160	21"	60"	600 lb.
460SG2172	21"	72"	600 lb.
460SG2424	24"	24"	600 lb.
460SG2430	24"	30"	600 lb.
460SG2436	24"	36"	600 lb.
460SG2442	24"	42"	600 lb.
460SG2448	24"	48"	600 lb.
460SG2454	24"	54"	600 lb.
460SG2460	24"	60"	600 lb.
460SG2472	24"	72"	600 lb.

Drop Mat


Item Number	Width	Length	Weight Capacity
460DM1824	18"	24"	600 lb.
460DM1836	18"	36"	600 lb.
460DM1848	18"	48"	600 lb.
460DM1860	18"	60"	450 lb.
460DM1872	18"	72"	450 lb.
460DM2424	24"	24"	600 lb.
460DM2436	24"	36"	600 lb.
460DM2448	24"	48"	600 lb.
460DM2460	24"	60"	450 lb.
460DM2472	24"	72"	450 lb.

Stainless Steel Wire

Item Number	Width	Length	Weight Capacity
460SW1224	12"	24"	700 lb.
460SW1230	12"	30"	700 lb.
460SW1236	12"	36"	700 lb.
460SW1242	12"	42"	700 lb.
460SW1248	12"	48"	700 lb.
460SW1254	12"	54"	700 lb.
460SW1260	12"	60"	700 lb.
460SW1272	12"	72"	700 lb.
460SW1424	14"	24"	700 lb.
460SW1430	14"	30"	700 lb.
460SW1436	14"	36"	700 lb.
460SW1442	14"	42"	700 lb.
460SW1448	14"	48"	700 lb.
460SW1454	14"	54"	700 lb.
460SW1460	14"	60"	700 lb.
460SW1472	14"	72"	700 lb.
460SW1824	18"	24"	700 lb.
460SW1830	18"	30"	700 lb.
460SW1836	18"	36"	700 lb.
460SW1842	18"	42"	700 lb.
460SW1848	18"	48"	700 lb.
460SW1854	18"	54"	700 lb.
460SW1860	18"	60"	700 lb.
460SW1872	18"	72"	700 lb.
460SW2124	21"	24"	700 lb.
460SW2130	21"	30"	700 lb.
460SW2136	21"	36"	700 lb.
460SW2142	21"	42"	700 lb.
460SW2148	21"	48"	700 lb.
460SW2154	21"	54"	700 lb.
460SW2160	21"	60"	700 lb.
460SW2172	21"	72"	700 lb.
460SW2424	24"	24"	700 lb.
460SW2430	24"	30"	700 lb.
460SW2436	24"	36"	700 lb.
460SW2442	24"	42"	700 lb.
460SW2448	24"	48"	700 lb.
460SW2454	24"	54"	700 lb.
460SW2460	24"	60"	700 lb.
460SW2472	24"	72"	700 lb.
460SW3030	30"	30"	700 lb.
460SW3036	30"	36"	700 lb.
460SW3042	30"	42"	700 lb.
460SW3048	30"	48"	700 lb.
460SW3054	30"	54"	700 lb.
460SW3060	30"	60"	700 lb.
460SW3072	30"	72"	700 lb.
460SW3636	36"	36"	700 lb.
460SW3642	36"	42"	700 lb.
460SW3648	36"	48"	700 lb.
460SW3654	36"	54"	700 lb.
460SW3660	36"	60"	700 lb.
460SW3672	36"	72"	700 lb.

Stainless Steel Solid

Item Number	Width	Length	Weight Capacity
460SS1424	14"	24"	700 lb.
460SS1430	14"	30"	700 lb.
460SS1436	14"	36"	700 lb.
460SS1442	14"	42"	700 lb.
460SS1448	14"	48"	700 lb.
460SS1454	14"	54"	700 lb.
460SS1460	14"	60"	600 lb.
460SS1472	14"	72"	600 lb.
460SS1824	18"	24"	700 lb.
460SS1830	18"	30"	700 lb.
460SS1836	18"	36"	700 lb.
460SS1842	18"	42"	700 lb.
460SS1848	18"	48"	700 lb.
460SS1854	18"	54"	700 lb.
460SS1860	18"	60"	600 lb.
460SS1872	18"	72"	600 lb.
460SS2124	21"	24"	700 lb.
460SS2130	21"	30"	700 lb.
460SS2136	21"	36"	700 lb.
460SS2142	21"	42"	700 lb.
460SS2148	21"	48"	700 lb.
460SS2154	21"	54"	700 lb.
460SS2160	21"	60"	600 lb.
460SS2172	21"	72"	600 lb.
460SS2424	24"	24"	700 lb.
460SS2430	24"	30"	700 lb.
460SS2436	24"	36"	700 lb.
460SS2442	24"	42"	700 lb.
460SS2448	24"	48"	700 lb.
460SS2454	24"	54"	700 lb.
460SS2460	24"	60"	600 lb.
460SS2472	24"	72"	600 lb.




Posts

Regency posts are constructed with sturdy metal materials that provide superior durability and strength. This means you can rely on our posts to last longer and withstand the wear and tear of everyday use.



Products with this icon fall under Regency Spec Line

REGENCY™
SPEC LINE



Chrome

Item Number	Height	Type
460ECP8	8"	Stationary
460ECP14	14"	Stationary
460ECP27	27"	Stationary
460ECP34	34"	Stationary
460ECP54	54"	Stationary
460ECP64	64"	Stationary
460ECP74	74"	Stationary
460ECP74KD	74"	Stationary (Knockdown)
460ECP86	86"	Stationary
460ECP96	96"	Stationary
460ECP8	8"	Mobile
460ECP14	14"	Mobile
460ECP27	27"	Mobile
460ECP34	34"	Mobile
460ECP54	54"	Mobile
460ECP64	64"	Mobile
460ECP74	74"	Mobile
460ECP86	86"	Mobile

Green Epoxy

Item Number	Height	Type
460EGP8	8"	Stationary
460EGP14	14"	Stationary
460EGP27	27"	Stationary
460EGP34	34"	Stationary
460EGP54	54"	Stationary
460EGP64	64"	Stationary
460EGP74	74"	Stationary
460EGP86	86"	Stationary
460EGP96	96"	Stationary
460EGPC8	8"	Mobile
460EGPC14	14"	Mobile
460EGPC27	27"	Mobile
460EGPC34	34"	Mobile
460EGPC54	54"	Mobile
460EGPC64	64"	Mobile
460EGPC74	74"	Mobile
460EGPC86	86"	Mobile

Black Epoxy

Item Number	Height	Type
460EBP8	8"	Stationary
460EBP14	14"	Stationary
460EBP27	27"	Stationary
460EBP34	34"	Stationary
460EBP54	54"	Stationary
460EBP64	64"	Stationary
460EBP74	74"	Stationary
460EBP86	86"	Stationary
460EBP96	96"	Stationary
460EBPC8	8"	Mobile
460EBPC14	14"	Mobile
460EBPC27	27"	Mobile
460EBPC34	34"	Mobile
460EBPC54	54"	Mobile
460EBPC64	64"	Mobile
460EBPC74	74"	Mobile
460EBPC86	86"	Mobile

Stainless Steel

Item Number	Height	Type
460SSP8	8"	Stationary
460SSP14	14"	Stationary
460SSP27	27"	Stationary
460SSP34	34"	Stationary
460SSP54	54"	Stationary
460SSP64	64"	Stationary
460SSP74	74"	Stationary
460SSP86	86"	Stationary
460SSP96	96"	Stationary
460SSPC8	8"	Mobile
460SSPC14	14"	Mobile
460SSPC27	27"	Mobile
460SSPC34	34"	Mobile
460SSPC54	54"	Mobile
460SSPC64	64"	Mobile
460SSPC74	74"	Mobile
460SSPC86	86"	Mobile

TIP: Mobile posts ship without feet so they are caster ready. These casters allow you to easily construct a convenient mobile shelving unit.



Stationary & Mobile Kits

Reliable Shelving Systems

Durable, commercial-grade construction to accommodate your canned goods, kitchen appliances, packaged food items, boxes of bulk ingredients, tools, and more.

Popular Stationary Kits

Item Number	Width	Length	Height	Shelves	Finish	Weight Capacity
460EC1848K75	18"	48"	74"	5	Chrome	3000 lb.
460EC2448K74	24"	48"	74"	4	Chrome	2400 lb.
460EC2448K75	24"	48"	74"	5	Chrome	3000 lb.
460EC2460K74	24"	60"	74"	4	Chrome	1800 lb.
460EC2472K74	24"	72"	74"	4	Chrome	1800 lb.
460EC2472K75	24"	72"	74"	5	Chrome	2250 lb.
460EG1836K74	18"	36"	74"	4	Green Epoxy	2400 lb.
460EG1848K74	18"	48"	74"	4	Green Epoxy	2400 lb.
460EG1860K74	18"	60"	74"	4	Green Epoxy	1800 lb.
460EG1872K74	18"	72"	74"	4	Green Epoxy	1800 lb.
460EG2436K74	24"	36"	74"	4	Green Epoxy	2400 lb.
460EG2448K74	24"	48"	74"	4	Green Epoxy	2400 lb.
460EG2448K75	24"	48"	74"	5	Green Epoxy	3000 lb.
460EG2460K74	24"	60"	74"	4	Green Epoxy	1800 lb.
460EG2472K74	24"	72"	74"	4	Green Epoxy	1800 lb.
460EB1848K33	18"	48"	34"	3	Black Epoxy	1800 lb.
460EB2448K74	24"	48"	74"	4	Black Epoxy	2400 lb.
460EB2448K75	24"	48"	74"	5	Black Epoxy	3000 lb.

Popular Mobile Kits

Item Number	Width	Length	Height	Shelves	Finish	Weight Capacity
460C1836KM64	18"	36"	64"	4	Chrome	1320 lb.
460C1848KM64	18"	48"	64"	4	Chrome	1320 lb.
460C1860KM64	18"	60"	64"	4	Chrome	1320 lb.
460C2436KM64	24"	36"	64"	4	Chrome	1320 lb.
460C2448KM64	24"	48"	64"	4	Chrome	1320 lb.
460C2448KM65	24"	48"	64"	5	Chrome	1320 lb.
460C2460KM64	24"	60"	64"	4	Chrome	1320 lb.
460C2460KM65	24"	60"	64"	5	Chrome	1320 lb.
460C2472KM64	24"	72"	64"	4	Chrome	1320 lb.
460C2472KM65	24"	72"	64"	5	Chrome	1320 lb.
460G1848KM64	18"	48"	64"	4	Green Epoxy	1320 lb.
460G1848KM65	18"	48"	64"	5	Green Epoxy	1320 lb.
460G2436KM64	24"	36"	64"	4	Green Epoxy	1320 lb.
460G2448KM64	24"	48"	64"	4	Green Epoxy	1320 lb.
460G2460KM64	24"	60"	64"	4	Green Epoxy	1320 lb.
460G2460KM65	24"	60"	64"	5	Green Epoxy	1320 lb.
460G2472KM64	24"	72"	64"	4	Green Epoxy	1320 lb.
460B1848KM64	18"	48"	64"	4	Black Epoxy	1320 lb.



Features



Environments

Chrome (Dry Environments)
Black and Green Epoxy (All Environments,
Dry & Moist).



Airflow

Wire design ensures ample airflow and
ventilation around items.



Adjustable

Split sleeves are provided. Plus, assembly
is both quick and easy to help you maximize
storage space whenever needed.



Weight Capacity

600 and 450 lb. weight capacity options
per shelf.

**Hundreds of other
kits available!**



Dunnage Shelving

Heavy-duty storage solutions



Simple assembly includes split sleeves

Installing and adjusting this shelf on compatible posts is easy

This durable two-piece shelving is made of rugged square tubing with a separate wire rack and is designed to easily store your heaviest items. This reliable shelving is built to provide the same benefits as other shelving but with greater strength for heavier storage.

Features



Environments

Chrome (Dry Environments)
Green Epoxy (All Environments, Dry & Moist)
Black Epoxy (All Environments, Dry & Moist)
Stainless Steel (All Environments, Dry & Moist).



Airflow

Wire design ensures ample airflow and ventilation around items.



Durability

Heavy-duty, long-lasting design and commercial-grade construction. Safely store your heaviest ingredients and items.



Weight Capacity

800 lb. weight capacity.

Popular Kits

460DMG2448HD Green Finish

460DRG2424HD Green Finish

Dunnage Shelving

Item Number	Width	Length	Finish	Item Number	Width	Length	Finish
460EC1824HD	18"	24"	Chrome	460EG2424HD	24"	24"	Green Epoxy
460EC1836HD	18"	36"	Chrome	460EG2436HD	24"	36"	Green Epoxy
460EC1848HD	18"	48"	Chrome	460EG2448HD	24"	48"	Green Epoxy
460EC1860HD	18"	60"	Chrome	460EG2460HD	24"	60"	Green Epoxy
460EC2424HD	24"	24"	Chrome	460SS1824HD	18"	24"	Stainless Steel
460EC2436HD	24"	36"	Chrome	460SS1836HD	18"	36"	Stainless Steel
460EC2448HD	24"	48"	Chrome	460SS1848HD	18"	48"	Stainless Steel
460EC2460HD	24"	60"	Chrome	460SS1860HD	18"	60"	Stainless Steel
460EG1824HD	18"	24"	Green Epoxy	460SS2424HD	24"	24"	Stainless Steel
460EG1836HD	18"	36"	Green Epoxy	460SS2436HD	24"	36"	Stainless Steel
460EG1848HD	18"	48"	Green Epoxy	460SS2448HD	24"	48"	Stainless Steel
460EG1860HD	18"	60"	Green Epoxy	460SS2460HD	24"	60"	Stainless Steel

Weight Capacity

Dimensions	Capacity	Dimensions	Capacity
18" x 24"	800 lb.	24" x 24"	800 lb.
18" x 36"	800 lb.	24" x 36"	800 lb.
18" x 48"	800 lb.	24" x 48"	800 lb.
18" x 60"	800 lb.	24" x 60"	800 lb.

3-Sided Frame

Item Number	Width	Length	Finish	Item Number	Width	Length	Finish
460EC1824FRM	18"	24"	Chrome	460EB1824FRM	18"	24"	Black Epoxy
460EC1836FRM	18"	36"	Chrome	460EB1836FRM	18"	36"	Black Epoxy
460EC1848FRM	18"	48"	Chrome	460EB1848FRM	18"	48"	Black Epoxy
460EC1860FRM	18"	60"	Chrome	460EB1860FRM	18"	60"	Black Epoxy
460EC2424FRM	24"	24"	Chrome	460EB2424FRM	24"	24"	Black Epoxy
460EC2436FRM	24"	36"	Chrome	460EB2436FRM	24"	36"	Black Epoxy
460EC2448FRM	24"	48"	Chrome	460EB2448FRM	24"	48"	Black Epoxy
460EC2460FRM	24"	60"	Chrome	460EB2460FRM	24"	60"	Black Epoxy
460EG1824FRM	18"	24"	Green Epoxy	460SS1824FRM	18"	24"	Stainless Steel
460EG1836FRM	18"	36"	Green Epoxy	460SS1836FRM	18"	36"	Stainless Steel
460EG1848FRM	18"	48"	Green Epoxy	460SS1848FRM	18"	48"	Stainless Steel
460EG1860FRM	18"	60"	Green Epoxy	460SS1860FRM	18"	60"	Stainless Steel
460EG2424FRM	24"	24"	Green Epoxy	460SS2424FRM	24"	24"	Stainless Steel
460EG2436FRM	24"	36"	Green Epoxy	460SS2436FRM	24"	36"	Stainless Steel
460EG2448FRM	24"	48"	Green Epoxy	460SS2448FRM	24"	48"	Stainless Steel
460EG2460FRM	24"	60"	Green Epoxy	460SS2460FRM	24"	60"	Stainless Steel