

Model-Specific Compatibility Notes [09/16/15]

T-49: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. Used before 5/26/14 per pcn 7563. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GEM-49: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GEM-37: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-72-6: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-85-6: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-77RT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-49G-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

Ts-53-4-g-4pt: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

Gdm-35: replaces the 831932 used previously. To retrofit from a mechanical control to an electronic control. History: used before 9/14/09 production date per pcn 4353 - except for gdm-35em units still use this control. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TR2R-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TM-52G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-33SL: replaces the 831932 used previously. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TS-28G-2PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-72G-6: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TM-52G-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-56-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TSD-33: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

GDM-69: replaces the 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces all previous controls prt pcn 6856. Used after serial number 1-7719756 per pcn 6856 used before 2/1/2002 (replaces Ranco controls previously used) & used between 11/8/2004 & 1/25/2010 w/ Techumseh or t6215z Embraco compressors (pcn #2943/4452) check work order for correct compressor.

TR3R-6HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-72-6: Replaces 831932 control. To retrofit from a mechanical control to an electronic

control.

TM-52-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-41: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: 115v used before 8/31/2009 (pcn #4346) 208v/220v/ce still used. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TR1R-2HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-72: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces all previous controls per pcn 6856 used after ser. No. 1-1-7719756 (3/15/13) per pcn 6856 used before 1/29/2010 w/ Techumseh or t6215z Embraco compressors (pcn #4453) check work order for correct compressor.

GDM-33CPT-54: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 12/28/2006 w/ 1/2 hp compressor (pcn #3528)
Gdm-60: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-23DT-1-G-1: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-35RF: replaces the 831932 used previously. To retrofit from a mechanical control to an electronic control. History: used before 9/14/09 production date per pcn 4353 - except for gdm-35em units still use this control. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TSD-47G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TS-49-1-G-3: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-85G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-23DT-G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-41CPT-48: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: 115v only used before 10/22/12 or ser. No 1-7579763 per pcn 5928 replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) When switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

GEM-69: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 2/1/2002 (replaces Ranco controls previously used) & used between 11/8/2004 & 1/25/2010 w/ Techumseh or t6215z Embraco compressors (pcn #2943/4452) check work order for correct compressor.

TS-49G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-35: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800306 previously used. The 800182 relay is not needed with this control.

TS-35: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-47RL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: must check work order for correct compressor. As of 10/24/2008 unit can be built w/ Techumseh, Embraco, or Danfoss. This control used for units w/ Techumseh or Embraco compressors. (pcn #4131).

TR-56-2-G-2: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GEM-72: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 1/29/2010 w/ Techumseh or t6215z Embraco compressors (pcn #4453) check work order for correct compressor.

T-49RL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TM-52: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-49W: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

G4SM-23FC: Replaces 831932 control.

T-35G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-23DT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-53-4PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-33CPT: Replaces the 831932 control. To retrofit from a mechanical control to an electronic control. History: 115v used before 9/7/2010 (pcn #4610) replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TS-49-2-G-2: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2R-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RRI-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-45HL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

GDM-33CPT-52: replaces the 831932 used previously. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TSD-33G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-85-3-G-3: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TSD-69: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TS-49-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-72: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

GDM-69RL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces all previous controls per pcn 6856. Used after serial number 1-7719756 per pcn 6856 used before 2/1/2002 (replaces Ranco controls previously used) & used between 11/8/2004 & 1/25/2010 w/ Techumseh or t6215z Embraco compressors (pcn #2943/4452) check work order for correct compressor.

TR1RRT-1S-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-49DT-G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces either the 800306 and 800355 and 800393 temperature controls and does not require a relay.

GDM-43: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not

needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TS-35G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TM-74-6: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-56PT: Replaces 831932 control. Retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-47: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: must check work order for correct compressor. As of 10/24/2008 unit can be built w/ Techumseh, Embraco, or Danfoss. This control used for units w/ Techumseh or Embraco compressors. (pcn #4131) can be replaced with 800371 and 800182 relay.

T-49G-PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces either the 800306 and 800355 and 800393 temperature controls and does not require a relay.

TR-85: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-72G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-72-3-G-3: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TR3R-3G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RRT89-1S-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TSD-47: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1R-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR3R-3S: replace with 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-41C: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TM-74: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-41CPT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TR2RRT-2S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-37: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: 115v used before 10/21/2009 w/ Techumseh compressor (pcn #4401) check work order for correct compressor. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

GDM-35W-RF: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 9/14/09 production date per pcn 4353 - except for gdm-35em units still use this control. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TSD-69G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-49G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 5/26/14 per pcn 7563. Replaced the 800393 previously used (with relay).

TR-77RI: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-49RL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-49DT-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces either the 800306 and 800355 and 800393 temperature controls and does not require a relay.

TS-28-2PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RRI-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-56G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-72: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-28-2-G-2PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-49-2-G-2: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 5/26/14 per pcn 7563. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1S-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-56G-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-85PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-33: Replaces 831932 control. History: 115v used before 10/23/2009 w/ Techumseh compressor (pcn #4400) check work order for correct compressor. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

GDM-49: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2R-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-28G-RL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GEM-47FC: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: must check work order for correct compressor. As of 10/24/2008 unit can be built w/ Techumseh, Embraco, or Danfoss. This control used for units w/ Techumseh or Embraco compressors. (pcn #4131)

GDM-49W-RF: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TS-49: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-53G-RL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-37HL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: 115v used before 10/21/2009 w/ Techumseh compressor (pcn #4401) check work order for correct compressor. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TR3RPT-3S-3S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GEM-47: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: must check work order for correct compressor. As of 10/24/2008 unit can be built w/ Techumseh, Embraco, or Danfoss. This control used for units w/ Techumseh or Embraco compressors. (pcn #4131)

GDM-61: replaces the 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-69HL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces all previous controls prt pcn 6856. Used after serial number 1-7719756 per pcn 6856 used before 2/1/2002 (replaces Ranco controls previously used) & used between 11/8/2004 & 1/25/2010 w/ Techumseh or t6215z Embraco compressors (pcn #2943/4452) check work order for correct compressor.

GDM-49RF: replaces the 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-72G-6: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-85G-6: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TM-85: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-72RL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces all previous controls prt pcn 6856. Used after ser. No. 1-1-7719756

(3/15/13) per pcn 6856 used before 1/29/2010 w/ Techumseh or t6215z Embraco compressors (pcn #4453) check work order for correct compressor.

T-72-3-G-3: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TR-56: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-49DT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces either the 800306 and 800355 and 800393 temperature controls and does not require a relay.

T-49G-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 5/26/14 per pcn 7563. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-49-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 5/26/14 per pcn 7563. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2R-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2R-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-41SL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

GDM-49PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-57: replaces the 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-49PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-72G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

GDM-45: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TM-54: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

T-49DT-1-G-1: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces either the 800306 and 800355 and 800393 temperature controls and does not require a relay.

TR1RPT-1HGLH/1HSLH-1HG/1HS: replaces the 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1R-1HG/1HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RRI89-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RRT89-2S-2S: replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-28PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-53: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-53PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-28G-PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-53G-PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-33CPT-48: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement replaces the 831932 used previously.

TS-53-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TS-53G-4: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2S-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HG-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/2HS-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HG-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/2HS-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay

is not needed with this control.

TR2RPT-2S-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HG-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/2HS-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2S-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HG-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/2HG-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2S-1G/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HG-1G/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/2HS-1G/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2S-1G/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HG-1G/2HS: Replaces 831932 control. To retrofit from a mechanical control to an

electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/2HS-1G/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2S-2HG/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HG-2HG/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/2HS-2HG/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2G-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/2HS-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/1S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2G-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/2HS-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/1S-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2G-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/2HS-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/1S-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2G-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/2HS-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/1S-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2G-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/2HS-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/1S-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2G-1G/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/2HS-1G/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/1S-1G/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2G-1G/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/2HS-1G/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/1S-1G/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2G-2HG/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/2HS-2HG/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-2HG/1S-2HG/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HS-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/1S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HS-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/1S-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

is not needed with this control.

TR2RPT-4HS-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/1S-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HS-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/1S-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HS-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/1S-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HS-1G/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/1S-1G/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HS-1G/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/1S-1G/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HS-2HG/1S: Replaces 831932 control. To retrofit from a mechanical control to an

electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-1G/1S-2HG/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1S-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TR1RPT-1S-1HG/1HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1S-2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1S-2HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1G-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1G-1HG/1HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1G-2HS: Replaces 831932 control. Retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1G-2HG: replaces the 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1HG/1HS-1G: Replaces 831932 control. O retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1HG/1HS-2HS: Replaces 831932 control. To retrofit from a mechanical control to an

electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1HG/1HS-2HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HS-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HS-1HG/1HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HS-2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HS-2HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HG-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HG-1HG/1HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HG-2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HG-2HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TA1R-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1R-1HG/1HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-1G-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-1G-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-1HG/1HS-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-1HG/1HS-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-1S-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-1S-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-2HG-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-2HG-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-2HS-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RPT-2HS-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RRI-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RRI89-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RRT-1S-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA1RRT89-1S-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2R-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2R-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2R-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2R-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2R-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-2G-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-2G-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new

temperature control relay.

TA2RPT-2HG/2HS-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-2HG/2HS-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-2S-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-2S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-4HG-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-4HG-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-4HS-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-4HS-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RRI-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RRI89-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RRT-2S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic

control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RRT89-2S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA3R-3G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA3R-3S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA3R-6HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TA3RPT-3S-3S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG1R-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1R-2HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1R-2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-1G-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-1G-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-1HG/1HS-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-1HG/1HS-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-1S-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-1S-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-2HG-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-2HG/1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-2HS-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RPT-2HS-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RRI-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RRI89-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RRT-1S-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2R-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG2R-2HG/2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG2R-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG2R-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG2R-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: 115v only used before 6/13/11 production date or ser no. 1-71710626 per pcn 5032. Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-2G-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-2G-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-2HG/2HS-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-2HG/2HS-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-2S-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-2S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic

control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RPT-4HG-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-4HG-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-4HS-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-4HS-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RRI-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TG2RRI89-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RRT-2S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RRT89-2S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG3R-3G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG3R-3S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG3R-6HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic

control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG3RPT-3S-3S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TA1R-2HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TR1RPT-1HG/1HS-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HG-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-1G-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RPT-2HS-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-52TM: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-52TM-RL: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-77RI-89: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG1RPT-1G-2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA2RPT-4HG-4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

GDM-49 Dollar General: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GEM-49 Subway: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

GDM-72 Dollar General: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 1/29/2010 w/ Techumseh or t6215z Embraco compressors (pcn #4453) check work order for correct compressor . Replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-4HG-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TA2RPT-4HG-4HG: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

T-49-4PT: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TG2RPT-4HS4HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TA2-R-2S Starbucks: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TA3R-3S Starbucks: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TR3R-4HS-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TCGR-59-CD: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 control and relay

TG2R-2S Starbucks: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG3R-3S Starbucks: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

TS-53G-PT-2G-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR-77RT-89: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR1RRI-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TA1RRI-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG1RRI-1G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TR1RRT-1G-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TA1RRT-1G-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TR2RRI-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TA2RRI-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic

control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG2RRI-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TR2RRT-2G-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TA2RRT-2G-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

TG2RRT-2G-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

TA1RPT-2HS-2HS: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces 800393 temperature control previously used. May require new temperature control relay.

GDM-33CPT-GASI: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: 115v used before 9/7/2010 (pcn #4610) replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control. (pcn #2943) {when switching to the 831932 the existing control cover may need to be replaced due to light switch placement.

TG2RPT-4HG-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: replaces the 800393 and 800306 previously used. The 800182 relay is not needed with this control.

STA1RRI-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 6/16/15 per pcn 8403..

STA1RRT-1G-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 6/16/15 per pcn 8403.

STA1RRT-1S-1S: Replaces 831932 control. O retrofit from a mechanical control to an electronic control. History: used before 6/16/15 per pcn 8403.

STA2RRI-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic

control.

STA2RRI89-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

STG1RRI-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 6/16/15 per pcn 8403.

STG2RRI-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

STG2RRI89-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

STR1RRI-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 6/16/15 per pcn 8403.

STR1RRI89-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 6/16/15 per pcn 8403.

STR1RRT-1G-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 6/16/15 per pcn 8403.

STR1RRT-1S-1S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control. History: used before 6/16/15 per pcn 8403.

STR2RRI-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

STR2RRI-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

STR2RRI89-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

STR2RRT-2G-2G: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

STR2RRT-2S-2S: Replaces 831932 control. To retrofit from a mechanical control to an electronic control.

GDM-36SL-HC: to retrofit from a mechanical control to an electronic control.