

Model-Specific Compatibility Notes [8.27.14]

GDM-23F-2: Option. Used after ser. no. 1-1492441.

T-49F: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TR1DT-2HS: Standard.

TWT-48: Option.

TR-56H-PT: Standard.

T-49: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

GEM-49: Option. Use after ser. no. 1-1476385.

TUC-67D-4: Option.

T-49F-2-G-2: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

QA-60-24MB-L: Option.

GEM-37: Option.

TDBD-72-2: Option.

GDM-23F: Option. Used after ser. no. 1-1492441.

GDM-22: Option.

TS-49G-4: N/A

GDM-26W: Option.

TSID-48-4: N/A

TR2RPT-2S-2S: Standard.

GDM-49DT: Option.

T-49FZ: Standard.

TR-31PT: Standard.

TS-53-4-G-4PT: N/A

GDM-35: Option. Use after 2/96 production date.

TR2R-4HS: Standard.

TM-52G: Standard.

TS-28G-2PT: Standard.

TUC-GAL-48-2: Option.

GDM-23FC-RF: Option.

TR-56-4: Standard.

TSSU-60-24M-DS: Option.

TSD-33: Option.

T-23-2: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

G4SM-23PT: Option. Used after ser. no. 1-1538282.

GDM-23PT: Option.

T-23-1-G-1: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TR1HPT-1S-1S: Option.

T-23FG: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TSID-48-4-L: N/A

TUC-67D-2: Option.

TWT-67D-4: Option.

TDBD-72-4: Option.

GDM-23RL: Option. After ser. no. for 1-1492441 idl and 1-1538283 for non-idl models.

TUC-27D-2: Option.

TM-52-4: Standard caster.

TS-23FG: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TR-56F: Standard.

TR-31-2-G-2: Standard.

TSID-72-2-L: N/A

TR2F-2S: Standard.

G4SM-23RL-SI: Option. Used after ser. no. 1-1538282.

TWT-60D-4: Option.

GDM-41: Option. Use after ser. no. 1-1483795.

TSSU-48-12: Option.

TR1R-2HG: Standard.

TS-49F-2-G-2: N/A

GEM-49FC: Option. Use after ser. no. 1-1476385.

GDM-26HL: Option. Use after ser. no. 1-1403482.

TSSU-48-08: Option.

TUC-60G: Option.

T-23DT-1-G-1: Standard caster.

TR1HPT-1G-1G: Option.

GDM-23F-RF: Option.

TR1H-1S: Option.

GDM-35RF: Option.

TSD-47G: Option.

TS-49-1-G-3: Standard.

TSSU-48-8M: Option.

T-19FZ: it is recommended to replace with 2-1/2" casters. Used as standard before 11/7/2000 production date or before ser. no. 1-2863544.

GDM-26RF: Option.

TSSU-72-30MB: Option.

GDM-23: Option. Used after ser. no. 1-1492441.

TPP-60D-2: Option.

T-23DT-G: Standard caster.

TR-31-2: Standard.

TS-49G: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

T-35: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TSSU-48-12M-B: Option.

TWT-72F: Option.

TS-23-1-G-1: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TS-35: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TSSU-60-12: Option.

TS-23G: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TSSU-60-16D-2: Option.

TSID-72-4: N/A

GDM-47RL: Option. Use after ser. no. 1- 1492523.

TS-35F: N/A

TUC-48G: Option.

T-49FG: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TR-56-2-G-2: Standard.

TPP-119: Option.

T-49RL: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TS-28G-2: N/A

TR-31DT: Standard.

TUC-44: Option.

TR1F-2HS: Standard.

TM-52: Standard caster.

TR-56F-4: Standard.

TWT-44D-2: Option.

TH-23: Standard.

GDIM-26NT: Option.

TR-31FG: Standard.

TM-25: Standard caster.

TS-49F-4: N/A

TC-23F: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

GDM-49W: Option.

GDM-23W: Option. Used after ser. no. for 1-1492441.

G4SM-23FC: Option. Used after ser. no. 1-1538282.

QA-72-30MB: Option.

G4SM-23RL: Option. Used after ser. no. 1-1538282.

T-35G: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

T-23DT: Standard caster.

TR1F-1S: Standard.

GEM-23RF: Option.

TSSU-36-12M-B: Option.

TC-49: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

T-49F-4: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TS-53-4PT: Option.

GDM-33CPT: Option.

TSSU-27-08: Option.

TS-23: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TS-23G-RL: N/A

T-19F: Was used as standard before 11/7/02 production date or before ser. no. 1-2863544. It is recommended to replace with 2-1/2" casters.

TS-49-2-G-2: N/A

TR-31G-2: Standard.

T-23G-PT: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TSSU-60-10: Option.

TR2R-2HG/2HS: Standard.

GDM-45HL: Option. Use after ser. no. 1-1515747.

TR-31: Standard.

TS-49F: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TR-31H: Standard.

TUC-60D-2: Option.

TUC-27FG: Option.

TSD-33G: Option.

TSSU-36-08: Option.

TSID-72-2: N/A

T-23G-2: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TS-49-4: N/A

TWT-27G: Option.

T-23F-2: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

T-49DT-G: Standard caster.

T-49G-RL: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TSSU-27-12M: Option.

GDM-43: Option.

TS-35G: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TUC-36: Option.

TWT-48G: Option.

TS-23F: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

T-23F: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TWT-27D-2: Option.

TM-24FG: Standard caster.

TSSU-60-24M-B: Option.

TSSU-60-24MB-DS: Option.

TSSU-48-12D-4: Option.

TUC-48F: Option.

TWT-36: Option.

TSSU-60-16: Option.

TR-56PT: Standard.

GDM-47: Option. Use after ser. no. 1- 1492523.

QA-48-18MB: Option.

T-49G-PT: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TSSU-48-12M: Option.

TSSU-27-08F: Option.

TUC-27: Option.

TS-19: Option.

TWT-27: Option.

TSID-48-2: N/A

T-19: Was used as standard before 11/7/02 production date or before ser. no. 1-2863544. It is recommended to replace with 2-1/2" casters.

TUC-72: Option.

TSSU-48-18M: Option.

TUC-36F: Option.

TSD-47: Option.

TWT-48D-4: Option.

TR1R-1G: Standard.

GDM-33C: Option. Use after ser. no. 1-1512575.

GDM-41C: Option. Use after ser. no. 1-1483795.

TUC-27F-D-2: Option.

TWT-67D-2: Option.

T-23RL: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

GDM-23W-RF: Option.

GDM-22F: Option.

GDM-47FC: Option. Use after ser. no. 1- 1492523.

GDM-37: Option. Use after ser. no. 1-1483258.

TR1R-1S: Standard.

TSID-48-2-L: N/A

GDM-35W-RF: Option.

TSSU-48-10: Option.

TUC-27G: Option.

TUC-48: Option.

TS-23F-2: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

GDM-23FC: Option. After ser. no. for 1-1492441 idl and 1-1538283 for non-idl models.

T-28G-2: Standard.

T-23: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

T-49G: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TWT-27FG: Option.

TUC-60F: Option.

TSSU-48-15M-B: Option.

TWT-44: Option.

GDM-49RL: Option. Use after 1-1476385.

TUC-GAL-48: Option.

T-49DT-4: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TC-49G: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TUC-72F: Option.

TS-28-2PT: Standard.

TS-49FG: N/A

TSSU-36-12M: Option.

TR-56G: Standard.

TUC-GAL-48F: Option.

TWT-67: Option.

TS-49DT-G: N/A

TUC-67: Option.

TS-23-2: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TSSU-72-30M: Option.

GDM-43F: Option.

TUC-60D-4: Option.

TUC-60: Option.

GDM-26W-RF: Option.

GDIM-49: Option.

TS-28-2-G-2PT: N/A

TPP-44D-2: Option.

TWT-48F: Option.

T-49-2-G-2: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

GEM-45: Option.

TR1RPT-1S-1S: Standard.

TC-23G: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TM-24: Standard caster.

TR-37-45-H: Standard.

TSSU-72-18D-2: Option.

TR-56G-4: Standard.

TUC-27F: Option.

TR-56H: Standard.

TUC-60-32: Option.

TWT-60: Option.

TSSU-27-12M-C: Option.

T-23G-RL: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

T-23G: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TS-23G-PT: N/A

TM-52F: Standard caster.

TS-23G-2: N/A

TUC-48F-D: Option.

TR-31F: Standard.

GDM-33: Option. Use after ser. no. 1-1512575.

TR-31G: Standard.

GDM-49: Option. Use after ser. no. 1-1476385.

TR-31F-2: Standard.

TR2R-4HG: Standard.

TS-28G-RL: N/A

TM-24F-2: Standard caster.

TSSU-60-16D-4: Option.

TR2HPT-2S-2S: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

GEM-47FC: Option. Use after ser. no. 1-1492523.

TUC-48D-4: Option.

TSSU-60-21M: Option.

TR1R-2HS: Standard.

T-23FZ: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

GDM-49W-RF: Option.

TUC-60-32D-2: N/A

TSSU-60-14: Option.

TM-24F: Standard caster.

TS-49: Standard option for ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TS-53G-RL: N/A

TWT-60F: Option.

GDM-37HL: Option. Use after 1-1483258.

GDM-26: Option. Use after ser. no. 1-1403482.

TSSU-72-30MB-DS: Option.

GEM-47: Option. Use after ser. no. 1- 1492523.

GDM-23RF: Option.

TPP-67D-4: Option.

TR2FPT-2S-2S: Standard.

GDM-49FC: Option. Use after ser. no. 1-1476385.

TSSU-60-16-DS: Option.

GEM-23FC: Option. Use after ser. no. 1-1538283.

TWT-60-32: Option.

GDIM-60: Option. Used after ser. no. 1-1538282.

TM-24-2: Standard caster.

GEM-23: Option. Use after ser. no. 1-1538283

TSSU-48-18M-B: Option.

GDM-49RF: Option. Use after serial no. 1-1476385.

GDM-26F: Option. Use after ser. no. 1-1403482.

G4SM-23: Option. Used after ser. no. 1-1538282.

TR-56: Standard.

T-49DT: Standard caster.

T-35F: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TR2H-2S: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

GDM-23HL: Option. Used after ser. no. for 1-1492441.

TWT-72: Option.

T-49G-4: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TSSU-60-08: Option.

TWT-60G: Option.

TUC-44F: Option.

TR-56F-PT: Standard.

T-35FG: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

GDM-35F: Option. Use after 2/96 production date.

GDIM-49NT: Option.

TH-23G: Standard.

TSID-72-4-L: Option.

TWT-36F: Option.

G4SM-23-RGS: Option. Used after ser. no. 1-1538282.

TSSU-60-24M: Option.

TC-23: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TR2F-4HS: Standard.

TWT-27F: Option.

GDIM-26: Option. Used after ser. no. 1-1538282.

T-49-4: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TPP-60: Option.

TR2DT-2S: Standard.

TSSU-27-08D-2: Option.

TPP-67: Option.

TR2R-2S: Standard.

TR2R-2G: Standard.

TSSU-72-18: Option.

GDM-41SL: Option.

TM-52F-4: Standard caster.

GDM-49PT: Option.

TPP-67D-2: Option.

TPP-44: Option.

GEM-26: Option.

GDM-49F: Option. Use after ser. no. 1-1476385.

GDM-57: Option.

TSSU-48-15M: Option.

TR-56DT: Standard.

T-49PT: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TR-31H-PT: Standard.

GDM-45: Option. Use after ser. no. 1-1515747.

TM-54: Standard.

TWT-60-32D-2: Option.

TSSU-27-12M-B: Option.

TR1RPT-1HGLH/1HSLH-1HG/1HS: Standard.

TR1R-1HG/1HS: Standard.

TS-28: Standard.

TS-28PT: Standard.

TS-53: Standard.

TS-53PT: Standard.

TS-28G-PT: Standard.

TS-53G-PT: Standard.

TPP-119D-8: Option.

TR1HPT-2HG-2HG: Option.

TS-28-2: Standard.

TS-53-4: Standard.

TUC-67F: Option.

TS-53G-4: Standard.

TMW-36F: Option.

TR2RPT-2S-2G: Standard.

TR2RPT-4HG-2S: Standard.

TR2RPT-1G/2HS-2S: Standard.

TR2RPT-4HG-4HS: Standard.

TR2RPT-1G/2HS-4HS: Standard.

TR2RPT-2S-4HG: Standard.

TR2RPT-4HG-4HG: Standard.

TR2RPT-1G/2HS-4HG: Standard.

TR2RPT-2S-2HG/2HS: Standard.

TR2RPT-4HG-2HG/2HS: Standard.

TR2RPT-1G/2HG-2HG/2HS: Standard.

TR2RPT-2S-1G/1S: Standard.

TR2RPT-4HG-1G/1S: Standard.

TR2RPT-1G/2HS-1G/1S: Standard.

TR2RPT-2S-1G/2HS: Standard.

TR2RPT-4HG-1G/2HS: Standard.

TR2RPT-1G/2HS-1G/2HS: Standard.

TR2RPT-2S-2HG/1S: Standard.

TR2RPT-4HG-2HG/1S: Standard.

TR2RPT-1G/2HS-2HG/1S: Standard.

TR2RPT-2G-2S: Standard.

TR2RPT-2HG/2HS-2S: Standard.

TR2RPT-2HG/1S-2S: Standard.

TR2RPT-2G-2G: Standard.

TR2RPT-2HG/2HS-2G: Standard.

TR2RPT-2HG/1S-2G: Standard.

TR2RPT-2G-4HS: Standard.

TR2RPT-2HG/2HS-4HS: Standard.

TR2RPT-2HG/1S-4HS: Standard.

TR2RPT-2G-4HG: Standard.

TR2RPT-2HG/2HS-4HG: Standard.

TR2RPT-2HG/1S-4HG: Standard.

TR2RPT-2G-2HG/2HS: Standard.

TR2RPT-2HG/2HS-2HG/2HS: Standard.

TR2RPT-2HG/1S-2HG/2HS: Standard.

TR2RPT-2G-1G/1S: Standard.

TR2RPT-2HG/2HS-1G/1S: Standard.

TR2RPT-2HG/1S-1G/1S: Standard.

TR2RPT-2G-1G/2HS: Standard.

TR2RPT-2HG/2HS-1G/2HS: Standard.

TR2RPT-2HG/1S-1G/2HS: Standard.

TR2RPT-2G-2HG/1S: Standard.

TR2RPT-2HG/2HS-2HG/1S: Standard.

TR2RPT-2HG/1S-2HG/1S: Standard.

TR2RPT-4HS-2S: Standard.

TR2RPT-1G/1S-2S: Standard.

TR2RPT-4HS-2G: Standard.

TR2RPT-1G/1S-2G: Standard.

TR2RPT-4HS-4HS: Standard.

TR2RPT-1G/1S-4HS: Standard.

TR2RPT-4HS-4HG: Standard.

TR2RPT-1G/1S-4HG: Standard.

TR2RPT-4HS-2HG/2HS: Standard.

TR2RPT-1G/1S-2HG/2HS: Standard.

TR2RPT-4HS-1G/1S: Standard.

TR2RPT-1G/1S-1G/1S: Standard.

TR2RPT-4HS-1G/2HS: Standard.

TR2RPT-1G/1S-1G/2HS: Standard.

TR2RPT-4HS-2HG/1S: Standard.

TR2RPT-1G/1S-2HG/1S: Standard.

TR1RPT-1S-1G: Standard.

TR1RPT-1S-1HG/1HS: Standard.

TR1RPT-1S-2HS: Standard.

TR1RPT-1S-2HG: Standard.

TR1RPT-1G-1G: Standard.

TR1RPT-1G-1HG/1HS: Standard.

TR1RPT-1G-2HS: Standard.

TR1RPT-1G-2HG: Standard.

TR1RPT-1HG/1HS-1G: Standard.

TR1RPT-1HG/1HS-2HS: Standard.

TR1RPT-1HG/1HS-2HG: Standard.

TR1RPT-2HS-1G: Standard.

TR1RPT-2HS-1HG/1HS: Standard.

TR1RPT-2HS-2HS: Standard.

TR1RPT-2HS-2HG: Standard.

TR1RPT-2HG-1G: Standard.

TR1RPT-2HG-1HG/1HS: Standard.

TR1RPT-2HG-2HS: Standard.

TR1RPT-2HG-2HG: Standard.

TCGG-72: Option.

TA1F-1S: Standard.

TA1DT-2HS: Standard.

TA1F-2HS: Standard.

TA1H-1S: Option.

TA1HPT-1S-1S: Option.

TA1R-1G: Standard.

TA1R-1HG/1HS: Standard.

TA1R-1S: Standard.

TA1R-2HS: Standard.

TA1RPT-1G-1G: Standard.

TA1RPT-1G-1S: Standard.

TA1RPT-1HG/1HS-1G: Standard.

TA1RPT-1HG/1HS-1S: Standard.

TA1RPT-1S-1G: Standard.

TA1RPT-1S-1S: Standard.

TA1RPT-2HG-1G: Standard.

TA1RPT-2HG-1S: Standard.

TA1RPT-2HS-1G: Standard.

TA1RPT-2HS-1S: Standard.

TA2DT-2S: Standard.

TA2F-2S: Standard.

TA2F-4HS: Standard.

TA2FPT-2S-2S: Standard.

TA2H-2S: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TA2HPT-2S-2S: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TA2R-2G: Standard.

TA2R-2HG/2HS: Standard.

TA2R-2S: Standard.

TA2R-4HG: Standard.

TA2R-4HS: Standard.

TA2RPT-2G-2G: Standard.

TA2RPT-2G-2S: Standard.

TA2RPT-2HG/2HS-2G: Standard.

TA2RPT-2HG/2HS-2S: Standard.

TA2RPT-2S-2G: Standard.

TA2RPT-2S-2S: Standard.

TA2RPT-4HG-2G: Standard.

TA2RPT-4HG-2S: Standard.

TA2RPT-4HS-2G: Standard.

TA2RPT-4HS-2S: Standard.

TG1DT-2HS: Standard.

TG1F-1S: Standard.

TG1F-2HS: Standard.

TG1H-1S: Option.

TG1HPT-1S-1S: Option.

TG1R-1G: Standard.

TG1R-1HG/1HS: Standard.

TG1R-1S: Standard.

TG1R-2HG: Standard.

TG1R-2HS: Standard.

TG1RPT-1G-1G: Standard.

TG1RPT-1G-1S: Standard.

TG1RPT-1HG/1HS-1G: Standard.

TG1RPT-1HG/1HS-1S: Standard.

TG1RPT-1S-1G: Standard.

TG1RPT-1S-1S: Standard.

TG1RPT-2HG-1G: Standard.

TG1RPT-2HG/1S: Standard.

TG1RPT-2HS-1G: Standard.

TG1RPT-2HS-1S: Standard.

TG2DT-2S: Standard.

TG2F-2S: Standard.

TG2F-4HS: Standard.

TG2FPT-2S-2S: Standard.

TG2H-2S: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TG2HPT-2S-2S: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TG2R-2G: Standard.

TG2R-2HG/2HS: Standard.

TG2R-2S: Standard.

TG2R-4HG: Standard.

TG2R-4HS: Standard.

TG2RPT-2G-2G: Standard.

TG2RPT-2G-2S: Standard.

TG2RPT-2HG/2HS-2G: Standard.

TG2RPT-2HG/2HS-2S: Standard.

TG2RPT-2S-2G: Standard.

TG2RPT-2S-2S: Standard.

TR2RPT-4HG-2G: Standard.

TG2RPT-4HG-2S: Standard.

TG2RPT-4HS-2G: Standard.

TG2RPT-4HS-2S: Standard.

TR1H-2HS: Option.

TA1R-2HG: Standard.

TSSU-72-10: Option.

TR1RPT-1HG/1HS-1S: Standard.

TR1RPT-2HG-1S: Standard.

TR1RPT-1G-1S: Standard.

TR1RPT-2HS-1S: Standard.

TUC-60-32F: Option.

TWT-67F: Option.

TWT-60-32F: Option.

TR2H-4HS: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TWT-27F-D2: Option.

TUC-48F-D-4: Option.

TWT-48F-D4: Option.

TUC-119: Option.

TWT-119: Option.

TSSU-72-30M-B-ST: Option.

TSSU-60-24M-B-ST: Option.

TWT-44F: Option.

TCGG-48: Option.

TSSU-72-18-ST: Option.

TPP-119D-2: Option.

TPP-119D-4: Option.

TPP-119D-6: Option.

TUC-119D-4: Option.

TUC-119D-6: Option.

TUC-119D-2: Option.

TUC-119D-8: Option.

TWT-119D-2: Option.

TWT-119D-4: Option.

TWT-119D-6: Option.

TWT-119D-8: Option.

TUC-44D-2: Option.

TUC-48D-2: Option.

TWT-60D-2: Option.

TWT-48D-2: Option.

TSSU-60-16-DS-ST: Option.

TSSU-60-24M-B-DS-ST: Option.

TSSU-72-30M-B-DS-ST: Option.

TSSU-48-12D-2: Option.

TM-24G: Standard caster.

TMW-36F-QT: Option.

TR-31-1-G-1: Standard.

TSID-72-3-L: N/A

TSID-72-6-L: Option.

TR1HPT-1S-1G: Option.

TSID-72-3: N/A

TSID-72-6: N/A

T-23F-1-G-1: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TWT-67HD: Option.

TUC-44HD: Option.

TWT-44HD: Option.

TUC-44F-HD: Option.

TWT-44F-HD: Option.

TUC-67HD: Option.

TUC-67F-HD: Option.

TWT-67F-HD: Option.

TUC-60-32HD: Option.

TWT-60-32HD: Option.

TUC-60-32F-HD: Option.

TWT-60-32F-HD: Option.

TSSU-48-18MB-D4: Option.

TSSU-72-30MB-ST-D2: Option.

TR2HPT-2G-2G: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TR2HPT-2G-2S: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

GDM-23-2: Option. Used after ser. no. 1-1492441.

GDM-52TM: N/A

GDM-52TM-RL: N/A

TR2DT-4HS: Standard.

T-23PT: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

T-23FG-2: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TMW-36R-QT: Option.

TSSU-60-16-ST: Option.

TR2HPT-4HG-4HS: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TR2HPT-2S-4HG: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TSSU-72-18M-B: Option.

TG1H-2HS: Option.

TS-23PT: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TG1RPT-1G-2HS: Standard.

TR1F-1G: Standard.

TA1F-1G: Standard.

TG1F-1G: Standard.

TR2F-2G: Standard.

TA2F-2G: Standard.

TG2F-2G: Standard.

TA2HPT-4HS-2S: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TG2DT-4HS: Standard.

TSSU-72-16: Option.

TSSU-72-12: Option.

TSSU-72-08: Option.

TSSU-60-12M-B: Option.

TDBD-48-2: Option.

TDBD-48-4: Option.

TA2RPT-4HG-4HS: Standard.

TSSU-72-24M-B-ST: Option.

TCGG-36: Option

TR1-F-2HG: Standard.

GEM-49 SUBWAY: Option. Use after ser. no. 1-1476385.

GEM-26 SUBWAY: Option.

TSSU-60-15M-B: Option.

TSSU-60-18M-B: Option.

TSSU-72-12M-B: Option.

TSSU-72-15M-B: Option.

TA1HPT-2HS-2HS: Option.

TG2RPT-4HG-4HG: Standard.

TA2RPT-4HG-4HG: Standard.

TCGG-60: Option.

T-49-4PT: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TA1-FPT-2HS-2HS: Standard.

TG2RPT-4HS4HS: Standard.

TA1-F-1S STARBUCKS: Standard.

TA2-F-2S STARBUCKS: Standard

TR1FPT-1S-1S: Standard.

TA1-FPT-1S-1S: Standard.

TG1FPT-1S-1S: Standard.

TSID-36-4: N/A

TSID-36-2: N/A

TSSU-27-12MC-D-2: Option.

TSSU-36-15MB: Option.

TSSU-72-12D-4: Option.

TSSU-72-18D-4: Option.

TG2F-2S STARBUCKS: Standard.

TG1F-1S STARBUCKS: Standard.

T-49MHC: Standard caster. For ser. no. (1- 793556 - 1005582) (1-1088801 and after).

TR1HPT-2HS-2HS: Option.

TG1HPT-2HS-2HS: Option.

TG1F-1HG/1HS: Standard.

TR1H-1G: Option.

TS-53G-PT-2G-2S: Standard.

TA1H-1G: Option.

TG1H-1G: Option.

TCGG-72-S: Option

TCGG-36-S: Option.

TG2H-2G: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TA2H-2G: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TR2H-2G: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are

hardwired (pcn #2808).

TA1H-2HG: Option.

TA2HPT-4HG-2S : Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TG1HPT-1G-1S: Option.

TG1F-2HG: Standard.

TA1RPT-2HS-2HS: Standard.

TSSU-48-18MB-D2: Option.

T-43: N/A

GDM-33CPT-GASI: Option.

TSSU-60-08D-2: Option.

TR2HPT-4HS-4HS: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TR2HPT-4HS-2S: Can only be used with cabinets that are not hardwired. All cabinets built after 6/25/2004 are hardwired (pcn #2808).

TR1HPT-1G-1S: Option.

T-43F: N/A

TG2RPT-4HG-2G: Standard.

TA1HPT-1G-1S: Option.

TS-43: N/A

CVM-26: Option.

TCGG-48-S: Option.

TSSU-72-16-ST: Option.

TS-43F: N/A

CVM-49: Option.

CVM-43: Option.

T-23-G-PT-LD MCD1: Standard.

T-43-HC: Standard.

T-35-HC: N/A