

950908 Compatibility Notes - 03/20/2018	
Model	Notes
TR1DT-2HS	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TR2R-4HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TR3R-6HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TR2F-2S	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TR1R-2HG	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TR3F-6HS	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TR1F-2HS	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TR1F-1S	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TR2R-2HG/2HS	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TR3F-3S	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TR3R-3G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TR1R-1G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TR3R-3S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TR1R-1S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TM-74F	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TR2R-4HG	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.

TR1R-2HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TR2F-4HS	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST V.
TR2DT-2S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TR2R-2S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TR2R-2G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TR1R-1HG/1HS	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TA1F-1S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA1DT-2HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA1F-2HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA1R-1G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED. PER PCN 5082.
TA1R-1HG/1HS	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED. PER PCN 5082.
TA1R-1S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA1R-2HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA1RPT-1G-1G	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA1RPT-1G-1S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA2DT-2S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA2F-2S	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.

TA2F-4HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA2R-2G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TA2R-2HG/2HS	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TA2R-2S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA2R-4HG	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TA2R-4HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA3F-3S	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TA3F-6HS	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TA3R-3G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TA3R-3S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA3R-6HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG1DT-2HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG1F-1S	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TG1F-2HS	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TG1R-1G	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG1R-1HG/1HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG1R-1S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.

TG1R-2HG	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TG1R-2HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG2DT-2S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG2F-2S	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TG2F-4HS	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TG2R-2G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TG2R-2HG/2HS	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TG2R-2S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG2R-4HG	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TG2R-4HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG3F-3S	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TG3F-6HS	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TG3R-3G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TG3R-3S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG3R-6HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TA1R-2HG	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED. PER PCN 5082.
TR2DT-4HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.

TR1F-1G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TA1F-1G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED. PER PCN 5082.
TG1F-1G	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TR2F-2G	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TA2F-2G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TG2F-2G	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TG2DT-4HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TR1-F-2HG	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TR3R-4HS-1S	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TG1F-1HG/1HS	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.
TA2DT-4HS	USED AFTER 4/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE. PER PCN 5082.
TR2F-4HG	USED AFTER 12/16/04 PRODUCTION DATE AS STANDARD WAS OPTION BEFORE. MUST VIEW WORK ORDER FOR STYLE OF HINGE USED.
TG1F-2HG	USED AFTER 8/9/2004 PRODUCTION DATE AS STANDARD, OPTIONAL BEFORE. MUST VIEW WORKORDER TO DETERMINE HINGE AND HANDLE STYLE.