

Unit Information

2 HP – 1500 watt – 24,000 Max RPM
48 oz. Stainless Steel Container
Limited 2 Motor Year Warranty
Limited 1 Year Parts and Labor



035160
Control Panel Overlay

WARING COMMERCIAL

Torq 2.0 Blender

with 2 Toggle Switches and
48 oz. Stainless Steel Container

TBB145S4





Illustration #	Part #	Description
1	035153	Eastman Jar Lid Cover
2	036319-V	Vinyl Jar Cover
3	036320	48 oz. Stainless Steel Container ONLY
	503515	48 oz. Stainless Steel Container Complete with Blending Assembly
4	035885	Jar Pad
5	035085	Hole Plug (4 required)
6	034275	Sems (4 required)
7	034273	B Gasket (4 required)
8	035251	Drive Coupling
9	503460-145	Top Housing Assembly
10	035083	Control Housing Back Bezel
11	035090	Screw (2 required)
12	035253	LED Lens
13	035160	Control Panel
14	035255	Washer (2 required)
15	035089	Screw (2 required)
16	034900	PCB Cushion (2 required)
17	013604	Washer (2 required)
18	034904	Rubber Grommet (2 required)
19	034902	Sems (2 required)
20	034272	A Gasket (4 required)
21	034274	Screw (4 required)
22	035123	ECM Motor
23	503483	Motor Housing with Dampeners
24	013731	Cable Ties (6 required)
25	012409	Small Crimp Connector (2 required)
	019123	Large Crimp Connector (2 required)
26	035124	Cordset
27	033619	Strain Relief
28	035079	Bottom Housing ONLY
	503480	Bottom Housing with Feet Assembly
29	034274	Screw (4 required)
30	035088	Foot (4 required)



Notes:

Torque 100-125 in./lbs

Sealant applied all around indicated areas.
Dow Corning Sealant RTV 733

Lubricant applied to O Ring
Dow Corning 200 (R) Fluid

Wiring Diagram

