



**DCB205-2**

## **20V MAX\* XR® 5.0 AH BATTERY (2 PK)**

- PREMIUM XR® LITHIUM ION PACK provides up to 60% more capacity than standard 20V MAX\* battery pack (DCB200)
- 3-LED FUEL GAUGE SYSTEM allows immediate feedback on state of charge
- MAXIMUM PRODUCTIVITY AND LESS DOWNTIME. No memory and virtually no self-discharge



\*Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

**5  
AH**



**Includes: (2) DCB205 Batteries**

© 2023 DEWALT

ICDCB2052FT



**3-LED  
FUEL GAUGE**

**NO MEMORY**

**LOW  
SELF-DISCHARGE**



# INCLUDES

## TOOL - DCB205-2

(2) DCB205 20V MAX\* XR® 5.0AH LITHIUM ION BATTERIES



\*Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18 volts.



DCS570 Tool Sold Separately

**NO MEMORY & LOW SELF-DISCHARGE**  
**FOR EXTREME PRODUCTIVITY**



DCF913 Tool Sold Separately



**60% MORE CAPACITY**  
**THAN DCB200 STANDARD BATTERY**