

FORM Factory

JAC **FORM FACTORY** allows you to produce any type of bread shape using our PANIFORM or TRADIFORM machines

1 Store the dough tray in a refrigeration cabinet +/- 5 ° for 24 to 72 h.



2 Place the plate in the tank divider.



3 Empty the tray into the tank.



4 Press the dough lightly by adjusting the pressure to a minimum.




5 Open the lid and fold the grid forming, continue the cycle of division.



6 Open the grid forming and get your dough shaped.



Hamburger grids with angled blades : aluminum angled blade for a perfect welding of the dough.



D8	OPTGRILHAMB801	8	Ø4.3"	3.9→7.9		
D12	OPTGRILHAMB1201	12	Ø3.5"	3.2→6.5		



Teflon coated stainless steel triangular grids.















D15	OPTGRIL1505	15 5x3	5.6" x 5.6" x 5.6"	5.3→8.8		
D24	OPTGRIL2404	24 8x3	4.4" x 4.9" x 6.6"	4.4→7.3		
D40	OPTGRIL4004	40 8x5	4.4" x 2.9" x 5.3"	2.6→4.4		
D60	OPTGRIL6003	60 12x5	2.8" x 2.9" x 4"	1.3→2.9		

Grids with angled blades : aluminum angled blade for a perfect welding of the dough.

Angled blades :



D4	OPTGRILFOR401	5 1x4	18.5" 3.8"	17.6→35.2		
D5	OPTGRILFOR501	5 5x1	3.6" x 15.3"	14.1→18.2		
D5	OPTGRILFOR502	5 1x5	18.5" x 3"	14.1→18.2		
D6	OPTGRILFOR601	6 1x6	18.5" x 2.5"	11.7→23.5		
D7	OPTGRILFOR701	7 7x1	2.6" x 15.3"	10→20		
D8	OPTGRILFOR801	8 8x1	2.2" x 15.3"	8.8→17.6		
D8	OPTGRILFOR802	8 1x8	18.5" x 1.85"	8.8→17.6		
D9	OPTGRILFOR901	9 9x1	2" x 15.3"	7.8→15.6		
D10	OPTGRILFOR1001	10 10x1	1.77" x 15.31"	7.5→14.11		

D10	OPTGRILFOR1003	10 2x5	9.2" x 3"	7.5→14.11		
D12	OPTGRILFOR1201	12 2x6	9.2" x 2.5"	5.9→11.7		
D12	OPTGRILFOR1202	12 12x1	1.45" x 15.3"	5.9→11.7		
D12	OPTGRILFOR1203	12 6x2	7.6" x 3"	5.9→11.7		
D14	OPTGRILFOR1402	14 2x7	9.2" x 2.1"	5→10		
D16	OPTGRILFOR1601	16 8x2	2.2" x 7.6"	4.4→8.8		
D16	OPTGRILFOR1602	16 2x8	9.2" x 1.85"	4.4→8.8		
D18	OPTGRILFOR1801	18 9x2	2" x 7.6"	3.9→7.8		
D18	OPTGRILFOR1802	18 2x9	9.2" x 1.6"	3.9→7.8		
D20	OPTGRILFOR2001	20 10x2	1.77" x 7.6"	3.5→7.5		
D24	OPTGRILFOR2401	24 12x2	1.45" x 7.6"	2.9→5.9		
D40	OPTGRILFOR4001	40 8x5	2.2" x 3"	1.75→3.5		













Teflon coated stainless steel grids.















D2	OPTGRIL201	2 2x1	9.2" x 15.3"	52.9 → 88.1		
D3	OPTGRIL301	3 3x1	6.1" x 15.3"	35.2 → 58.5		
D3	OPTGRIL302	3 1x3	18.5" x 5"	35.2 → 58.5		
D4	OPTGRIL401	4 2x2	9.2" x 7.6"	17.6 → 35.2		
D4	OPTGRIL402	4 4x1	5" x 15.3"	17.6 → 35.2		
D4	OPTGRIL403	4 1x4	18.5" x 3.7"	17.6 → 35.2		
D5	OPTGRIL5	5 1x5	18.5" x 2.9"	14.1 → 18.2		
D5	OPTGRIL502	5 5x1	3.6" x 15.3"	14.1 → 18.2		















D6	OPTGRIL601	6 6x1	3" x 15.3"	100Z. 3.5		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								
D6	OPTGRIL602	6 1x6	18.5" x 2.4"	11.7→23.5		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								
D6	OPTGRIL603	6 3x2	6.1" x 7.6"	11.7→23.5		<table><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>								
D6	OPTGRIL604	6 2x3	9.2" x 5"	11.7→23.5		<table><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>								
D7	OPTGRIL701	7 7x1	2.55" x 15.3"	15.1→25.1		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								
D7	OPTGRIL702	7 1x7	18.5" x2"	15.1→25.1		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								
D8	OPTGRIL801	8 8x1	2.2" x 15.3"	8.8→17.6		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								
D8	OPTGRIL802	8 4x2	4.5" x 7.6"	8.8→17.6		<table><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>								
D8	OPTGRIL803	8 1x8	18.5" x 1.8"	8.8→17.6		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								
D8	OPTGRIL804	8 2x4	9.2" x 3.7"	8.8→17.6		<table><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>								
D9	OPTGRIL901	9 9x1	1.9" x 15.3"	11.7→19.6		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								

D9	OPTGRIL903	9 3x3	6.1" x 5"	11.7→19.6		
D10	OPTGRIL1001	10 10x1	1.7" x 15.3"	7.5→14.11		
D10	OPTGRIL1002	10 2x5	9.2" x 2.9"	7.5→14.11		
D10	OPTGRIL1003	10 5x2	3.6" x 7.6"	7.5→14.11		
D10	OPTGRIL1004	10 1x10	18.5" x 1.4"	7.5→14.11		
D11	OPTGRIL1101	11 11x1	1.57" x 15.3"	8.35→16		
D12	OPTGRIL1201	12 4x3	5" x 4.6"	5.9→11.7		
D12	OPTGRIL1202	12 12x1	1.45" x 15.3"	5.9→11.7		
D12	OPTGRIL1203	12 6x2	3" x 7.6"	5.9→11.7		
D12	OPTGRIL1204	12 2x6	9.2" x 2.44"	5.9→11.7		
D12	OPTGRIL1205	12	10 x 1.7" x 12.75" 2 x 2.44" x 9.2"	5.9→11.7		
D12	OPTGRIL1206	12 3x4	6.1" x 3.7"	5.9→11.7		

D18	OPTGRIL1803	18 3x6	6.1" x 24.7"	5.9→9.8		<table><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>																																								
D20	OPTGRIL2001	20 10x2	1.7" x 7.6"	3.5→7.5		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																																								
D20	OPTGRIL2002	20 5x4	3.6"2 x 3.7"	5.3→8.8		<table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>																																								
D20	OPTGRIL2003	20 2x10	9.2" x 1.44"	5.3→8.8		<table><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>																																								
D20	OPTGRIL2004	20 4x5	4.5" x 2.9"	5.3→8.8		<table><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>																																								
D20	OPTGRIL2005	20 20x1	0.8" x 15.3"	5.3→8.8		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																																								
D20	OPTGRIL2006	20 1x20	0.6" x 18.5"	5.3→8.8		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																																								
D22	OPTGRIL2201	22 11x2	1.57" x 7.6"	4.8→8		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																																								
D24	OPTGRIL2401	24 12x2	1.4" x 7.6"	4.4→7.3		<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																																								
D24	OPTGRIL2402	24 3x8	6.1" x 1.8"	4.4→7.3		<table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>																																								
D24	OPTGRIL2403	24 4x6	4.5" x 2.4"	4.4→7.3		<table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>																																								
D25	OPTGRIL2501	25 5x5	3" x 3.6"	4.2→7		<table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>																																								

D27	OPTGRIL2701	27 9x3	1.9" x 5"	3.9→6.5		
D30	OPTGRIL30	30 6x5	3" x 3"	3.5→5.9		
D30	OPTGRIL3001	30 10x3	1.7" x 5"	3.5→5.9		
D30	OPTGRIL3002	30 5x6	3.6" x 2.4"	3.5→5.9		
D32	OPTGRIL3201	32 4x8	4.5" x 1.8"	3.3→5.5		
D32	OPTGRIL3202	32 16x2	1" x 7.6"	3.3→5.5		
D36	OPTGRIL3601	36 6x6	3" x 2.44"	2.9→4.9		
D36	OPTGRIL3602	36 12x3	1.4" x 5"	2.9→4.9		
D40	OPTGRIL4001	40 8x5	2.2" x 2.9"	1.75→3.5		
D40	OPTGRIL4002	40 10x4	1.7" x 3.7"	2.6→4.4		
D40	OPTGRIL4003	40 4x10	4.5" x 1.4"	2.6→4.4		
D42	OPTGRIL4201	42 7x6	2.5" 2.44"	2.4→4.1		

D48	OPTGRIL4801	48 12x4	1.45" x 3.7"	2.2→3.6		
D48	OPTGRIL4802	48 6x8	3" x 1.8"	2.2→3.6		
D48	OPTGRIL4803	48 8x6	2.2" x 2.44"	2.2→3.6		
D50	OPTGRIL5001	50 10x5	1.7" x 2.9"	2.1→3.5		
D54	OPTGRIL8701	2.1" 9x6	1.9" 2.44"	1.9→3.2		
D56	OPTGRIL5601	56 8x7	2.2" x 2"	1.9→3.1		
D60	OPTGRIL6001	60 10x6	1.7" x 2.4"	1.7→2.9		
D60	OPTGRIL6002	60 20x3	0.8" x 5"	1.7→2.9		
D64	OPTGRIL6401	64 8x8	2.2" x 1.8"	1.58→2.75		
D80	OPTGRIL8001	80 8x10	2.1.4"	1.34→2.2		
D80	OPTGRIL8002	80 10x8	1.7" x 1.8"	1.34→2.2		
D160	OPTGRIL16001	160 16x10	1" x 1.4"	0.67→1.09		

General terms and conditions of sale

Article 1 – Arrangements Concerning the Contractual Relationship. The contractual relationship shall be governed exclusively by the specific provisions of any written agreement and, insofar as they do not conflict with those specific provisions, by these general terms and conditions, to the exclusion of the customer's terms and conditions.

Article 2 – Quotations and Orders. Our quotations shall be valid for a period of one month from the date of their dispatch to the customer. Unless there is some stipulation to the contrary in writing, our quotations are provided for information purposes only. The prices indicated in our catalogues and/or price lists are not binding and may be changed without prior notice. Quotations provided by our representatives shall only be binding once they have been confirmed in writing by us. Orders submitted by our representatives shall be binding on the customer but will only be binding on us after we have provided written confirmation. The customer is obligated to check the terms and conditions of our order confirmation as soon as it is received and shall not be entitled to raise any objections once the goods have been delivered.

Article 2.1 - Cancellation of Orders. We understand projects or jobs sometimes cancel - In the event a unit has not shipped we will do our best to terminate your obligation - Special ordered units will forfeit deposits received towards them or the project. If a unit has left our warehouse and our possession, an RGA must be applied for and if granted, the item must be returned within 10 days and a minimum restocking fee of 25% will be assessed which will be payable before the we accept the return.

Article 3 – Technical Data. Unless stipulated otherwise in writing, our samples, measurements, weights and other items of data represent approximate descriptions of our products only. The customer may not use any discrepancies, regardless of their nature, as grounds for refusing the delivery, for non-payment or for demanding the cancellation of the order or the payment of compensation. Unless agreed otherwise in writing, we shall not accept any liability whatsoever in connection with the use of our products for non-expressed purposes.

Article 4 – Prices and Payment. Our goods shall be invoiced in accordance with the price in force on the date of the order. Our prices are given ex-works, and do not include any other services such as transport, interior delivery or installation. Any disputes regarding an invoice must be addressed to us in writing within ten days of its issue. Complaints addressed after this period or by other means will not be considered. Invoices still outstanding by their due date shall automatically and without further notice be increased by late-payment interest at the official rate plus three percent. Moreover, in the event of non-payment by the due date, the amount of the invoice shall be increased, without prior notice, by a fixed penalty of 10% without prejudice to our right to claim the amount of any loss actually incurred by us as a result of the non-payment. It is expressly stipulated that the drawing up of bills of exchange or the acceptance of other modes of payment shall not constitute the novation of the invoice, nor lead to any dispensation from the present clause. Credit terms are established on an individual basis. Special orders require a 50% deposit. Product not picked up or shipped within 15 days of shipment notification must be paid for in full to guarantee unit availability. After 30 days storage fees of 2.5% per month, beginning on the 61st day, will be assessed and payable in full prior to final shipment release.

All invoices are to be paid in full. Any fees incurred via your financial institution will be your responsibility and shall not be deducted from the invoice total. Our preferred payment methods are wire transfer & check. Alternate payment methods are possible but will be subject to a 2% invoicing fee.

Article 5 – Shipping quotes & Transit times. Shipping quotes are estimates and valid for 7 days, subject to fluctuation and are not final, unless otherwise expressed, until the bill of lading is generated.

Transit times are approximate only and shall not constitute a binding commitment on our part. Delays in delivery shall not under any circumstances entitle the customer to claim compensation, cancel or deny delivery of the order.

Articles 6 – Delivery and Transport regardless of the destination of the material, the mode of transport and the details of payment of the transport charge, delivery shall be deemed to have occurred once the items leave our warehouse. Accordingly, all transport, insurance and customs operations shall be undertaken at the risk and peril of the purchaser, who should check deliveries on arrival and make any complaints immediately.

Freight Damage – It is your responsibility, upon receipt of a shipment to inspect for any visible or concealed damages before signing for receipt. All equipment is shipped in Boxes/Crates and/or strapped to a skid, any and all packaging irregularities should be clearly noted on the BOL when signing for or refusing delivery.

1. If using our booked and arranged LTL freight carrier, JAC-Boston can file claims directly with our carriers within 5 days of the delivery date; providing the merchandise is still located at the delivery address. Therefore, we urge you to open all units within 5 calendar days of receipt and carefully inspect.
2. Small package shipments via UPS Parcel Services only have 1 day to report concealed damage from time of delivery. We urge you to open all small packages the same day of the delivery, report damage immediately to JAC-Boston.
3. Failure to notify JAC-Boston within 5 days from time of receipt on all LTL shipments or 1 day from time of receipt on small package shipments, will result in you, the customer, assuming full responsibility for the freight claim.

Article 7 – Retention of Ownership and Transfer of Risk. The delivered goods shall remain our property until the price for them has been paid in full, even if they have been rendered immovable by incorporation or use. In the event of the failure to pay an invoice by its due date, we have the automatic right to take goods back, without the intervention of the courts. The customer shall bear the risk of loss or damage to the goods once they have been delivered in conformity with Article 6. With the exception of consignment where contracts are in place.

Article 8 – Settlement of Complaints. Non-conformity or apparent defects must be notified to us within ten days of the date of delivery. If the goods are acknowledged to be non-compliant or to have an apparent defect, we may choose either to replace/repair them or to issue a credit note for the invoiced amount in exchange for the return of the goods; claims for compensation to cover any loss incurred are ruled out.

Article 9 – Guarantee and Latent Defects. Any action must be undertaken by the customer within two months of the discovery of the latent defect. The right to commence such action shall lapse two years after the delivery date. The guarantee is restricted to the free replacement of the defective item and does not include the payment of any compensation. Transport, labor and travel costs shall be the customers responsibility.

Article 10 – Jurisdiction and applicable law. Any disputes shall fall within the jurisdiction of the courts in the district in which our registered office is based. The law in force at the location of our premises shall be the only applicable law.



Warranty valid for all parts on your machine, including electronic components but excluding consumables. Please do not hesitate to contact your approved dealer for further information.

USA

JAC Machines Inc.
149, River Street
Suite#2
Andover, MA 01810
Tel.: + 1 781-721-2100
info.us@jac-machines.com

USA - TECHNICAL SERVICE

jacpartsusa@jac-machines.com

EUROPE

JAC s.a.
Belgium
Tél. : +32 (0)4 234 98 70
info@jac-machines.com

JAC s.a.
France
Tél. : +33 (0)3 25 86 00 20
info@jac-machines.com

