

#### INTRODUCING REDUCED OIL VOLUME FRYERS



PITCO FRIALATOR - ROUTE 3A BOW, NH 03304
TEL: 603-225-6684 FAX: 603-225-8472
WWW.PITCO.COM



# WHAT ARE REDUCED **OIL VOLUME FRYERS?**

• Traditional 14 size fryers have 50 lbs of oil capacity but ROV fryers only have 30 lbs of oil capacity

Less Oil Usage = Less Oil Expense





INITIAL FILLING					
AVERAGE OIL COST/LB	STD. SOYBEAN @\$.70	ZERO-TRANSFAT @ \$ 1.20			
STANDARD 3-50 LB	\$ 105	<sup>\$</sup> 180			
ROV 3-30 LB	\$ <b>63</b>	\$ <b>108</b>			
	\$42 LESS	\$72 LESS			

FOUR WEEK OIL LIFE ROV*				
MODEL	STANDARD 3-50 LB	ROV 3-30 LB	ANNUAL SAVINGS	
FILLS/YEAR	52	12		
SOYBEAN	105 X 52 = \$5460	63 X 12 = 5756	\$ 4704	
ZERO-TRANSFAT	180 X 52 = \$9360	90 X 12 = \$1296	\$8064	

<sup>\*</sup>w/Adequate Filtration Frequency

### WHY CHOOSE ROV?

#### • It's all about oil turnover!

When the amount of oil dragged out with the food reaches an optimum level, the oil is replenished faster than it can deteriorate, leading to longer oil life

- Oil is never given a chance to fully oxidize!
- Pitco's Auto Top Off insures your fryer stays at optimum frying depth and dilutes the oxidizing oil in the fry pot with fresh oil as required

<sup>\*</sup>Oil absorption may vary by oil type, product type and cooking temperature



## **COMPUTER PROGRAMS & FUNCTIONS**

- Number of cooks, filter soon warning, number of overrides, deferrals to lockout
- Filter time cycles (draining, refilling), Oil Polish duration
- IIB Mechanism and Indicator
  - Jib sensors warn operator when oil is below 20%
- Filter Data Functions
  - Records data for the current batch of oil as well as the 2 previous batches
  - Number of polishes
  - Number of overrides
  - Oil hours in use
  - Number of auto-disposes

# KEYS TO MAKING ROVS WORK

- Frequent Filtering
  - Pitco offers Automated Filtration and Manual Filtration
- Top-off Feature
  - Pitco offers Automated Top Off and Manual Top Off

### **BENEFITS**

- Reduce Operating Costs
- Increases safety for operators who directly handle fresh/waste oil
- Reduces carbon footprint:
  - Less processed oil from first fill
  - Energy Star certified
  - Fewer deliveries and waste pickups
- No doors to open, knobs or levers to pull
- Large heat tubes and low watt density elements ensure lower heating surface temperatures reducing thermal breakdown of cooking oil
- Plus all the great features of our Solstice line:
  - Fully modular system
  - No blower required
  - Patented self-cleaning burner
  - Generous 3" drain manifold
  - Patented strainer cap for filter



TEL: 603-225-6684 FAX: 603-225-8472



#### PRODUCT SPECIFICATIONS

REDUCED OIL VOLUME FRYERS - ELECTRIC All models available in Manual or Automatic					
MODEL NUMBER	OIL CAPACITY	COOK AREA	KW		
SELV14-C/FD	30	13.5"w x 14.8"d	17		
SELV14T-C/FD	2 x 15	6.3"w x 14.8"d	17 (COMBINED)		
SELV14 (ADD ON FRYER)	30	13.5"w x 14.8"d	17		
SELV14T (ADD ON FRYER)	2 x 15	6.3"w x 14.8"d	17 (COMBINED)		
REDUCED OIL VOLUME FRYERS - GAS All models available in Manual or Automatic					
MODEL NUMBER	OIL CAPACITY	COOK AREA	BTU/HR		
SSHLV14-C/FD	32	13"w x 13.6"d	75,000		
SSHLV14T-C/FD	2 x 17	6.9"w x 13.6"d	75,000 (COMBINED)		
SSHLV14 (ADD ON FRYER)	32	13"w x 13.6"d	75,000		
SSHLV14T (ADD ON FRYER)	2 x 17	6.9"w x 13.6"d	75,000 (COMBINED)		

#### OTHER ADD-ONS AVAILABLE FOR PURCHASE - CALL FOR PRICING!











PITCO FRIALATOR - ROUTE 3A BOW, NH 03304
TEL: 603-225-6684 FAX: 603-225-8472
WWW.PITCO.COM