

Heat Sealers - Direct

FEATURES:

- Maintain constant heat in both jaws
- Better heat penetration in order to seal thicker materials such as gusseted bags
- Cannot seal polyethylene
- Seal widths: 10mm, 12mm or 15mm



Foot-Operated Direct Heat Sealers W-SERIES

FEATURES:

- Seal width: 15mm with meshed or serrated seal
- German manufactured temperature controller
- PTFE coated seal bars for easier cleaning
- Protector bars around sealing jaws
- Option: Extended stand adding 10" in height

Model #	Seal Length	Seal Width	Seal Type	Weight (lbs)	Ships via
W-220DT	8"	15mm	Meshed, PTFE Coated	22 / 25	UPS
W-220DTS	8"	15mm	Serrated, PTFE Coated	22 / 25	UPS
W-300DT	12"	15mm	Meshed, PTFE Coated	22 / 29	UPS
W-300DTS	12"	15mm	Serrated, PTFE Coated	22 / 29	UPS
W-450DT	18"	15mm	Meshed, PTFE Coated	26 / 28	UPS
W-450DTS	18"	15mm	Serrated, PTFE Coated	26 / 28	UPS



THS-SERIES

FEATURES:

- Seal width: 15mm with meshed or serrated seal
- Option: PTFE coated seal bars for easier cleaning
- Option: Extended stand adding 10" in height

Model #	Seal Length	Seal Width	Seal Type	Weight (lbs)	Ships via
THS-200	8"	15mm	Meshed	38 / 7	UPS
THS-200TC	8"	15mm	Meshed, PTFE Coated	38 / 7	UPS
THS-300	12"	15mm	Meshed	43 / 7	UPS
THS-300S	12"	15mm	Serrated	43 / 7	UPS
THS-300TC	12"	15mm	Meshed, PTFE Coated	43 / 7	UPS
THS-400	16"	15mm	Meshed	48 / 7	UPS
THS-400TC	16"	15mm	Meshed, PTFE Coated	48 / 7	UPS

NEW!**KF-SERIES****FEATURES:**

- Seal width: 10mm or 15mm with meshed or serrated seal
- Option: Extended stand adding 10" in height

Model #	Seal Length	Seal Width	Seal Type	Weight (lbs)	Ships via
KF-200DF	8"	10mm	Meshed	42	UPS
KF-300DF	12"	10mm	Meshed	42	UPS
KF-400DF	16"	15mm	Meshed	42	UPS

Table-Top Direct Heat Sealers

**WNS-200D****FEATURES:**

- Seal width: 10mm with meshed seal
- Digital temperature controller
- Light touch sealer providing consistent seals each time
- Protector bars around sealing jaws
- PTFE coated sealing jaws

Model #	Seal Length	Seal Width	Seal Type	Weight (lbs)	Ships via
WNS-200D	8"	10mm	Meshed, PTFE Coated	22	UPS

**W-300DAT(S)****FEATURES:**

- Seal width: 15mm with meshed or serrated seal
- Protector bars around sealing jaws
- PTFE coated sealing jaws
- Equipped with a German manufactured temperature controller

Model #	Seal Length	Seal Width	Seal Type	Weight (lbs)	Ships via
W-300DAT	12"	15mm	Meshed, PTFE Coated	38	UPS
W-300DATS	12"	15mm	Serrated, PTFE Coated	38	UPS

Portable Direct Heat Sealers

Ideal for small or irregular packages



KF-150PS



KF-150CST



KF-200CS / KF-300CS



PC-Set:

- Convert KF-150 series to foot operated sealer



FKR-400



GWSZ-300 / GWSZ-400



Model #	Seal Length	Seal Width	Seal Type	Other	Weight (lbs)	Ships via
KF-150PS	6"	1/16"	Straight		4	UPS
KF-150PS-220V	6"	1/16"	Straight	220V	4	UPS
KF-150CST	6"	15mm	Serrated		4	UPS
KF-150CST-220V	6"	15mm	Serrated	220V	4	UPS
KF-150CSTA	6"	15mm	Serrated	Adjustable Temp	4	UPS
PC Set	N/A	N/A	N/A	Pedal & Clamp	5	UPS
KF-200CS	8"	15mm	Serrated		5	UPS
KF-200CS-220V	8"	15mm	Serrated	220V	6	UPS
KF-300CS	12"	15mm	Serrated		4	UPS
KF-300CS-220V	12"	15mm	Serrated	220V	4	UPS
FKR-400	16"	10mm	Serrated		6	UPS
GWSZ-300	12"	12mm	Serrated	German Manufactured	4	UPS
GWSZ-400	16"	12mm	Serrated	German Manufactured	4	UPS



Meshed Seal



Serrated Seal