

Your Guide To Station Creation



SPECIFICATION SHEET -









Each base has a brushed stainless steel exterior to reduce the visibility of fingerprints. Insulated bases keep contents cool with ice or Universal Ice Packs 100515 (sold separately). Bases accept standard or slim jars (not included). NSF listed. 2 year warranty.











Base & Jar Options





Drop-In Insulated







1 Topping SR-1 84090









SR-2 82570 SB-2 80160 c SB-2DI 80150

2 or 3 Toppings



d SB-3 83760 SB-3DI 83830









4, 5 or 6 Toppings

е	SR-4 82550
	SB-4 83600
	SR-4DI 83620









STATION BASES

order amt	model/item	application	description	base capacity	dimensions (HxWxD)	weight
a	SR-1 84090	®	*1-jar base, countertop	(1) fountain jar	10" x 5 ¹ / ₂ " x 8"	4 lb
b	<u>SB-1 87510</u>	֎ 🕸	*1-jar base, countertop	(1) fountain jar (1) ice pack**	12 ⁵ / ₁₆ " x 6 ¹³ / ₁₆ " x 9 ¹ / ₈ "	5 lb
	SR-2 82570	®	*2-jar base, countertop	(2 or 3) fountain jars	10" x 10 ⁷ / ₈ " x 8 ¹³ / ₁₆ "	5 lb
	SB-2 80160	- 🗟 🗱 -	*2-jar base, countertop	(2 or 3) jars &	12 ⁵ / ₁₆ " x 10 ⁷ / ₈ " x 8 ¹³ / ₁₆ "	
С	SB-2DI 80150		*2-jar base, drop-in (DI)	(2 or 3) jars & (2) ice packs 100515	cutout dim: 10 ⁷ / ₈ " x 8 ¹³ / ₁₆ "	
	SR-3 82600	®	*3-jar base, countertop	(3 or 4) fountain jars	10" x 15 ¹ / ₂ " x 8 ¹³ / ₁₆ "	7 lb
d	SB-3 83760	- 📚 🛞 -	*3-jar base, countertop	(3 or 4) jars &	12 ⁵ / ₁₆ " x 15 ¹ / ₂ " x 8 ¹³ / ₁₆ "	11 lb
	SB-3DI 83830		*3-jar base, drop-in (DI)	(3) ice packs 100515	cutout dim: 15 5/8" x 8 7/8"	— 11 lb
e	SR-4 82550	®	*4-jar base, countertop	(4, 5 or 6) fountain jars	10" x 20 ¹ / ₈ " x 8 ¹³ / ₁₆ "	8 lb
	SB-4 83600		*4-jar base, countertop	(4, 5 or 6) jars &	12 ⁵ / ₁₆ " x 20 ¹ / ₈ " x 8 ¹³ / ₁₆ "	12 lb
	SB-4DI 83620	- 🛞 🕸 -	*4-jar base, drop-in (DI)	(4, 5 or 6) jars & (4) ice packs 100515	cutout dim: 20 1/4" x 8 7/8"	14 lb

^{*}Jar number in model and description is based on standard fountain jars. ** Use ice or (1) generic ice pack with a maximum dimension of 6" x 4" x 1".





1-2-3-4 Choose jars to fit base capacity

HOW MANY JARS?

Refer to base capacity for jar types. Slim jars allow you to serve more flavors without taking up additional counter space. NSF listed. Two-year warranty.





FOUNTAIN JARS

_							
	order amt	jar color	item	description	outline	capacity	dimensions (HxWxD)
f			82557				
			83149	standard, deep fountain jar		3 ¹ / ₂ qt	10" x 4 ⁹ / ₁₆ " x 7 ¹ / ₂ "
			<u>83156</u>				
			82558				
g			<u>83147</u>	standard, shallow fountain jar		2 qt	$7^{1/2}$ " x $4^{9/16}$ " x $7^{1/2}$ "
			<u>83148</u>	•			
h			<u>83182</u>		2 q	2 qt	10" x 3 ¹ /16" x 7 ¹ /2"
			<u>83159</u>	slim, deep fountain jar			
			<u>83162</u>				
			<u>83181</u>				
			83157	slim, shallow fountain jar		1 ¹ / ₂ qt	$7^{1/_2}$ " \times $3^{1/_{16}}$ " \times $7^{1/_2}$ "
i			83158	•			



Server fountain jars are made of high-impact polypropylene. Note jar size and type for pump or ladle selection.



CREATE YOUR STATION FOR MAXIMUM EFFICIENCY SERVER-PRODUCTS.COM | 800.558.8722 | 262.628.5600





SEE TABLE FOR APPLICABLE TRAITS BY MODEL THIN fountain syrups • oils • hot sauce THICKER tartar sauce • crafted sauces

1-2-3-4 Select pumps and/or ladles

PUMPS

Consistently serve with portion-controlled, stainless steel pumps; adjustable in ½ oz increments. Designed with food types in mind – use the Dispenses Key to narrow your search. Thick Pump (TP) models reduce dispensing force needed for especially thick or crafted sauces. NSF clean-in-place certified. Two-year warranty.





	order amt	base type	dispenses	model/item	pump & lid fit (jar not incl.)	full portion
		Countertop		CP-200 83300	shallow	1 oz
a		Countertop	•	FP-200V 82130	fountain jar, 2 qt	1 02
b				<u>CP-F 83330</u>		
		Countertop	(FP-V 82120	deep fountain jar,	1 ¹ / ₄ 0Z
			(a) (b)	TP-V 86760	3 ½ qt	
			(a) (b)	TVP-L 80879*	-	1 oz
С		Drop-In	(FPV-DI 82520	deep fountain jar, 3 ½ qt	1 ¹ / ₄ 0Z
		Countarton		<u>CP-200 Slim 85330</u>	slim shallow	1 07
		Countertop	(FP-200V Slim 85310	fountain jar, 1 1/2 qt	1 oz
		Countarton	(a) (b)	<u>CP-F Slim 85340</u>	slim deep	1 ¹ / ₄ 0Z
d		Countertop	(FP-V Slim 85300	fountain jar, 2 qt	1 74 02

Dispensing large portions or using a slanted fountainette?

LADLES


Perfect for serving dry or difficult-to-pump ingredients. Stainless steel construction with a 1 oz capacity.

	order amt	item	description
е		<u>82561</u>	fountain jar ladle, 10" handle, 1 oz
		82562	fountain jar ladle, 7" handle, 1 oz
f		<u>82976</u>	slim fountain jar ladle, 10" handle, 1 oz
		<u>82977</u>	slim fountain jar ladle, 7" handle, 1 oz



COLORED KNOBS

Interchangeable engraved and colored knobs help staff and patrons identify contents, coordinate with store themes or promote branded products. Specify color and text at time of order.



CREATE YOUR STATION FOR MAXIMUM EFFICIENCY SERVER-PRODUCTS.COM | 800.558.8722 | 262.628.5600



^{*}Support bracket (100001) prevents tipping when used in SR-2, SR-3 or SR-4 bases.



1-2-3-4 Select lids and other accessories

LIDS & ACCESSORIES

	order amt	item	description	jar style
g		80310	clear plastic hinged lid	
h		<u>82559</u>	stainless steel lift-off lid	
i		<u>82545</u>	stainless steel hinged lid	standard
j		81415	stainless steel disher lid	
k		80443	stainless steel lid lock	
I		83214	clear plastic hinged lid	
m		83189	stainless steel lift-off lid	slim
n		83184	stainless steel hinged lid	
0		<u>100515</u>	universal ice pack	either

Use ice packs with an insulated base to keep product cool for up to 4 hours





Inspirational Examples



FROYO TOPPING STATION

item	description
(1) SR-4 82550	non-insulated base (holds 6 slim jars)
(6) 83182	slim fountain jars, 2 qt
(2) FP-V 85300	syrup pumps, slim
(4) 83214	clear hinged lids
(4) 82976	(deep jar) ladles

Station creation can be tricky.

We're here to help —
let's chat at
server-products.com,
800.558.8722 or
spsales@server-products.com.



CONDIMENT STATION COMES COMPLETE WITH:

item	description
(1) SR-4 82550	non-insulated base (holds 4 standard, deep fountain jars)
(4) 83149	standard, deep fountain jars, 3 1/2 qt
(4) CP-F-83330	fountain jar pumps, deep

CREATE YOUR STATION FOR MAXIMUM EFFICIENCY SERVER-PRODUCTS.COM | 800.558.8722 | 262.628.5600

