

Packing Table

.....
RETAIN INSTRUCTIONS FOR FUTURE REFERENCE



APT-3672S



**APT-3672W with
PTP-60
TWBR-60
TWCTL-48
TWLB-60**

GENERAL SAFETY INFORMATION

Some parts may have sharp edges. CARE must be taken when handling various pieces to avoid injury. For safety, wear a pair of work gloves when assembling or performing any maintenance.

.....
LIMITED WARRANTY

Tennsco warrants goods purchased hereunder to be free of defects in materials and workmanship for a period of one (1) year from the date of shipment, hereunder. This warranty shall not apply in the event goods are damaged as a result of misuse, abuse, neglect, accident, improper application, modification or repair by persons not authorized by Seller, where goods are damaged during shipment, or where the date stamps on the goods have been defaced, modified or removed. UNLESS CONSIDERED UNENFORCEABLE OR UNLAWFUL UNDER APPLICABLE LAW:

- a. ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY EXCLUDED:
- b. BUYERS REMEDY, IF ANY, FOR ANY DEFECTIVE GOODS SHALL BE LIMITED TO A REFUND BY SELLER OR REPLACEMENT OF THE GOODS AT SELLER'S OPTION, AND SHALL IN NO EVENT INCLUDE DAMAGES OF ANY KIND, WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE.

NO GOODS ACCEPTED FOR RETURN WITHOUT PRIOR APPROVAL. Seller shall have the right to inspect any goods claimed to be defective at Buyers place of business or require Buyer to return the goods to Seller for inspection on Seller's premises. Transportation charges covering returned goods will be borne by Seller only if such goods are proven to be defective, are covered by this warranty and are returned within the warranty period stated above.



PROUDLY MADE IN THE U.S.A.

Tennsco LLC., Dickson, TN 37056-1888 • (866) 446-8686

ASSEMBLY OF PACKING TABLE

Two people are recommended for assembly.


Tools required: Phillips screwdriver and $\frac{7}{16}$ " wrench or nut driver.

The reference numbers used throughout this sheet refer to the illustration on the back cover.

This is to help you to identify the various parts as they are mentioned.


1. For assembly of a butcher block top, proceed to step 3.

For assembly of a steel top packing table, lay (Ref. No. 1) face down on a protected flat surface. Attach the two mounting brackets under the lip of the bench top for extra support, using one bolt on each end of both brackets. The brackets should be evenly spaced for maximum support. Continue to step 2.




NOTE: If installing the optional workbench drawer, refer to the instructions supplied with the drawer positioning of the mounting brackets.


2. Align the workbench leg (Ref. No. 2) with the four end holes. Attach the leg with four $\frac{1}{4}$ "-20 x $\frac{5}{8}$ " bolts (Ref. No. 12) through the leg and the top. Then secure with $\frac{1}{4}$ "-20 Nuts (Ref. No. 13). Repeat with the second leg. Once finished, proceed to step 4.



3. For assembly of a butcher block top, lay the top on a flat surface. Align the leg with the eight pre-drilled pilot holes. Attach with eight #14 x $\frac{3}{4}$ " hex head slotted wood screws (Ref. No. 14). Repeat with second leg. Once finished, proceed to step 4.




4. Turn workbench over. Place the lower shelf (Ref. No. 3) on the brace of each leg. Attach with three $\frac{1}{4}$ "-20 x $\frac{5}{8}$ " bolts and nuts on each end of the shelf.




5. Attach the divider shelf to the cantilever upright frames. (See step 6 on how to attach). Using the help of an associate, place the upright frames with the divider shelf attached to the packing table. Use this as a template to mark the locations for the holes in the top. Remove the cantilever system off the top and unhook the divider shelf from the uprights.

For steel tops, drill four $\frac{5}{16}$ " holes into the top. Then attach the uprights to the top using $\frac{1}{4}$ "-20 x $\frac{5}{8}$ " bolts and nuts, with a flat washer under the top for security.

For wood tops, drill $\frac{5}{32}$ " pilot holes $\frac{3}{4}$ " deep. Use #14 x $\frac{3}{4}$ " hex head slotted wood screws to attach each upright to the top.




6. Attach the accessories (Ref. No.'s 5 - 11). Angle the piece so the back of the hooks are just above the holes on the upright frames. Slide the hooks into the holes and push down. Ensure both sides of each accessory is on the same level of holes on each upright.



NOTE: The above diagram shows all the accessories available.

REPLACEMENT PARTS



REF. NO.	PART NUMBERS	DESCRIPTION	QTY.
1	G-T-3072	OR 30" Deep Steel Top	1
	G-T-3672	OR 36" Deep Steel Top	1
	G-MT-3072	OR 30" Deep Butcher Block Top	1
	G-MT-3672	OR 36" Deep Butcher Block Top	1
2	AL-3230	OR 30" Deep Adjustable Leg	2
	AL-3236	OR 36" Deep Adjustable Leg	2
3	S-72	72" Wide Lower Shelf	1
4	WBRU-42A	Cantilever Upright Frames	1
5	WFS-60A	Eye Level Shelf	1
6	WBBS-60	Divider Shelf	1
7	WBPRD-60A	Roll Dispenser	1
8	PTP-60	Optional Power Rail	1
9	TWBR-60	Optional Bin Rail	1
10	TWCTL-48	Optional Task Light	1
11	TWLB-60	Optional Task Light Bracket Kit	1
12	**	1/4"-20 x 5/8" Bolt	34
13	**	1/4"-20 Nut	22
14	**	#14 x 3/4" Hex Head Slotted Wood Screw	24

NOTE: Additional hardware may be included for replacement purposes.

** Available Locally

Tennsco makes every effort to ensure that all units ship complete with all parts and arrive undamaged. However, should your unit contain missing or damaged parts, please contact your purchase location.