

nLITE®

UNGER®



Scan here for more information.

Introducing a pole that works with you, not against you: Unger's new generation of the **nLITE Telescopic Pole System** exemplifies innovation and high quality. **Pure water** is the fastest and most efficient way to clean outdoor glass surfaces and Unger's light-weight and rigid nLITE Carbon water fed poles keep workers safe on the ground.

No twisting: trouble-free work and less wear and tear

Optimal stability-to-weight ratio

Greater pole rigidity

More precise control of the cleaning movement

FEATURED PRODUCT



nLITE Carbon 24K – 39'12 m Kit

PART NO.: NLKT3 CASE QTY.: 1

- CF86G nLITE® Carbon 24K Main Pole, 6 Sections – 28'8.5 m
- CF33G nLITE® Carbon 24K Ext. Pole, 2 Sections – 10.5'3.2 m
- NLHCC Extension Adapter
- NGS15 Angle Adapter S – 6'15 cm
- NFK28 Power Brush Complete – 11'28 cm
- DLS25 DuroFlex Hose – 82'25 m
- NLWVI Water Flow Regulator
- NLBAG nLITE® Carrying Bag

Keep workers safe on the ground while cleaning windows several stories high!

Carbon 24K Main/Extension Poles (CF86G, CF33G) reach heights up to 52.5'. Up to 2 Extensions can be added to the Main Pole. Telescopic Poles (CF60T, CC85T, CC60T, CC32T) can extend up to 28' depending on pole size chosen. Extension Poles cannot be added to Telescopic Poles.

Generation 2 nLITE CARBON COMPOSITE



32.5
FEET
(10m)

WORKING HEIGHT

Composite Telescopic Pole

PART NO.: **CC85T** SECTIONS.: **6** CASE QTY.: **1**

- Extended Height: 28' / 8.5m
Collapsed Height: 5.5' / 1.7m
- Weight: 4.9lb / 2.2kg

24.5
FEET
(7.5m)

WORKING HEIGHT

Composite Telescopic Pole

PART NO.: **CC60T** SECTIONS.: **4** CASE QTY.: **1**

- Extended Height: 20' / 6m
Collapsed Height: 5.5' / 1.7m
- Weight: 3.0lb / 1.4kg

10.5
FEET
(3.2m)

WORKING HEIGHT

Composite Telescopic Pole


PART NO.: **CC32T** SECTIONS.: **2** CASE QTY.: **1**

- Extended Height: 10.5' / 3.2m
Collapsed Height: 5.5' / 1.7m
- Weight: 1.5lb / 0.7kg

Strength of Material: 100 GPa*

High quality mix of carbon and glass fibers.
Excellent rigidity and value.

Generation 2 nLITE CARBON 24K



24.5
FEET
(7.5m)

WORKING HEIGHT

Carbon 24K Telescopic Pole

PART NO.: **CF60T** SECTIONS.: **4** CASE QTY.: **1**

- Extended Height: 20' / 6m
Collapsed Height: 5.5' / 1.7m
- Weight: 2.5lb / 1.16kg

Premium carbon fibers in a unique weave of 24,000 fibers per bundle.

Superior rigidity, lightweight pole.

52.5
FEET
(16m)

WORKING HEIGHT
(1x Main Pole, 2x Ext. Poles)

Carbon 24K Main Pole

PART NO.: **CF86G** SECTIONS.: **6** CASE QTY.: **1**

- Extended Height: 28' / 8.5m
Collapsed Height: 5.5' / 1.7m
- Weight: 4.0lb / 1.84kg
- Up to 2 Extension Poles (CF33G) can be added

Carbon 24K Extension Pole

PART NO.: **CF33G** SECTIONS.: **2** CASE QTY.: **1**

- Extended Height: 10.5' / 3.2m
Collapsed Height: 6' / 1.8m
- Weight: 1.8lb / 0.82kg
- For use with CF86G Main Pole

Strength of Material: 210 GPa*

Generation 1 nLite HiMODULUS CARBON

HiMOD Master/Extension Poles reach heights up to 65'.

The ultimate in rigidity, ultra-light pole.

Strength of Material: 180 GPa*



65
FEET
(20m)

HiModulus Master Pole

PART NO.: **UC67G** SECTIONS.: **4** CASE QTY.: **1**

- Extended Height: 22' / 6.71m
Collapsed Height: 6' / 1.8m
- Weight: 3.3lb / 1.5kg

HiModulus Extension Pole

PART NO.: **UC35G** SECTIONS.: **2** CASE QTY.: **1**

- Extended Height: 11' / 3.4m
Collapsed Height: 6.25' / 1.9m
- Weight: 1.5lb / 0.7kg

Generation 1 nLite ALUMINUM

ALU Master/Extension Poles reach heights up to 30'.

Great quality and value for lower heights.

Strength of Material: 30 GPa*



32.5
FEET
(10m)

HiFlo Master ALU Pole

PART NO.: **AN60G** SECTIONS.: **4** CASE QTY.: **1**

- Extended Height: 20' / 6.1m
Collapsed Height: 5.6' / 1.7m
- Weight: 4.4lb / 2.0kg

HiFlo Extension ALU Pole

PART NO.: **AN30G** SECTIONS.: **2** CASE QTY.: **1**

- Extended Height: 10' / 3.1m
Collapsed Height: 5.5' / 1.5m
- Weight: 2.4lb / 1.1kg



HydroPower® Ultra Professional 55'/17 m Kit

PART NO.: UHPK4 CASE QTY.: 1 Gen 1

- UHP3C HydroPower Ultra Large Tank with Cart (3 resin packs)
- UC67G HiFlo nLite HiMod Carbon Master Pole, 4 Sections - 22'7 m
- UC35G (3) HiFlo nLite HiMod Carbon Extension Pole, 2 Sections - 11'3/4 m
- NLG20 HiFlo nLite MultiLink Gooseneck - 8'20 cm
- TM00V HiFlo Control
- NUK28 Power Brush Complete - 11'28 cm
- NLQUI Hose Connection Kit
- NL25G HiFlo nLite Hose - 82'25 m
- NLBA1 HiFlo nLite Carrying Bag



HydroPower® Ultra Large Carbon 39'/12 m Kit

PART NO.: UNLK5 CASE QTY.: 1

- UHP3C HydroPower Ultra Large Tank with Cart (3 resin packs)
- CF86G nLITE® Carbon 24K Main Pole, 6 Sections - 28'8.5 m
- CF33G nLITE® Carbon 24K Ext. Pole, 2 Sections - 10.5'3.2 m
- NLHCC Extension Adapter NGS15 Angle Adapter S - 6'15 cm
- NFK28 Power Brush Complete - 11'28 cm
- DLS25 DuroFlex Hose - 82'25 m
- NLWVI Water Flow Regulator
- NLBAG nLITE Carrying Bag



HydroPower® Ultra – Advanced Kit 39'/12 m

PART NO.: UNLK2 CASE QTY.: 1

- UHP01 HydroPower Ultra Small Tank (1 resin pack)
- CF86G nLITE® Carbon 24K Main Pole, 6 Sections - 28'8.5 m
- CF33G nLITE® Carbon 24K Ext. Pole, 2 Sections - 10.5'3.2 m
- NLHCC Extension Adapter
- NGS15 Angle Adapter S - 6'15 cm
- NFK28 Power Brush Complete - 11'28 cm
- DLS25 DuroFlex Hose - 82'25 m
- NLWVI Water Flow Regulator
- NLBAG nLITE® Carrying Bag



HydroPower® Ultra – Entry Kit 20'/6 m

PART NO.: UNLK1 CASE QTY.: 1

- UHP01 HydroPower Ultra Small Tank (1 resin pack)
- CC60T nLITE® Carbon Composite Telescopic Pole, 4 Sections - 20'6 m
- NGS15 Angle Adapter S - 6'15 cm
- NFF28 Power Brush - 11'28 cm
- DLS25 DuroFlex Hose - 82'25 m

39'



nLITE Carbon 24K – 39'/12 m Kit

PART NO.: **NLKT3** CASE QTY.: **1**

- CF86G nLITE® Carbon 24K Main Pole, 6 Sections – 28'8.5 m
- CF33G nLITE® Carbon 24K Ext. Pole, 2 Sections – 10.5'27 cm
- NLHCC Extension Adapter
- NGS15 Angle Adapter S – 6"15 cm
- NFK28 Power Brush Complete – 11'28 cm
- DLS25 DuroFlex Hose – 82'25 m
- NLWVI Water Flow Regulator
- NLBAG nLITE® Carrying Bag

39'



nLITE Carbon 24K Boost – 39'/12 m Kit

PART NO.: **NLKT4** CASE QTY.: **1**

- CF86G nLITE® Carbon 24K Main Pole, 6 Sections – 28'8.5 m
- CF33G nLITE® Carbon 24K Ext. Pole, 2 Sections – 10.5'27 cm
- NLHCC Extension Adapter
- NGS15 Angle Adapter S – 6"15 cm
- NFK28 Power Brush Complete – 11'28 cm
- DLH25 DuroFlex High Performance Hose – 82'25 m
- NLWVI Water Flow Regulator
- NLBAG nLITE® Carrying Bag

For use with RO (R020S)

55'



nLite HiMod – 55'/17m Kit

PART NO.: **NLKU3** CASE QTY.: **1** Gen 1

- UC67G HiFlo nLITE® HiMod Carbon Master Pole, 4 Sections - 22'7m
- UC35G (2) HiFlo nLite HiMod Carbon Extension Pole, 2 Sections - 11'3.4m
- CT35G HiFlo nLite Carbon Extension Pole, 2 Sections - 11'3.4m
- NLG20 HiFlo nLite MultiLink Gooseneck - 8'20 cm
- TM00V HiFlo Control
- NLBJF HiFlo nLite Fan Jets, Set of 2
- NUK28 Power Brush Complete - 11'28m
- NL25G HiFlo nLite Hose - 82'25m
- NLBA1 HiFlo nLITE® Carrying Bag

55'



nLite HiMod Boost – 55'/17m Kit

PART NO.: **NLKU4** CASE QTY.: **1** Gen 1

- UC67G HiFlo nLITE® HiMod Carbon Master Pole, 4 Sections - 22'7m
- UC35G (2) HiFlo nLite HiMod Carbon Extension Pole, 2 Sections - 11'3.4m
- CT35G HiFlo nLite Carbon Extension Pole, 2 Sections - 11'3.4m
- NLG20 HiFlo nLite MultiLink Gooseneck - 8'20 cm
- TM00V HiFlo Control
- NLBJF HiFlo nLite Fan Jets, Set of 2
- NUK28 Power Brush Complete - 11'28m
- DLH25 DuroFlex High Performance Hose – 82'25 m
- NLBA1 HiFlo nLITE® Carrying Bag

For use with RO (R020S)

nLITE ACCESSORIES



Hose Connection Kit

PART NO.: **NLQUI** CASE QTY.: **1**

- For quick connection of two hoses
- Kit includes: Two Hose end pieces and one Quick Connector



nLITE Angle Adapters

PART NO.: NGS15	NAME: Short	SIZE: 6"15cm	CASE QTY.: 1
PART NO.: NGS30	NAME: Mid	SIZE: 16.5"42cm	CASE QTY.: 1
PART NO.: NGS45	NAME: Long	SIZE: 32"82cm	CASE QTY.: 1

- Modular angle system easily reaches places that are difficult to access
- Simple, fast, and secure connection for every work situation
- Adjust brush angle in 45° stages
- No twisting when cleaning



nLITE Euro Thread Adapter

PART NO.: **NLTHR** SIZE: **11"28 cm** CASE QTY.: **1**

- Thread adapter for attaching Gen 1 brushes on the new nLITE® telescopic poles



nLITE Classic Tool Adapter

PART NO.: **NLCLA** CASE QTY.: **1**

- Thread adapter for attaching classic tools on the new nLITE® telescopic poles



nLITE Carrying Case

PART NO.: **NLBAG** CASE QTY.: **1**

- Convenient carrying bag for storage and transportation of the nLITE pole system and accessories



DuroFlex Hose

PART NO.: **DLS25** SIZE: **82"/25m** CASE QTY.: **1**

- Durable quick connect hose for pure water supply from water filter to brush
- Diameter: 8 mm outer / 5 mm inner

nLITE BRUSHES



nLITE Power Brush - Flagged

PART NO.: **NFF28** SIZE: **11"/28cm** BRISTLES: **Flagged** CASE QTY.: **1**
 PART NO.: **NFF41** SIZE: **16"/41cm** BRISTLES: **Flagged** CASE QTY.: **1**

- Green flagged bristles for maximum cleaning performance and gliding results
- Water jets built in the middle of brush block for powerful dirt removal
- Includes hose with quick connector



Water Flow Regulator

PART NO.: **NLWVI** CASE QTY.: **1**

- Turn water flow to the brush completely on/off or adjust as needed
- Use with internal or external hoses



DuroFlex High Performance Hose

PART NO.: **DLH25** SIZE: **82"/25m** CASE QTY.: **1**

- Durable high performance quick connect hose for pure water supply from water filter to brush
- For use with RO system (RO20S)
- Diameter: 10 mm outer / 7 mm inner



nLITE Extension Adapter

PART NO.: **NLHCC** SIZE: **16"/41cm** CASE QTY.: **1**

- Connects the first telescopic extension pole to the telescopic main pole with internal hose routing



Hose Keeper Set (6)

PART NO.: **NLHKP** CASE QTY.: **1**

- Clips for outer hose routing on nLITE pole



nLITE Power Brush - Unflagged

PART NO.: **NUF28** SIZE: **11"/28cm** BRISTLES: **Unflagged** CASE QTY.: **1**
 PART NO.: **NUF41** SIZE: **16"/41cm** BRISTLES: **Unflagged** CASE QTY.: **1**

- Gray unflagged bristles are stiffer for perfect cleaning results and optimized durability
- Water jets built in the middle of brush block for powerful dirt removal
- Includes hose with quick connector



nLITE Power Brush Complete - Flagged

PART NO.: **NFK28** SIZE: **11"/28cm** BRISTLES: **Flagged** CASE QTY.: **1**
 PART NO.: **NFK41** SIZE: **16"/41cm** BRISTLES: **Flagged** CASE QTY.: **1**

- Flagged bristles for maximum cleaning performance
- Soft touch bumper protects damage to window frames
- Rinse bar and integrated water jets for powerful rinsing and dirt removal
- Swivel lock allows brush to swivel freely through 180°
- Includes hose with quick connector



nLITE Power Brush Complete - Unflagged

PART NO.: **NUK28** SIZE: **11"/28cm** BRISTLES: **Unflagged** CASE QTY.: **1**
 PART NO.: **NUK41** SIZE: **16"/41cm** BRISTLES: **Unflagged** CASE QTY.: **1**

- Unflagged bristles for optimized durability
- Soft touch bumper protects damage to window frames
- Rinse bar and integrated water jets for powerful rinsing and dirt removal
- Swivel lock allows brush to swivel freely through 180°
- Includes hose with quick connector



nLITE Hybrid Boar's Hair Brush

PART NO.: **NUH28** SIZE: **11"/28cm** BRISTLES: **Unflagged** CASE QTY.: **1**
 PART NO.: **NUH41** SIZE: **16"/41cm** BRISTLES: **Unflagged** CASE QTY.: **1**

- Powerful cleaning performance with easier glide and less weight than full natural hair brushes.
- Recommended for maintenance cleaning and solar cleaning.
- Low water absorption
- Rinse nozzle strip above the brush for powerful rinsing
- Includes hoses with quick connectors



nLITE Soft Brush

PART NO.: **NFS28** SIZE: **11"/28cm** BRISTLES: **Unflagged** CASE QTY.: **1**
 PART NO.: **NFS41** SIZE: **16"/41cm** BRISTLES: **Unflagged** CASE QTY.: **1**

- Gentle surface cleaning. Reduces risk of damage to sensitive surfaces.
- Thin bristles with high flexibility
- Short bristles in high density for stable fiber layout
- Nozzle block integrated in the middle of the brush for powerful dirt removal
- Rinse nozzle strip above the brush for powerful rinsing
- Includes hoses with quick connectors