Safety Data Sheet

EDM+ Ultra Enzymatic Drain Maintainer



1/11

Section 1. Identification

GHS product identifier : EDM+ Ultra Enzymatic Drain Maintainer

Product code : 147ENZDRAIN1G, 147ENZDRAINQT

Other means of : Not available.

identification

.

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

	Identified uses	
Grease Treatment		
	Uses advised against	Reason
ĺ	For Industrial and Institutional Use Only	-

Supplier's details : Manufactured for:

Clark Core Services, LLC 2205 Old Philadelphia Pike, Lancaster, PA 17602 TEL: 1-888-256-6400

Emergency telephone

number (with hours of

operation)

Chemtrec (800) 424-9300 24 hour

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the : EYE IRRITATION - Category 2A

substance or mixture

GHS label elements
Hazard pictograms

mazaru pictograms

!

Signal word : Warning

Hazard statements : Causes serious eye irritation.

Precautionary statements

Date of issue/Date of revision: 5/2024

Prevention: Wear eye or face protection. Wash hands thoroughly after handling.

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage : Not applicable.

Disposal : Not applicable.

Hazards not otherwise : None known.

classified

Date of previous issue: 7/29/2022 Version: 1.01

Section 3. Composition/information on ingredients

Substance/mixture : Mixture Other means of Not available

identification

Ingredient name	%	CAS number
sodium nitrate	≤10	7631-99-4
Alcohols, C9-11, ethoxylated	≤3	68439-46-3
sodium dodecylbenzenesulfonate	≤3	25155-30-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and Ingestion

the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. No known significant effects or critical hazards. Ingestion

Over-exposure signs/symptoms

Adverse symptoms may include the following: Eye contact :

pain or irritation, watering, redness

Inhalation : No specific data. Skin contact: No specific data.

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. It may

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Date of issue/Date of revision: 5/2024 Version: 1.01 2/11 Date of previous issue: 7/29/2022

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising

from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

Carbon dioxide Carbon monoxide Nitrogen oxides Sulfur oxides Metal oxide/oxides

Special protective actions

for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Special protective

equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Section 7. Handling and storage

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control Parameters

Occupational exposure limits

Ingredient name	Exposure limits
sodium nitrate	None.
Alcohols, C9-11, ethoxylated	None.
sodium dodecylbenzenesulfonate	None.

Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment

Individual protection measures Hygiene measures

 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
 Appropriate techniques should be used to remove potentially contaminated clothing.
 Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be

during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the

protection time of the gloves cannot be accurately estimated.

will be necessary to reduce emissions to acceptable levels.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: No personal respiratory protective equipment normally required.

Section 9. Physical and chemical properties

Appearance

Physical state : Liquid.

Color : Opaque. Blue. Odor Characteristic. Odor threshold Not available.

рΗ 6 to 8

Melting point : Not available. **Boiling point** : Not available.

Flash point Closed cup: >93.3°C (>199.9°F) [Product does not sustain combustion.]

Not available. **Evaporation rate** Flammability (solid, gas) : Not available. Lower and upper explosive : Not available.

(flammable) limits

: Not available. Vapor pressure Vapor density : Not available.

Relative density : 1.05

Solubility : Not available. Solubility in water Not available. Partition coefficient: n-: Not available.

octanol/water

Auto-ignition temperature Not available. **Decomposition temperature** : Not available. **Viscosity** : Not available. Flow time (ISO 2431) : Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials : Not available.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Date of issue/Date of revision: 5/2024 Date of previous issue: 7/29/2022 Version: 1.01 5/11

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sodium nitrate Alcohols, C9-11, ethoxylated sodium dodecylbenzenesulfonate	LD50 Oral LD50 Oral LD50 Oral	Rat Rat Rat	1267 mg/kg 1378 mg/kg 438 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium dodecylbenzenesulfonate	Eyes - Severe irritant Eyes - Severe irritant	Rabbit Rabbit	-	24 Hours 250 Micrograms 1 Percent	-
dodecybenzenesunonate	Skin - Moderate irritant	Rabbit	-	24 Hours 20 Miligrams	-

Irritation/Corrosion

Product/ingredient name	OSHA	IARC	NTP
sodium nitrate	-	2A	-

SensitizationTeratogenicityNot available.Not available.

Mutagenicity Specific target organ toxicity (single exposure)

Not available. Not available.

Carcinogenicity Specific target organ toxicity (repeated exposure)

Not available. Not available.

Reproductive toxicity

Not available.

Aspiration hazard

Not available.

Information on the likely: Routes of entry anticipated: Oral, Dermal.routes of exposureRoutes of entry not anticipated: Inhalation.

Potential acute health effects

Eye contact : Causes serious eye irritation.

 Inhalation
 : No known significant effects or critical hazards.

 Skin contact
 : No known significant effects or critical hazards.

 Ingestion
 : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain or irritation, watering, redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Section 11. Toxicological information

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General: No known significant effects or critical hazards.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Route	ATE value
Oral	41833.81 mg/kg

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Product/ingredient name	Result	Species	Exposure
sodium nitrate	Acute EC50 522 mg/l Fresh water	Fish - Pimephales promelas Rat	96 Hours
	Acute LC50 161 mg/l Fresh water	Crustaceans - Hyalella azteca - Adult	48 Hours
	Acute LC50 323 mg/l Fresh water	Daphnia - Daphnia magna -Neonate	48 Hours
	Chronic NOEC 34.4 mg/l Marine water	Algae - Hormosira banksii -Gamete	72 Hours
	Chronic NOEC 1.6 mg/l Fresh water	Fish - Coregonus clupeaformis -Embryo	120 Days
Alcohols, C9-11, ethoxylated	Acute EC50 5.36 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 Hours
	Acute EC50 2686 μg/l Fresh water	Daphnia - Daphnia magna -Neonate	48 Hours
	Acute LC50 8500 μg/l Fresh water	Fish - Pimephales promelas	96 Hours
sodium dodecylbenzenesulfonate	Acute EC50 29000 µg/l Fresh water Acute EC50 7.81 mg/l Fresh water Acute EC50 0.15 ppm Fresh water Acute IC50 112.4 mg/l Fresh water Acute LC50 1.18 ppm Fresh water	Algae - Chlorella pyrenoidosa -Exponential growth phase Crustaceans - Ceriodaphnia dubia - Neonate Daphnia - Daphnia pulex Algae - Pseudokirchneriella subcapitata - Exponential growth phase Fish - Lepomis macrochirus	96 Hours 48 hours 48 Hours 72 Hours 96 Hours

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
3-butoxypropan-2-ol	1.96	-	low

Mobility in soil

Soil/water partition coefficient (KOC)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Date of issue/Date of revision: 5/2024 Date of previous issue: 7/29/2022 Version: 1.01 7/11

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code

: Not available.

Section 15. Regulatory information

U.S. Federal regulations

: TSCA 5(a)2 proposed significant new use rules: 5-chloro-2-methyl-2H-isothiazol-3-one

TSCA 8(a) PAIR: α-hexylcinnamaldehyde; 3-p-cumenyl-2-methylpropionaldehyde

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 311: sodium dodecylbenzenesulfonate; sodium hydroxide

(Section 15) continued on next page.

Section 15. Regulatory information

Clean Air Act Section 112 : Not listed DEA List II Chemicals : Not listed

(b) Hazardous Air (Essential Chemicals)

Pollutants (HAPs) SARA 302/304

Clean Air Act Section 602 : Not listed Composition/information on ingredients
Class I Substances

No products were found.

Clean Air Act Section 602 : Not listed

Class II Substances SARA 304 RQ : Not applicable.

DEA List I Chemicals : Not listed SARA 311/312

(Precursor Chemicals) Classification : EYE IRRITATION - Category 2A

Composition/information on ingredients

Name	%	Classification
sodium nitrate Alcohols, C9-11, ethoxylated sodium dodecylbenzenesulfonate	≤10 ≤3 ≤3	OXIDIZING SOLIDS - Category 3 EYE IRRITATION - Category 2A EYE IRRITATION - Category 2A ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Sodium nitrate	7631-99-4	≤10
Supplier notification	Sodium nitrate	7631-99-4	≤10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: SODIUM DODECYLBENZENE SULFONATE;

SODIUM NIŤRATĖ

New York : The following components are listed: Sodium dodecylbenzene sulfonate;

Dodecylbenzene sulfonate

New Jersey : The following components are listed: SODIUM DODECYLBENZENE SULFONATE;

BENZENESÜLFONIC ACID, DODECYL-, SODIUM SALT

Pennsylvania : The following components are listed: BENZENESULFONIC ACID, DODECYL-,

SODIUM SALT; NITRIC ACID SODIUM SALT

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

nontreal Frotocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 15. Regulatory information

Inventory list

Australia : Not determined. **Philippines** : Not determined. Canada Not determined. Republic of Korea Not determined. China Not determined. Taiwan Not determined. Europe At least one component is not listed. Thailand Not determined. Japan

Japan inventory (ENCS): Not determined.

Turkey: Not determined.

Japan inventory (ISHL): Not determined.

United States: All components are listed or exempted.

Malaysia: Not determinedViet Nam: Not determined

New Zealand : Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of issue/Date of revision: 5/2024 Date of previous issue: 7/29/2022 Version: 1.01 10/11

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
EYE IRRITATION - Category 2A	Calculation method

History

Date of printing : 5/2024

Date of issue/Date of : 5/2024

revision

 Date of previous issue
 : 7/29/2022

 Version
 : 1.01

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient


MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Section 16. Other information

References : Not available.



Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named

supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the **information contained herein.**

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.