TOPA	TECHNOL	OGY I	IMI	TFI
IUPA		1 1 7 1	I IVI I	1 [

TOPA BATTERY MATERIAL SAFETY DATA SHEET PRODUCT NAME: NICKEL CADMIUM SEALED CELL BATTERY (Ni-Cd Series)

Date issued: 2015/05/05 Last Date Revised: 2019/05/04

Safety data sheet 1907/2006/EC. 1272/2008/EC

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Ni-CD BATTERY
- · Article number: Not available
- · Registration number: Not available
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Sector of Use Consumer electronics and remote control toys product
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: TOPA TECHNOLOGY LIMITED
- · Full address:
- · No.86, Puxia Road, Henggang, Longgang, Shenzhen, China
- · Phone number: +86-755-28319595
- · FAX: +86-755-28319696
- \cdot Further information obtainable from: TOPA TECHNOLOGY LIMITED \cdot Emergency telephone number: +86-755-28319595

2 Hazards identification

- · Classification of the substance or mixture
- \cdot Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not Applicable
- · Information concerning particular hazards for human and environment:

The product is not classified as dangerous according to Directive 67/548/EEC, 1999/45/EC and Regulation (EC) No. 1272/2008.

· Classification system:

The classification is according to the latest edition of the Directive 67/548/EEC, 1999/45/EC and Regulation (EC) No. 1272/2008, and extended by company and literature data.

· Additional information:

A sealed Ni-CD battery is not hazardous in normal use on pinciple.

The product has not to be labelled due to the calculation procedure of international guideline.

The materials contained in this product may only represent below hazard if the integrity of the battery is compromised, physically or electrically abused:

Very toxic by inhalation.

R45-48/23/25 May cause cancer. Toxic: danger of serious damage to health by prolonged exposure

through inhalation and if swallowed.

Causes severe burns.

R62-68-63 Possible risk of impaired fertility. Possible risk of irreversible effects. Possible risk of harm

to the unborn child.

R42/43 May cause sensitisation by inhalation and skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

Safety data sheet available on request.

· Additional information:

Important! This product contains substance that is of restricted use under Annex XVII of Regulation (EC) No.1907/2006. For details, please refer to Section 15 and 16 of this Safety Data Sheet.

(Contd. on page 2)

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of listed risk phrases refer to section 16.

<u>_</u>	א לווו מצבי ו בובו נת צברנוחוו ותי	
· Dangerous components:		
CAS: 1306-19-0 EINECS: 215-146-2 EU number: 048-002-00-0	cadmium oxide (nonpyrophoric) T+ R26; T Carc. Cat. 2 R45-48/23/25; Xn R62-68-63; N R5D/53 Muta. Cat. 3, Repr. Cat. 3 Acute Tox. 2, H330; Muta. Cat. 3, H350; Repr. 2, H36lfd; STOT RE 1, H372; Aquatic Acute. 1, H400; Aquatic Chronic 1, H410	30,0~35,0%
CAS: 7440-02-0 EINECS: 231-111-4 EU number: 028-002-00-7	nickel T R48/2 <mark>322</mark> Xn R40; X Xi R43 Carc. Cat. 3	25,0~30,0%
CAS: 1310-58-3 EINECS: 215-181-3 EU number: 019-002-00-8	potassium hydroxide C R35; KR22 Skin Corr. 1A, H314; Acute Tox. 4, H302	10,0~15,0%
CAS: 7440-48-4 EINECS: 231-158-0 EU number: 027-001-00-9	cobalt ▼ Xn R42/43	4,0~8,0%
· Non-dangerous components	:	
CAS: 7439-89-6 EINECS: 231-096-4	iron	15,0~25,0%
CAS: 7732-18-5 Einecs: 231-791-2	Pure water	10,0~12,0%

4 First aid measures

- · Description of first aid measures
- If exposure to internal materials within battery due to damaged outer casing, the following actions are recommended.
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 3)

(Contd. of page 2)

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

 CO_2 , powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture:

Battery may burst and release hazardous decomposition products when exposed to a fire situation.

- · Advice for firefighters Cool fire exposed batteries to prevent rupture.
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water sourse.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- \cdot Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

(Contd. of page 3)

· Control parameters

	· Control parameters			
	· Ingredients with limit values that require monitoring at the workplace:			
	1306-19-0 cadmium oxide (nonpyrophoric)			
PEL (USA) 0,005 mg/m³				
as Cd; see 29 CFR 1910,1027				
	REL (USA)	as Cd; LFC (LOQ O,1 mg/m3)		
TLV (USA) 0,01* 0,002** mg/m³				
	as Cd: *inhalable **respirable fraction; BEI MAK (Germany) einantembare Fraktion; vgl.Abschn.XIII			
	7440-02-0 nickel	tanibara 11 aktion, 1917.baann.7111		
100	PEL (USA) 1 mg/m ³			
	REL (USA)	0,015 mg/m³		
	(33)	as Ni; See Pocket Guide App. A		
	TLV (USA)	1,5* 0,2** 0,1*** mg/m³		
	inhal.fraction;*elemental;**insol.,***sol.compds.			
	MAK (Germany) einatembare Fraktion; vgl.Abschn.XIII			
	1310-58-3 potassium hydroxide			
	REL (USA)	C2 mg/m³		
	TLV (USA) Short-term value: C 2 mg/m³			
1	7440-48-4 cobalt			
	PEL (USA)	D,1*_mg/m³		
	DEL (UDA)	as Co; *for metal dust & fume, as Co		
	REL (USA)	0,05* mg/m³ inorg. compds.: *metal dust & fume, as Co		
	TLV (USA)	D,D2 mg/m³		
	` '	as Co: BEI		
	MAK (Germany) einatembare Fraktion; vgl.Abschn.XIII			
	DUE: N			

- · DNELs: Not available
- $\cdot \, \mathsf{PNECs} \colon \, \mathsf{Not} \, \, \mathsf{available} \, \,$
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- · Personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

 $\cdot \ Respiratory \ protection:$

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

 $\cdot \ \text{Protection of hands:}$



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 5)

(Contd. of page 4)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

 $\cdot \ \mathsf{Eye} \ \mathsf{protection} :$



Tightly sealed goggles

Information on basic physical and chemical properties	
General information	
Appearance	
Form:	Cylinder
Colour:	Silvery white
Odour: Odour threshold:	Odour ^l ess Not available
pH-value:	6~8
Change in condition	
Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	Not available
Flammability (solid, gaseous):	Not available
Ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Risk of explosion by shock, friction, fire or other sources of ignition.
Explosion limits	
Lower:	Not available
Upper:	Not available
Oxidizing properties:	The substance does not belong to oxidizing substance.
Vapour pressure:	Not available
Density:	$2.5~4.5~{\rm g/cm^3}$
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in / Miscibility with	
water:	Not available
Segregation coefficient (n-octanol/water): Not availab	ole.
Viscosity	
Dynamic:	Not available. Not available

(Contd. of page 5)

· Other information:

No further relevant information available.

10 Stability and reactivity

- · Reactivity: Data not avaiable
- · Chemical stability: Stable
- · Possibility of hazardous reactions:

Danger of explosion.

Danger of causing burns.

- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

1306-19-0 cadmium oxide (nonpyrophoric)

Oral LD50 72 mg/kg (rat)

1310-58-3 potassium hydroxide

Oral LD50 273 mg/kg (rat)

7440-48-4 cobalt

Oral L**D**50 617**0** mg/kg (rat)

7439-89-6 iron

Oral LD50 30000 mg/kg (rat)

- · Primary irritant effect
- · on the skin: Contact with battery contents may cause strong caustic effect on skin and mucous membranes.
- \cdot on the eye: Contact with battery contents may cause strong caustic effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers if leakage occours according to the calculation

method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Corrosive

Irritant

Very toxic

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic.

- · Toxicokinetics, metabolism and distribution: No further relevant information available
- · Acute effects (acute toxicity, irritation and corrosivity): No further relevant information available

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information avaolable
- · Behaviour in environmental systems: No further relevant information available

(Contd. on page 7)

(Contd. of page 6)

Trade name: Ni-CD BATTERY

· Bioaccumulative potential: No further relevant information available.

· Mobility in soil: No further relevant information available.

- · Ecotoxical effects
- · Remark: Very toxic for fish
- · Additional ecological information
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · ADR, IMDG, IATA
- · UN proper shipping name

· ADR

·IMDG

· IATA

BA TTE RI ES , DR Y, SEALED, N.O.S

ī

BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE,

SOLID, MARINE POLLUTANT

BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE,

SOLID

- · Transport hazard class(es)
- · ADR



· Class · Label 8 Corrosive substances.

· IMDG



· Class

8 Corrosive substances.

(Contd. on page 8)

	(Contd. of page 7)
· Label	8
·IATA	
We Sha	
· Class	8 Corrosive substances.
· Label	8
· Packing group · ADR, IMDG, IATA	Not applicable
· Environmental hazards:	Product contains environmentally hazardous substances:
· Marine pollutant:	cadmium oxide (nonpyrophoric) Yes Symbol (fish and tree)
· Special precautions for user: · Danger code (Kemler):	Warning: Corrosive substances. Not applicable
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ):	2 kg
· UN "Model Regulation":	BATTERIES, DRY, SEALED, N.O.S, SOLID, 8
	Batteries may explode or leak if inserted improperly, recharged or disposed of in fire. Do not mix with non-alkaline or used batteries.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 335(extremely hazadous substances):

1306-19-0 cadmium oxide (nonpyrophoric)

- Section 313(specific toxic chemical listings):
- 1306-19-0 cadmium oxide (nonpyrophoric)

7440-02-0 nickel

7440-48-4 cobalt

TSCA(Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemical known to cause cancer:

7440-02-0 nickel

7440-48-4 cobalt

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity foe males:

None of the ingredients is listed.

(Contd. on page 9)

	(Contd. of page 8
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA(Environmental Protection Agency)	
1306-19-0 cadmium oxide (nonpyrophoric)	
· IARC(International Agency for Research on Cancer)	
1306-19-0 cadmium oxide (nonpyrophoric)	[]
7440-02-0 ni <mark>c</mark> kel	2B
7440-48-4 cobalt	28, 2
· NTP(National toxicology Program)	-
1306-19-0 cadmium oxide (nonpyrophoric)	
7440-02-0 nickel	
· TLV(Threshold Limit Value established by ACGIH)	
1306-19-0 cadmium oxide (nonpyrophoric)	
7440-02-0 ni <mark>c</mark> kel	
7440-48-4 cobalt	
· MAK(German Maximum Workplace Concentration)	
1306-19-0 cadmium oxide (nonpyrophoric)	
7440-02-0 ni <mark>c</mark> kel	
7440-48-4 cobalt	
· NIOSH-Ca(National Institution for Occupational Safety & Health)	
1306-19-0 cadmium oxide (nonpyrophoric)	
7440-02-0 nickel	
· OSHA-Ca(Occupational Safety & Health Administration)	
1306-19-0 cadmium oxide (nonpyrophoric)	

- National regulations
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/06/2011)

None of the igredients is listed

- · REACH Regulation Annex XVII Restriction (21/5/2011) 7440-02-0 Nickel
- · REACH Regulation Annex XIV Authorisation List (18/2/2011) None of the igredients is listed
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The contents and format of this MSDS/SDS are in accordance with REGULATION (EC) No. 1272/2008, (EC) No. 1907/2006, REGULATION (EU) No. 453/2010 and EU Commission Directive 1999/45/EC, 67/548/EEC.

DISCLAIMER OF LIABILITY

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in anyway connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

(Contd. on page 10)

H330	Fatal if inhaled.	(Contd. of page 9)
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H341	Suspected of causing genetic defects.	
H350	•	
H351	May cause cancer.	
	Suspected of causing cancer.	
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
R22	Harmful if swallowed.	
R26	Very toxic by inhalation.	
R35	Causes severe burns.	
R40	Limited evidence of a carcinogenic effect.	
R47/43	May cause sensitisation by inhalation and skin contact.	
R43	May cause sensitization by skin contact.	
R45	May cause cancer.	
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation.	
	oxic: danger of serious damage to health — by prolonged exposure through inhalation and if	
11707 207 20 1	swallowed.	
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
R53	May cause long-term adverse effects in the aquatic environment.	
R62	Possible risk of impaired fertility.	
R63	Possible risk of harm to the unborn child.	
RES	Possible risk of irreversible effects.	
	·	
	d restriction of use	
7440-02-0 N	NICKEI	

1. Shall not be used:

(a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than $0.2 \, \Box g/cm \, 2$ /week (migration limit); (b) in articles intended to come into direct and prolonged contact with the skin such as:

- earrings,
- necklaces, bracelets and chains, anklets, finger rings,
- wrist-watch cases, watch straps and tighteners,
- rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments,

if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is greater than 0.5 \Box g/cm 2 / week.

- (c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed 0.5 \Box g/cm 2 / week for a period of at least two years of normal use of the article
- 2. Articles which are the subject of paragraph I shall not be placed on the market unless they conform to the requirements set out in that paragraph.
- 3. The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for demonstrating the conformity of articles to paragraphs 1 and 2.
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

End of document