according to Hazard Communication Standard; 29 CFR 1910.1200



## SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Print Date 02/02/2021

Revision Date 07/30/2015

SDS Number 35000028808

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product information		
Product name	:	SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control
Recommended use	:	Deodorizer
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone Emergency telephone number	:	+18005585252 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour Transport Emergency Phone: (800)424-9300

## 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

#### **Globally Harmonized System (GHS) Classification**

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 3	Flammable liquid and vapour.
Eye irritation	Category 2B	Causes eye irritation.

#### Labelling

Hazard symbols Flame

Signal word Warning

**Hazard statements** Flammable liquid and vapour. Causes eye irritation.

#### **Precautionary statements**

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Revision Date 07/30/2015

Print Date 02/02/2021

SDS Number 350000028808

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/ container to an approved incineration plant.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves.

Wash hands thoroughly after handling.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Other hazards : None identified

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	5.00 - 10.00
Didecyldimethylammonium chloride	7173-51-5	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

## 4. FIRST AID MEASURES

Eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
Skin contact	: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Inhalation	: IF INHALED: Remove person to fresh air and keep comfortable
	2/12

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control Version 1.0 Print Date 02/02/2021 Revision Date 07/30/2015 SDS Number 350000028808 for breathing. Ingestion No special requirements 5. FIREFIGHTING MEASURES : Use water spray, alcohol-resistant foam, dry chemical or Suitable extinguishing carbon dioxide. media Specific hazards during : Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers firefighting may create fire/explosion hazard. Container may melt and leak in heat of fire. Further information : Although this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion. Cool and use caution when approaching or handling fire-exposed containers. Fight fire with normal precautions from a reasonable distance. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. 6. ACCIDENTAL RELEASE MEASURES Personal precautions Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Wear personal protective equipment. Wash thoroughly after handling. Environmental : Outside of normal use, avoid release to the environment. precautions Methods and materials : Soak up with inert absorbent material. for containment and Use only non-sparking equipment. Dike large spills. cleaning up

3/12

Clean residue from spill site.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Revision Date 07/30/2015

Print Date 02/02/2021

SDS Number 35000028808

## 7. HANDLING AND STORAGE

Handling		
Precautions for safe handling	:	Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Wash thoroughly after handling.
Advice on protection against fire and explosion	:	Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Use only non-sparking tools. Use explosion-proof equipment. Ground/bond container and receiving equipment.
Storage		
Requirements for storage areas and containers	:	Keep container closed when not in use. Keep tightly closed. Store in a well-ventilated place. Keep cool.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL

## Personal protective equipment

**Respiratory protection** : No special requirements.

Hand protection

: No special requirements.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Print Date 02/02/2021

Revision Date 07/30/2015

SDS Number 350000028808

Eye protection	:	Safety glasses with side-shields
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	liquid
Color	:	transparent
Odor	:	floral
Odour Threshold	:	Test not applicable for this product type
рН	:	4.0 - 6.0
Melting point/freezing point	:	Test not applicable for this product type
Initial boiling point and boiling range	:	Test not applicable for this product type
Flash point	:	51 C 123.8 °F
Evaporation rate	:	Test not applicable for this product type
Flammability (solid, gas)	:	Does not sustain combustion.
Upper/lower flammability or explosive limits	:	Test not applicable for this product type
Vapour pressure	:	Test not applicable for this product type
		5/12

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Print Date 02/02/2021

Revision Date 07/30/2015

SDS Number 350000028808

Vapour density	: Test not applicable for this product type
Relative density	: 0.9900 g/cm3 at 20 C
Solubility(ies)	: soluble
Partition coefficient: n- octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: Test not applicable for this product type
Viscosity, kinematic	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type
Volatile Organic Compounds Total VOC (wt. %)*	<ul> <li>6 % - additional exemptions may apply</li> <li>*as defined by US Federal and State Consumer Product Regulations</li> </ul>
Other information	: None identified :
10. STABILITY AND REACTIVITY	
Possibility of hazardous reactions	: Stable under recommended storage conditions.
Conditions to avoid	: Heat, flames and sparks.
	6/40

6/12

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Print Date 02/02/2021

Revision Date 07/30/2015

SDS Number 35000028808

Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.

## 11. TOXICOLOGICAL INFORMATION

Emergency Overview	: Warning	
Acute oral toxicity	: LD50 estimated > 5,000 mg/k	g
Acute inhalation toxicity	: LC50 estimated > 5.29 mg/l	
Acute dermal toxicity	: LD50 estimated	

> 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2B	-

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Print Date 02/02/2021

Revision Date 07/30/2015

SDS Number 35000028808

Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

## **12. ECOLOGICAL INFORMATION**

**Product :** The product itself has not been tested.

## Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

## Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyl alcohol	flow- through test LC50	Pimephales promelas (fathead minnow)	14,200 mg/l	96 h
Didecyldimethylammonium chloride	semi- static test LC50	Danio rerio (zebra fish)	0.49 mg/l	96 h

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Print Date 02/02/2021

Revision Date 07/30/2015

SDS Number 350000028808

## Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethyl alcohol	static test EC50	Daphnia magna (Water flea)		48 h
			2 mg/l	
	NOEC	Daphnia magna	9.6 mg/l	9 d
Didecyldimethylammonium chloride	static test EC50	Daphnia magna (Water flea)	0.029 mg/l	48 h
	NOEC	Daphnia magna	0.021 mg/l	21 d

## Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
Didecyldimethylammonium chloride	static test EC50 OECD Test Guideline 201	Pseudokirchneriella subcapitata (microalgae)	0.053 mg/l	96 h

## Persistence and degradability

Component	Biodegradation	Exposure time	Summary	
	9/12			

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Print Date 02/02/2021

Revision Date 07/30/2015

SDS Number 350000028808

Ethyl alcohol	97 %	28 d	Readily biodegradable
Didecyldimethylammonium chloride	69 %	28 d	Readily biodegradable

## Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
Didecyldimethylammonium chloride	929.2	2.58

## Mobility

Component	End point	Value
Ethyl alcohol	No data available	
Didecyldimethylammonium chloride	Кос	667 - 24433

## PBT and vPvB assessment

Component	Results
Ethyl alcohol	Not fulfilling PBT and vPvB criteria
Didecyldimethylammonium chloride	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

## **13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

## **14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

10/12

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Print Date 02/02/2021

Revision Date 07/30/2015

SDS Number 35000028808

## Land transport

Not classified as dangerous in the meaning of transport regulations.

## Sea transport

Not classified as dangerous in the meaning of transport regulations.

#### Air transport

Not classified as dangerous in the meaning of transport regulations.

## **15. REGULATORY INFORMATION**

Notification status	:	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
California Prop. 65	:	This product is not subject to the reporting requirements under California's Proposition 65.

## State Right To Know

Massachusetts RTK	Ethyl alcohol	64-17-5
Minnesota HSL	Ethyl alcohol	64-17-5
New Jersey HRTK	Ethyl alcohol	64-17-5
Pennsylvania RTKL	Water	7732-18-5
	Ethyl alcohol	64-17-5

## **16. OTHER INFORMATION**

HMIS Ratings	
Health	1
Flammability	2
Reactivity	0

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® Ready-To-Use Fabric and Air Odor Control

Version 1.0

Print Date 02/02/2021

Revision Date 07/30/2015

SDS Number 35000028808

NFPA Ratings	
Health	1
Fire	2
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

## Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &	
	Regulatory Affairs (GSARA)	