

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : MMCD Fabric Sftener Lavndr LLF Bulk

Recommended use : Laundry

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : Caldrea
1525 Howe Street
Racine WI 53403-2236

Telephone : +1-800-558-5252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Ethanaminium, 2-hydroxy-N,N-bis(2-	157905-74-3	10.00 - 30.00

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt		
Ethyl alcohol	64-17-5	1.00 - 5.00
2 methyl 4 isothiazolin-3-one	2682-20-4	0.0001 - 0.10

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.caldrea.com.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements

Ingestion : No special requirements

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

clothing and positive pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- | | | |
|--|---|--|
| Personal precautions | : | Wash thoroughly after handling. |
| Environmental precautions | : | Outside of normal use, avoid release to the environment. |
| Methods and materials for containment and cleaning up | : | Dike large spills.
Clean residue from spill site. |

7. HANDLING AND STORAGE

- | | | |
|--|---|--|
| Handling | | |
| Precautions for safe handling | : | Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
KEEP OUT OF REACH OF CHILDREN AND PETS. |
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Storage | | |
| Requirements for storage areas and containers | : | Keep container closed when not in use. |

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : white

Odour : Herbal

Odour Threshold : Test not applicable for this product type

pH : 2.4 - 3.25
at (25 °C)

Melting point/freezing point : 0 °C

Initial boiling point and boiling range : Test not applicable for this product type

Flash point : does not flash

Evaporation rate : Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

Flammability (solid, gas)	: Does not sustain combustion.
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 1 g/cm ³ at 25 °C
Solubility(ies)	: soluble
Partition coefficient: n-octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: < 100 mPa.s at 25 °C
Viscosity, kinematic	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type
Volatile Organic Compounds Total VOC (wt. %)*	: 2.1 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

Other information : None identified :

10. STABILITY AND REACTIVITY

Incompatible materials : None known.

Incompatible materials : None known.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

Skin sensitisation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition :

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt	No data available			

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

Ethyl alcohol	LC50	Fish	11,200 mg/l	96 h
2 methyl 4 isothiazolin-3-one	LC50	Oncorhynchus mykiss (rainbow trout)	4.77 mg/l	96 h
	NOEC	Oncorhynchus mykiss (rainbow trout)	2.38 mg/l	98 d

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt	No data available			
Ethyl alcohol	static test LC50	Ceriodaphnia dubia	5,012 mg/l	48 h
	NOEC	Daphnia magna	9.6 mg/l	9 d
2 methyl 4 isothiazolin-3-one	EC50	Daphnia magna (Water flea)	0.998 mg/l	48 h
	NOEC	Daphnia magna	0.359 mg/l	21 d

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt)	No data available			
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
2 methyl 4 isothiazolin-3-one	EC10	Pseudokirchneriella subcapitata (green algae)	0.024 mg/l	24 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt)	66.2 %	28 d	Readily biodegradable.
Ethyl alcohol	97 %	28 d	Readily biodegradable.
2 methyl 4 isothiazolin-3-one	48 %	28 d	Not readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt)	No data available	No data available
Ethyl alcohol	3.2 estimated	-0.35 Measured
2 methyl 4 isothiazolin-3-one	3 estimated	-0.32

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

Mobility

Component	End point	Value
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt	No data available	
Ethyl alcohol	No data available	
2 methyl 4 isothiazolin-3-one	Koc	0.03 - 246.7

PBT and vPvB assessment

Component	Results
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt	Not fulfilling PBT and vPvB criteria
Ethyl alcohol	Not fulfilling PBT and vPvB criteria
2 methyl 4 isothiazolin-3-one	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

State Right To Know

No components are subject to the Massachusetts Right to Know Act.		
Minnesota HSL	Ethyl alcohol	64-17-5
New Jersey HRTK	Ethyl alcohol	64-17-5
Pennsylvania RTKL	Water	7732-18-5
	Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt	157905-74-3
	Ethyl alcohol	64-17-5

16. OTHER INFORMATION

HMIS Ratings

Health	0
Flammability	0
Reactivity	0

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

MMCD Fabric Sftener Lavndr LLF Bulk

Version 1.0

Print Date 07/29/2024

Revision Date 06/30/2023

SDS Number 350000044310

NFPA Ratings

Health	0
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	---