

## **PKT DESI PAK® 1/3U TY 27X89 700/PP**

Page 1

Substance key: SCINADESIPAK	Revision Date: 10/26/2017
Version: 2 - 1 / USA	Date of printing:05/22/2023

#### **SECTION 1. IDENTIFICATION**

Identification of the

company:

Clariant Corporation

500 East Morehead Street Charlotte, NC, 28202

Telephone No.: +1 704 331 7000

Information of the substance/preparation:

**BU Adsorbents & Additives** 

Product Stewardship, +1-704-331-7710

Emergency tel. number: +1 800-424-9300(CHEMTREC)

Trade name: PKT DESI PAK® 1/3U TY 27X89 700/PP

Material number: 299042

Primary product use: Desiccant
Chemical family: Desiccant

#### **SECTION 2. HAZARDS IDENTIFICATION**

## GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance name : Desiccant

#### **Hazardous components**

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

## **SECTION 4. FIRST AID MEASURES**

If inhaled : not required

No treatment specified.

In case of skin contact : Wash area with mild soap and copious amounts of water.

Call a physician if irritation develops or persists.

In case of eye contact : Do not rub affected area.

Rinse immediately with plenty of lukewarm water, also under

the eyelids, for at least 15 minutes.



## PKT DESI PAK® 1/3U TY 27X89 700/PP

Page 2

Substance key: SCINADESIPAK Revision Date: 10/26/2017

Version: 2 - 1 / USA Date of printing: 05/22/2023

Obtain medical attention.

If swallowed : Normally not needed. If whole canisters or sachets are

ingested, call a physician or your local Poison Control Center

(1-800-222-1222 in the United States).

Most important symptoms and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

None known.

None known.

Further information : Wear full protective clothing and NIOSH/MSHA-approved

positive pressure, self-contained breathing apparatus.

Special protective equipment :

for firefighters

Use breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Wear personal protective equipment. Unprotected persons

must be kept away.

Wearing appropriate personal protective equipment, contain

spill and collect into a suitable container.

No special precautions required.

Refer to Section 8 for more information.

Environmental precautions : Do not allow uncontrolled discharge of product into the

environment.

Methods and materials for containment and cleaning up

Take up mechanically and dispose of

## **SECTION 7. HANDLING AND STORAGE**

Advice on protection against : Observe the general rules of industrial fire protection



# **PKT DESI PAK® 1/3U TY 27X89 700/PP**

Page 3

Substance key: SCINADESIPAK Revision Date: 10/26/2017

Version: 2 - 1 / USA Date of printing: 05/22/2023

fire and explosion

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice.

**Technical** 

measures/Precautions

Store in a dry place.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is 5 mg/m3 for

respirable fraction and 15 mg/m3 for total dust. ACGIH exposure guidelines of less than 3 mg/m3 (respirable)

and 10 mg/m3 (inhalable) have been established for particles (insoluble/poorly soluble) not otherwise

specified (PNOS).

**Engineering measures** : Good general ventilation should be sufficient to control

airbourne levels.

Personal protective equipment

Respiratory protection : When used and handled appropriately no special measures

are needed

Hand protection

Remarks : Impervious rubber such as neoprene, nitrile, natural rubber,

butyl rubber, PVC, or teflon. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices. Wash and dry hands.

Eye protection : Follow facility guidelines in the absence of dusts.

Skin and body protection : Wear protective clothing, including long sleeves and gloves,

to prevent skin contact.

Thoroughly wash clothing before reuse.

Use of proper hygiene practices in the workplace is

recommended.

Protective measures : Observe the usual precautions for handling chemicals.



## **PKT DESI PAK® 1/3U TY 27X89 700/PP**

Page 4

Substance key: SCINADESIPAK Revision Date: 10/26/2017

Version: 2 - 1 / USA Date of printing: 05/22/2023

Appearance : Solid form

Colour : various

Odour : none

Odour Threshold : not available

pH : not determined

Melting point : not determined

Boiling point : not determined

Flash point : does not flash

Evaporation rate : Non-Volatile

Flammability (solid, gas) : not determined

Upper explosion limit / upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Density : not determined

Bulk density : not determined

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

no data available

Auto-ignition temperature : not determined

Decomposition temperature : no data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.



## **PKT DESI PAK® 1/3U TY 27X89 700/PP**

Page 5

Substance key: SCINADESIPAK Revision Date: 10/26/2017
Version: 2 - 1 / USA Date of printing: 05/22/2023

Chemical stability : Stable

Possibility of hazardous

reactions

: When used and handled as intended, none.

Conditions to avoid : None known.

Hazardous decomposition

products

When used and handled as intended, none.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Eye contact Ingestion

Carcinogenicity

IARC Not listed

OSHA Not listed

NTP Not listed

# Experience with human exposure

**Product:** 

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

## **Further information**

**Product:** 

Remarks: Refer to Section 2 and Section 3 for the toxicological data of the components.

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

no data available

### Persistence and degradability

no data available

## **Bioaccumulative potential**

no data available

## Mobility in soil

no data available

#### Other adverse effects

**Product:** 

Additional ecological : According to experience and to the information currently



## PKT DESI PAK® 1/3U TY 27X89 700/PP

Page 6

Substance key: SCINADESIPAK Revision Date: 10/26/2017

Version: 2 - 1 / USA Date of printing: 05/22/2023

information available, the product has no harmful effects on the

environment if used correctly as intended.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

RCRA - Resource Conservation and Recovery

Authorization Act

This product, if discarded as sold, is not a Federal RCRA

hazardous waste.

Processing, use or contamination of this product may change

the waste management options.

State and local disposal regulations may differ from federal

disposal regulations.

Waste Code : NONE

Waste from residues : The generator of the waste has the responsibility for proper

waste classification, transportation and disposal. Classify waste under applicable State and local regulations.

Contaminated packaging : Contaminated packages or drums must be treated as waste,

and must be disposed of or treated for reuse/recycling in an installation approved by Environmental Authorities according to local regulations. The wastes generated from such treatment of the packages must be processed in order to

avoid environmental contamination.

#### **SECTION 14. TRANSPORT INFORMATION**

DOT not restricted

IATA not restricted

IMDG not restricted

## **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

Act

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This product is not subject to SARA Title III Section 313

reporting requirements under 40 CFR 372.



### PKT DESI PAK® 1/3U TY 27X89 700/PP

Page 7

Substance key: SCINADESIPAK	Revision Date: 10/26/2017
Version: 2 - 1 / USA	Date of printing :05/22/2023

#### **Clean Water Act**

Contains no known priority pollutants at concentrations greater than 0.1%.

### The components of this product are reported in the following inventories:

TSCA : All components of this product are listed or excluded from


listing on the United States Environmental Protection Agency

Toxic Substances Control Act (TSCA) Inventory.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



Special hazard.

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical



# **PKT DESI PAK® 1/3U TY 27X89 700/PP**

Page 8

Substance key: SCINADESIPAK Revision Date: 10/26/2017

Version: 2 - 1 / USA Date of printing: 05/22/2023

Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Observe national and local legal requirements

Revision Date : 10/26/2017

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN