

SECTION 1: IDENTIFICATION

Product Name: Scrappy's Lavender Bitters 5oz

Other Names: Bitters

Manufacturer: Scrappy's Bitters LLC

Manufacturer Address: 13749 Midvale Ave N Seattle WA 98133

Emergency Telephone: (800)222-1222

Recommended Usage: Scrappy's Lavender Bitters are a concentrated

food and beverage flavoring that are used in small amounts or dashes to flavor food dishes

and drink mixes.

Usage Restrictions: Scrappy's Lavender Bitters have never been

consumed or used as a beverage, as they are

unpalatable tasted in isolation.

SECTION 2: HAZARD(S) IDENTIFICATION

Chemical Hazard Classification: 3 – Flammable Liquid

Signal Word: Warning

Hazard Statement: Scrappy's Bitters LLC

13749 Midvale Ave N Seattle WA 98133

(800)222-1222

Appearance: dark brown liquid. Flammable liquid and vapor. May cause central nervous system depression. Causes severe eye irritation. Causes respiratory tract irritation. Causes moderate skin irritation. This substance has caused adverse reproductive and fetal effects in humans. Warning! May cause liver, kidney and heart damage. Target Organs: Kidneys, heart,

central nervous system, liver.



Precautionary Statement: Read label before use. Keep out of reach of children

Description of Other Hazards: None known



SECTION 3: COMPOSITIONS / INFORMATION ON INGREDIENTS

Substance/Mixture: Chemical Name: Common Name And Synonym: Formulation:	Mixture Lavender Bitters Bitters A blend of infused ethyl alchol and water
Chemical Abstracts Service Number:	Main Ingredient – Ethyl Alcohol CAS# Chemical Name Percent 64-17-5 Ethyl Alcohol 50.8 7732-18-5 Water 49.2
SECTION 4: FIRST AID MEASURES	
General:	-Check the vital functions. Unconcious: maintain adequate airway and respiration. Pespiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. Never give alcohol to drink.
Eye Contact:	 Flush eyes well with large quantities of water for at least 15 minutes Seek medical attention if required
Inhalation:	 If overcome by exposure, remove victim to fresh air immediately. Seek medical attention if required
Skin:	 Wash skin thoroughly with mild soap/water Seek medical attention if ill effect or irritation develops
Ingestion:	 Use product as directed on label. For large amounts, seek medical attention.



SECTION 5: MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms injuries after inhalation: Exposure to high concentrations: Dry/sore throat.

Coughing. Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Respiratory

difficulties. Central nervous system depression. Symptoms similar to those listed under ingestion.

Symptoms/injuries after skin contact: Slight irritation

Symptoms/injuries after eye contact: Redness of the eye tissue. Lacrimation. On

Continuous Exposure/Contact: Irritation of the eye

tissue.

Symptoms/injuries after ingestion: After Absorption of High Quantities: Risk of

aspiration pneumonia. Red skin. Body temperature

rise. Damp/clammy skin. Excited/restless.

Accelerated heart action. Central nervous system

depression. Dizziness. Narcosis. Headache.

Drunkenness. Nausea. Vomiting. Disturbed motor

response. Coordination disorders. Visual

disturbances. Impaired concentration. Delusions. Disturbed sensation of pain. Disturbances of heart rate. Disturbances of consciousness. Tremor.

Cramps/uncontrolled muscular contractions. Dilated

pupils.

Chronic symptoms: On Continuous/Repeated Exposure/contact: Dry skin.

Gastrointestinal complaints. Enlargement/affection of

the liver. Change in the haemogramme/blood

composition. Cardiac and blood circulation effects. High arterial pressure. Impairment of the nervous system. Behavioural disturbances. Mental confusion. Disturbed tactile sensibility. Tremor. Affection of the

bone marrow. Affection of the endocrine system.

Weakening of the immune system.



SECTION 6: FIRE-FIGHTING MEASURES

Suitable Extinguishing Equipment:

Unsuitable Extinguishing Equipment: Activity:

Protection during fire-fighting: Special Fire-Fighting Procedures: Carbon dioxide, "alcohol-type foam" dry chemical, water in deluge quantities, BC powder

Solid water jet ineffective as extinguishing medium. Upon combustion: CO and CO2 are formed. Reacts violently with many compounds e.g.: with (strong) oxidizers: (increased) risk of fire/explosion. Violent to explosive reaction with (some) acids.

Heat/fire exposure: compressed air/oxygen apparatus. Vapors from this product may travel or move by air currents to an ignition source and flash back

- 1. Keep upwind
- 2. Shut down all possible sources of ignition
- 3. Water may be ineffective but use to keep fireexposed containers cool
- 4. Keep run-off water out of sewers and water sources
- 5. Dike for water control
- 6. Use spray or fog nozzles
- 7. Cool containers exposed to flames with water from the side until well after the fire is out
- 8. Move container from fire area if it can be done without risk
- 9. If risk of water pollution occurs, notify appropriate authorities

Unusual Fire and Explosion Hazards:

Vapors from this product may travel or move by air currents to an ignition source and flash back



SECTION 7: CCIDENTAL RELEASE MEASURES

Spill and Cleanup procedures:

1. Shut off all ignition sources. Put on appropriate personal protective equipment as required. Cordon off spill area/ stop leak if you can do it without risk. Do not touch or walk through spilled material.

2. Provide adequate ventilation. Avoid breathing vapor. 1. Move containers from spill area

2. Use spark-proof tools and explosion-proof equipment 3. Approach release from upwind

4. Prevent entry into sewers, water courses, basements, confined areas 5. See Section 1 for emergency contact information and Section

13 for waste disposal.

SECTION 8: HANDLING & STORAGE

Precautions for safe handling -Protective measures: Precautions for safe handling - Advice on general occupational hygiene:

Precautions for safe handling -Conditions for safe storage including any incompatibilities:

Avoid breathing vapor

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

- 1. Store in accordance with local regulations
- 2. Eliminate all ignition sources.
- 3. Separate from oxidizing materials.
- 4. Keep tightly closed and sealed until ready for use.
- 5. Do not store in unlabeled containers. 6. Use appropriate containment to avoid environmental contamination.
- 7. Store at room temperature out of direct sunlight. 8. Incompatible with strong bases and strong acids 9. Suitable packaging materials: stainless steel, aluminum, iron, copper, nickel, synthetic material, glass.



SECTION 9: EXPOSURE CONTROLS / PERSONAL PROTECTION

Osha Permissible Exposure Limit: -1000 ppm TWA (ethanol)

-1900 mg/m3 TWA

ACGIH Threshold Limit Value: -1000 ppm

NIOSH: -1000 ppm TWA (ethanol)

-1900 mg/m3

-TWA 3300 ppm IDLH

Environmental exposure controls

(for large spills):

1. Prevent dispersion of material. Avoid discharge into drains, water courses or into

the ground.

2. Inform authorities if large amounts are

involved. Do not flush into sewer.

Personal precautions: 1. Avoid breathing vapors.

2. Ventilate area. Shut off all sources of ignition. 3. Wear suitable protective clothing

A S DESCRIBED

AS REQUIRED.



SECTION 10: PHYSICAL & CHEMICAL PROPERTIES

Appearance – Physical State: Liquid

Appearance – Color: Dark Brown

Melting/freezing point:N/ACritical Temperature:N/A

Odor: Lavender

Odor Threshold: N/A pH: N/A

Flash point: 84.2°F or 29.0°C

Burning Time: N/A
Burning Rate: N/A
Evaporation Rate: N/A
Flammability (solid, gas): N/A

Lower explosive limits (LEL): 3.3%°F, 67 g/m3 **Upper explosive limits (UEL):** 19%, 290 g/m3

Vapor pressure and density: N/A

Specific Volume (ft3/lb):N/AGas Density (lb/ft3):N/ARelative Density:N/ASolubility:N/ASolubility in water:YesScrappPartition co-efficient: n-N/A

octanol/water:

Auto-ignition temperature:N/ADecomposition temperature:N/ASADT:N/AViscosity:N/A



SECTION 11: STABILITY AND REACTIVITY

Reactivity: No specific test data related to reactivity

available for this product
The product is stable

Chemical Stability:

The product is stable

Possibility of hazardous reactions: Under normal conditions of storage and use,

hazardous reactions will occur

Conditions to avoid: Avoid all possible sources of ignition (spark

or flame)

Incompatibility with various substances: Highly reactive or incompatible with the

following materials: oxidizing materials

Hazardous decomposition products: Under normal conditions of storage and use,

hazardous decomposition should not be

produced

Hazardous polymerization: Under normal conditions of storage and use,

hazardous polymerization will not occur.



SECTION 12: TOXICOLOGICAL INFORMATION

Acute toxicity: Ethanol (64-17-5): LD50 oral rat 10740

mg/kg (Rat; Experimental value, Rat; Experimental value) LD50 dermal rabbit > 16000 mg/kg (Rabbit) Water (7732-18-5)

LD50 oral rat \geq 90000 mg/kg

Irritation/Corrosion: Causes skin irritation

Sensitization: N/A

Mutagenicity: Not classified. Based on available data, the

classification criteria are not met.

Carcinogenicity: Not classified

Specific target organ toxicity (single exposure):May cause drowsiness or dizziness. Causes damage to organs (central nervous system,

optic nerve) (oral, dermal)

Specific target organ toxicity (repeated Not classified. Based on available data, the

exposure): classification criteria are not met

Potential acute health effects – eye contact: Redness of the eye tissue. Lacrimation. On

continuous exposure/contact: Irritation of the

eye tissue

Potential acute health effects – inhalation: Exposure to high concentrations: Dry/sore

throat,

coughing, irritation of the respiratory tract, irritation of the nasal mucous membranes, respiratory difficulties, central nervous system depression, symptoms similar to those listed

under ingestion

Potential acute health effects – skin Slight irritation

Potential acute health effects – ingestion:

contact:

After absorption of high quantities: Risk of aspiration pneumonia, red skin, body

temperature rise, damp/clammy skin, excited/restless, accelerated heart action, central nervous system depression, dizziness, narcosis, headache, drunkenness, nausea, vomiting, disturbed motor response,

coordination disorders, visual disturbances, impaired concentration, delusions, disturbed sensation of pain, disturbances of heart rate,

disturbances of consciousness, tremor,



cramps/uncontrolled muscular contractions, dilated pupils

SAFETY DATA SHEET

SECTION 12: TOXICOLOGICAL INFORMATION (cont.)

Potential chronic health effects – General:

On continuous/repeated exposure/contact:
Dry skin, gastrointestinal complaints,
enlargement/affection of the liver, change in
the haemogramme/blood composition, cardiac
and blood circulation effects, high arterial
pressure impairment of the nervous system,
behavioural disturbances, mental confusion,
disturbed tactile sensibility, tremor, affection
of the bone marrow, affection of the
endocrine system, weakening of the immune
system.

SECTION 13: ECOLOGICAL INFORMATION

Toxicity:

Ethanol (64-17-5):

LC50 fishes 1 14200 mg/l (96 h; Pimephales promelas; Nominal concentration) EC50 Daphnia 1 9300 mg/l (48 h; Daphnia

magna)

LC50 fish 2 13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)

EC50 Daphnia 2 10800 mg/l (24 h; Daphnia magna) Threshold limit other aquatic organisms 1 65 mg/l (72 h; Protozoa) Threshold limit algae 1 1450 mg/l (192 h; Microcystis aeruginosa; Growth rate) Threshold limit algae 2 5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate) Water: Not harmful to fishes (LC50(96h) >1000 mg/l). Not harmful to invertebrates (Daphnia). Slightly harmful to algae (EC50 (72h): 100 - 1000 mg/l). Not harmful to bacteria (EC50 >1000 mg/l). Inhibition of



SECTION 13: ECOLOGICAL INFORMATION (cont.)

Persistence and degradability: Readily biodegradable in water.

Biodegradable in the soil. No (test) data on

mobility of the substance available

Mobility in soil-soil/water partition 0.022

coefficient:

Bio accumulative potential –

Product/ingredient name:

 $0.022 \text{ N/m} (20^{\circ}\text{C})$

Ethanol (64-17-5)

Bio accumulative potential – LogPow: -0.31 (Experimental Value)

Bio accumulative potential: Low potential for bioaccumulation (Log Kow

<4)

SECTION 14: DISPOSAL CONSIDERATIONS

Disposal Methods:

- 1. The generation of waste should be avoided or minimized where possible.
- 2. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
- 3. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor
- 4. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- 5. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.
- 6. Waste packaging should be recycled. Landfill should only be considered when recycling is not feasible.
- 7. This material and its container must be disposed of in a safe way.
- 8. Empty containers may retain some product residues.



9. Vapor from product residues may create a flammable atmosphere inside the container.

SAFETY DATA SHEET

SECTION 15: TRANSPORT INFORMATION

UN Number: UN1197

Un Proper Shipping Name:EXTRACTS, LIQUIDTransport Hazard Class:3 – Flammable Liquid

Packing Group Name: III

International Maritime Dangerous Goods

Code (IMDG code): UN1197

Special Precautions: Transport within user's premises: always

transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of

an accident or spillage.

SECTION 16: REGULATORY INFORMATION

US Federal Regulations: The Bureau of Alcohol, Tobacco and

Firearms (Dept. of Treasury), regulates the production, procurement and use of ethyl

alcohol products.

Not Listed

Clean Air Act Section 112 (b) Hazardous

Air Pollutants (HAPs):

Clean Air Act Section 602 Class I Not Listed

Substances:

Clean Air Act Section 602 Class II Not Listed

Substances:

DEA List I Chemicals (PrecursorNot Listed

Chemicals):

DEA List II Chemicals (EssentialNot Listed

Chemicals):

SECTION 17: OTHER INFORMATION

General: To best of our knowledge, the information contained herein is

accurate. It does not represent a guarantee of the properties of



the product and is furnished without warranty and acceptance of liability of any kind by Scrappy's Bitters LLC. It characterizes the product with regard to the appropriate safety precautions. Users should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and safety and health.