# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 11/29/2022 Revision date: 12/19/2024 Supersedes: 11/29/2022

SDS No: 00625-0079



### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : Active Green cleaner cartridge

Further information : Article number: 56.01.912; 56.01.908; 56.02.213

#### 1.2. Recommended use and restrictions on use

Recommended use : RATIONAL Active Green cleaner cartridge for all iHexagon, iCombi Pro models with

iCareSystem AutoDose for commercial use, Alkaline cleaner for professional users

Version: 1.1

### 1.3. Supplier

Supplier Supplier

RATIONAL AG

Siegfried-Meister-Straße 1

RATIONAL USA Inc.

1701 Golf Road

Landsberg am Lech, 86899 Suite C-120, Commercium Germany Rolling Meadows, IL 60008

T +49 8191 327 387 - F +49 8191 327 231 USA

reinigung@rational-online.com - www.rational-online.com T +1-888-320-7274

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

#### 1.4. Emergency telephone number

Emergency number : Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 114705: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

### **SECTION 2: Hazard(s) identification**

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Skin corrosion/irritation Category 1 H314 Causes severe skin burns and eye damage

Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS US) : P101 - If medical advice is needed, have product container or label at hand.

P280 - Wear eye protection, protective gloves.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS No: 00625-0079

P310 - Immediately call a doctor, a POISON CENTER.

P501 - Dispose of contents/container to hazardous or special waste collection point.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium hydroxide	CAS-No.: 1310-73-2		Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
disodium metasilicate	CAS-No.: 6834-92-0		Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Adhere to personal protective measures when giving first aid.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If symptoms persist, consult a

doctor.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Drink plenty of water. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns. May perforate the esophagus or the digestive tract.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically. If possible, show the doctor this safety data sheet. Failing this, show the doctor the packaging or label.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS No: 00625-0079

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide (CO2). Use extinguishing media appropriate for

surrounding fire.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Contain the extinguishing fluids by bunding. Do not allow run-off from fire fighting to enter drains

or water courses.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Disposal must be done according to official regulations.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Storage temperature : 10 - 40 °C

12/19/2024 (Revision date) US - en 3/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS No: 00625-0079

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Sodium hydroxide (1310-73-2)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Sodium hydroxide
ACGIH OEL C	2 mg/m³
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
Regulatory reference ACGIH 2024	
USA - OSHA - Occupational Exposure Limits	
Local name	Sodium hydroxide
OSHA PEL TWA 2 mg/m³	
Regulatory reference (US-OSHA) OSHA Annotated Table Z-1	

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Туре	Material	Permeation	Thickness (mm)	Penetration
Chemically resistant	Nitrile rubber (NBR), butyl	3 (> 60 minutes)		
protective gloves	rubber			

### Skin and body protection:

Not required for normal conditions of use

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid
Color : white
Odor : characteristic
Odor threshold : No data available

pH : 12.8 pH solution concentration : 1 %

Melting point : No data available
Freezing point : Not applicable
Boiling point : No data available
Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS No: 00625-0079

Flammability (solid, gas) : Non flammable.

Vapor pressure : No data available

Relative vapor density at 20°C : No data available

Relative density : No data available

Density : 1.75 g/cm³

Solubility : Water: soluble in water Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic No data available **Explosion limits** Not applicable Explosive properties No data available Oxidizing properties No data available

### 9.2. Other information

VOC content : < 3 %

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Keep out of frost. Protect from moisture. Keep away from heat and direct sunlight.

### 10.5. Incompatible materials

Strong acids. Light metals. Oxidizing agent.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

disodium metasilicate (6834-92-0)	
LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS No: 00625-0079

Skin corrosion/irritation	· Causes severe skin hurns

pH: 12.8

Serious eye damage/irritation : Causes serious eye damage.

pH: 12.8

Respiratory or skin sensitization : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

disodium	metasilicate	(6834-92-0)

NOAEL (oral,rat,90 days)
227 – 237 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Viscosity, kinematic : No data available

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns. May perforate the esophagus or the digestive tract.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Sodium hydroxide (1310-73-2)	
EC50 Daphnia 1	40.4 mg/l Test organisms (species): Ceriodaphnia sp.
disodium metasilicate (6834-92-0)	
LC50 fish 1	210 mg/l (96 h, Brachydanio rerio (zebra-fish))
EC50 Daphnia 1 1700 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1] 207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Sceneral subspicatus)	

### 12.2. Persistence and degradability

Active Green cleaner cartridge	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer).

12/19/2024 (Revision date) US - en 6/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS No: 00625-0079

### **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods

 $: \ \, {\hbox{Dispose of contents/container in accordance with licensed collector's sorting instructions}}.$ 

Disposal must be done according to official regulations.

Product/Packaging disposal recommendations

: Dirty containers cannot be handled as normal waste. Packaging that is not properly emptied must be disposed of as the unused product.

# **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA		
14.1. UN number	14.1. UN number			
UN3262	3262	3262		
14.2. Proper Shipping Name				
Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide; disodium metasilicate)	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; disodium metasilicate)	Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide; disodium metasilicate)		
14.3. Transport hazard class(es)				
8	8	8		
CORROSIVE	8	8		
14.4. Packing group				
II	II	II		
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No		
No supplementary information available				

### 14.6. Special precautions for user

DOT

UN-No.(DOT) : UN3262

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS No: 00625-0079

DOT Special Provisions (49 CFR 172.102)

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.

IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner.

T3 - 2.65 178.274(d)(2) Normal...... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Packaging Non Bulk (49 CFR 173.xxx) : 212
DOT Packaging Bulk (49 CFR 173.xxx) : 240
DOT Quantity Limitations Passenger aircraft/rail (49 : 15 k

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

**DOT Vessel Stowage Location** 

15 kg

: 50 kg

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 52 - Stow "separated from" acids

#### **IMDG**

Special provision (IMDG) : 274 Limited quantities (IMDG) : 1 kg E2 Excepted quantities (IMDG) P002 Packing instructions (IMDG) IBC packing instructions (IMDG) IBC08 IBC special provisions (IMDG) B21, B4 Tank instructions (IMDG) : T3 : TP33 Tank special provisions (IMDG) : B Stowage category (IMDG)

Segregation (IMDG) : SGG18, SG35

#### **IATA**

PCA Excepted quantities (IATA) : F2 PCA Limited quantities (IATA) : Y844 PCA limited quantity max net quantity (IATA) 5kg PCA packing instructions (IATA) 859 PCA max net quantity (IATA) 15kg CAO packing instructions (IATA) 863 CAO max net quantity (IATA) 50kg Special provision (IATA) A3, A803 ERG code (IATA) 8L

12/19/2024 (Revision date) US - en 8/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS No: 00625-0079

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

Sodium h	ydroxide (	(1310-73-2)
----------	------------	-------------

CERCLA RQ 1000 lb

### 15.2. International regulations

No additional information available

### 15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 12/19/2024

Other information

Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-phrases	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation.

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS No: 00625-0079

Abbreviations and acronyms		
EC-No. European Community number		
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
voc	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	
DOT	Department of Transport	
TDG	Transportation of Dangerous Goods	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals	
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships	
ADG	Transport of Australian Dangerous Goods	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS No: 00625-0079

Indication of changes:			
Section	Changed item	Comments	
1		Modified	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.