

Anise Extract, Natural Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identifica		
Product form		: Mixture
Product name		: Anise Extract, Natural
Product code		: S9108
	se and restrictions of	
No additional information ava		
1.3. Supplier		
Shank's Extracts, Inc. 350 Richardson Drive Lancaster, PA 17603 T 717-393-4441 - F 717-393- www.shanks.com	-3148	
1.4. Emergency teleph	none number	
Emergency number		: CHEMTREC: 1-800-424-9300
SECTION 2: Hazard(s)) identification	
	the substance or mi	xture
GHS-US classification		
Flammable liquids,	H225	Highly flammable liquid and vapour
Category 2		
Skin corrosion/irritation, Category 2	H315	Causes skin irritation
Serious eye damage/eye	H319	Causes serious eye irritation
irritation, Category 2 Specific target organ	H335	May aquee reepiratory irritation
toxicity — Single exposure, Category 3, Respiratory tract irritation	11335	May cause respiratory irritation
· · · · · · · · · · · · · · · · · · ·		
	e section 16	
Full text of H statements : see		nutionary statements
Full text of H statements : see 2.2. GHS Label element		utionary statements
Full text of H statements : see 2.2. GHS Label elemen GHS-US labelling	nts, including preca	utionary statements
Full text of H statements : see 2.2. GHS Label elemen GHS-US labelling	nts, including preca	utionary statements
Full text of H statements : see 2.2. GHS Label elemen GHS-US labelling	nts, including preca	utionary statements
Full text of H statements : see 2.2. GHS Label elemen GHS-US labelling	nts, including preca	eutionary statements
Full text of H statements : see 2.2. GHS Label elemen GHS-US labelling	nts, including preca	: Danger
Full text of H statements : see 2.2. GHS Label element GHS-US labelling Hazard pictograms (GHS-US Signal word (GHS-US)	nts, including preca	 : Danger : H225 - Highly flammable liquid and vapour H315 - Causes skin irritation
Full text of H statements : see 2.2. GHS Label element GHS-US labelling Hazard pictograms (GHS-US Signal word (GHS-US)	nts, including preca	 : Danger : H225 - Highly flammable liquid and vapour H315 - Causes skin irritation H319 - Causes serious eye irritation
Full text of H statements : see 2.2. GHS Label elemen GHS-US labelling Hazard pictograms (GHS-US	nts, including preca	 : Vertical and variable in the second seco
Full text of H statements : see 2.2. GHS Label elements GHS-US labelling Hazard pictograms (GHS-US Signal word (GHS-US) Hazard statements (GHS-US	nts, including preca	 : We way to be a constructed of the construction of the c
Full text of H statements : see 2.2. GHS Label elements GHS-US labelling Hazard pictograms (GHS-US Signal word (GHS-US) Hazard statements (GHS-US	nts, including preca	 : Weight of the second state of the s
Full text of H statements : see 2.2. GHS Label elements GHS-US labelling Hazard pictograms (GHS-US Signal word (GHS-US) Hazard statements (GHS-US	nts, including preca	 : Wear protective gloves/protective clothing/eye protection/face protection.
Full text of H statements : see 2.2. GHS Label elements GHS-US labelling Hazard pictograms (GHS-US Signal word (GHS-US) Hazard statements (GHS-US	nts, including preca	 : We can be a seried of the seried
Full text of H statements : see 2.2. GHS Label element GHS-US labelling Hazard pictograms (GHS-US Signal word (GHS-US) Hazard statements (GHS-US	nts, including preca	 : Weak protective gloves/protective clothing/eye protection/face protection. P203 - Weak protective gloves/protective clothing/eye protection. P302+P352 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	 P312 - Call a poison center or a doctor if you feel unwell P321 - Specific treatment see doctor if affected. P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use ABC powder to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3.	Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
trade name component*	(CAS No) Trade Secret	87.25281932 10818	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
trade name component*	(CAS No) Trade Secret	4.545130522 80407	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Aquatic Acute 2, H401

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of classification categories and H statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects	s (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Irritation.
Symptoms/injuries after eye contact	: Eye irritation.
4.3. Immediate medical attention and spe	cial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	

5.1.	Suitable (and unsuitable) extinguish	ing media
Suitable e	extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitabl	e extinguishing media	: Do not use a heavy water stream.

Safety Data Sheet

Emergency procedures

Methods for cleaning up

Other information

Environmental precautions

Methods and material for containment and cleaning up

6.2.

6.3.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arisi	ng from the chemical
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Reactivity	: Flammable liquid and vapour.
5.3. Special protective equ	ipment and precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental re	elease measures
	elease measures protective equipment and emergency procedures
6.1. Personal precautions,	
	protective equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1. Personal precautions, General measures	protective equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.Personal precautions,General measures6.1.1.For non-emergency personal precaution of the personal personal precaution of the personal per	 protective equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. ersonnel Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Reference to other sections 6.4. See Heading 8. Exposure controls and personal protection. For further information refer to section 13. **SECTION 7: Handling and storage** 7.1. Precautions for safe handling Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. : Wash hands and other exposed areas with mild soap and water before eating, drinking or Precautions for safe handling smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Hygiene measures Always wash hands after handling the product. Conditions for safe storage, including any incompatibilities 7.2. **Technical measures** : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Storage conditions : Keep only in the original container in a cool, well ventilated place away from : acids and bases. Keep in fireproof place. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Notify authorities if product enters sewers or public waters.

: Dispose of materials or solid residues at an authorized site.

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

 Incompatible products
 : Strong bases. Strong acids.

 Incompatible materials
 : Sources of ignition. Direct sunlight. Heat sources.

Ventilate area.

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

trade name component			
Not applicable			
trade name component			
ACGIH	ACGIH STEL (ppm)	1000 ppm	
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m³	
OSHA OSHA PEL (TWA) (ppm) 1000 ppm			
IDLH US IDLH (ppm) 3300 ppm (10% LEL)			
NIOSH NIOSH REL (TWA) (mg/m ³) 1900 mg/m ³			
NIOSH REL (TWA) (ppm) 1000 ppm			

8.2. Appropriate engineering controls

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves/protective clothing/eye protection/face protection. protective gloves

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemica	al properties
9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Colour	: Colourless clear
Odour	: Anise/Fennel and hay-like
Odour threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: > 35 °C
Flash point	: 21 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.8325 - 0.839

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECT	SECTION 11: Toxicological information		
11.1.	Information on toxicological effects		
Acute to	oxicity	: Not classified	

trade name component	
LD50 oral rat	2250 mg/kg
ATE US (oral)	2250 mg/kg bodyweight
trade name component	
LD50 oral rat	7060 mg/kg
LC50 inhalation rat (mg/l)	124.7 mg/l/4h
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified

trade name component	
IARC group	1 - Carcinogenic to humans
In OSHA Hazard Communication Carcinogen list	Yes
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Irritation.
Symptoms/injuries after eye contact	: Eye irritation.

SECTION 12: Ecological informati	on
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
trade name component	
LC50 fishes 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and degradability	
Anise Extract, Natural	
Persistence and degradability	Not established.
	1
2.3. Bioaccumulative potential	
Anise Extract, Natural	
Bioaccumulative potential	Not established.
·	
trade name component	

12.4. Mobility in soil

EC50 Daphnia 2

No additional information available

12.5. Other adverse effects

Other information

Log Pow

: Avoid release to the environment.

-0.32

SECTION 13: Disposal consideration	IS
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	 Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	

Department of Transportation (DOT) In accordance with DOT Transport document description : UN1197 Extracts, flavoring, liquid, 3, II UN-No.(DOT) : UN1197 Proper Shipping Name (DOT) : Extracts, flavoring, liquid Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 Packing group (DOT) : II - Medium Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT)	: 3 - Flammable liquid
	rambale uput
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packagings may be increased to 5 L (1.3 gallons). IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" or passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
TDG	
Transport by sea	
Air transport	
Transport document description (IATA) UN-No.(IATA)	: UN 1197 Extracts, flavouring, liquid, 3, II : 1197

UN-No.(IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, flavouring, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger

SECTION 15: Regulatory information 15.1. US Federal regulations

trade name component	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
trade name component	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA

trade name component

Listed on the Canadian DSL (Domestic Sustances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

trade name component

Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

No additional information available

trade name component

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

trade name component

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Taiwan Chemical Substance Inventory

trade name component

Listed on IARC (International Agency for Research on Cancer)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIOC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical Taiwan Chemical Substance Inventory

15.3. US State regulations

trade name component

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	No	No		

trade name component

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Other information

: None.

Full text of H-phrases:

H225	Highly flammable liquid and vapour
H227	Combustible liquid
H315	Causes skin irritation
H319	Causes serious eye irritation
H320	Causes eye irritation
H335	May cause respiratory irritation
H401	Toxic to aquatic life

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product