

Printed: 02/06/2019 Revision: 02/06/2019

# **OFF-ROAD WASH**

1. Product and Company Identification

Product Code: SP20001

**Product Name:** OFF-ROAD WASH

Company Name: SLICK PRODUCTS Phone Number:

3011 S. Croddy Way Santa Ana, CA 92704

Web site address: WWW.SLICKPRODUCTSUSA.COM Email address: INFO@SLICKPRODUCTSUSA.COM

Emergency Contact: CHEMTEL 1 (800)255-3924

Information: CONTRACT # CCN20734

Part Number:

## 2. Hazards Identification

Classification of the Substance or Mixture:

1) Acute Toxicity-Oral; Category 5

2) Eye Damage/Irritation; Category 2B

GHS label element(s):

(No Symbol)

Signal Word: WARNING

#### Hazard Statement:

- a. Maybe harmful if swallowed.
- b. Causes eye irritation

#### Precautionary Statements:

#### Prevention

- a. Wash hands thoroughly after handling.
- b. Wear protective gloves and eye protection.

#### Response

- a. If SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
- b. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persist; Get medical attention

#### <u>Storage</u>

a. Keep container closed and away from children. Keep away from heat or flame.

#### Disposal

a. Dispose of contents/container in accordance with local, state and federal regulations.

HMIS Classification: Health Hazard: 0

Flammability: 0 Physical Hazards: 0

NFPA Rating: Health Hazard: 0

Fire: 0
Reactivity Hazard: 0



Printed: 02/06/2019 Revision: 02/06/2019

# **OFF-ROAD WASH**

## 3. Composition/Information on Ingredients

Substance : Mixture

Product Description : Soap

Chemical Name CAS Number % IN PRODUCT Alkylbenzenesulfonic acid 68584-22-5 6 - 8 Triethanolamine 102-71-6 3 - 5 EDTA 64-02-8 <5 Ethoxylated Alcohol 68439-46-3 5 - 7 D-limonene 68647-72-3 <1 Deionized Water 7732-18-5 60 - 80

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentration applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

## 4. First Aid Measures

Description of necessary first aid measures:

If Inhaled: Move person into fresh air. If not breathing, give artificial respiration. Consult a

physician if symptoms are experienced.

**Skin Contact:** Flush skin with plenty of water and mild soap. Remove contaminated clothing and

shoes. Get immediate emergency medical attention if irritation persist.

**Eye contact:** Flush eyes cautiously with plenty of water for at least 15 minutes. Remove contact

lenses if able to do so and present. Get immediate emergency medical attention.

**If Ingested:** Do NOT induce vomiting unless instructed to do so by a physician. Never give

anything by mouth to an unconscious person. Rinse mouth with water. Consult a

physician.

#### Most important symptoms/effects, acute and delayed

a. Potential acute health effects

**If Inhaled:** Fine mist may cause irritation of the nose and throat.

**Skin Contact:** Any contact can cause moderate irritation. **Eve contact:** Prolonged exposure can cause irritation.

If Ingested: Gastrointestinal irritation.

b. Over-exposure signs/symptoms

If Inhaled: Adverse symptoms may include the following: No significant effect Skin Contact: Adverse symptoms may include the following: No significant effect

**Eye contact:** Adverse symptoms may include the following: Irritation

If Ingested: Adverse symptoms may include the following: Gastrointestinal irritation

c. Indication if immediate medical attention and special treatment needed, if necessary:

Notes to physician Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or

inhaled.

Specific treatments No specific treatment

Protection of first-aiders 
No action should be taken involving any personal risk or

without suitable training. Wash contaminated clothing

thoroughly with water before removing it.

5. Fire Fighting Measures



Printed: 02/06/2019 Revision: 02/06/2019

# **OFF-ROAD WASH**

Extinguishing Media

Suitable extinguishing media Not a fire hazard Unsuitable extinguishing media None known

Specific hazards arising from the chemical In a fire or if heated, a pressure increase will occur and the container

may burst.

Hazardous thermal decomposition products

**Special protective actions for firefighters** If there is a fire, promptly isolate the scene by removing all persons from

the vicinity of the incident.

Special protective equipment for firefighters Firefighters should wear appropriate equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Hazardous Decomposition: None

Special Fire Fighting Procedures: None

Unusual Fire / Explosion Hazards: None

## 6. Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training.

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flares in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put

on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials. See also the

information in for "For non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose via a licensed waste

disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses,

basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use spark-proof and explosion-proof equipment. Dispose via a licensed waste contractor. Contaminated

absorbent material may pose the same hazard.

Use gloves, goggles, boots and breathing mask. Small amounts do not need special measures. Clean up with water. For large spills remove all sources of ignition. Ventilate area. Absorb with an inert absorbent material. Avoid runoff into drains and sewers. All used and unused product should be disposed of in conformance with local, state and federal regulations.



Printed: 02/06/2019 Revision: 02/06/2019

# **OFF-ROAD WASH**

Precautions for safe handling: Put on appropriate protective equipment (see Section 8). Do not get in eyes or on

skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternate made from compatible material, keep tightly closed when not in use. Store and use away from heat, sparks, open flame or any

other ignition source. Do not reuse container. Wash thoroughly after use.

Conditions for safe storage: Store in original container protected from direct sunlight in dry, cool and well

ventilated area, away from incompatible material (see Section 10) and food and

drink. Do not store in unlabeled.

Store materials tightly closed and away from sunlight, warm confined spaces, heat and open flame. Never weld on or near containers either empty or full. Secure all chemicals out of the reach of children.

# 8. Exposure Controls/Personal Protection

#### Control Parameters

#### Occupational exposure limits

Ingredient Name CAS Number PEL/OSHA TLV-ACGIH Alkylbenzenesulfonic acid 68584-22-5  $1 \text{ mg/M}^3$  $3 \text{ mg/M}^3$ Triethanolamine 102-71-6  $1 \text{ mg/M}^3$  $5 \text{ mg/M}^3$ EDTA 64-02-8 mag 07 25 ppm Not Established Not Established Ethoxylated Alcohol 68439-46-3 D-limonene 68647-72-3 Not Established Not Established Deionized Water 7732-18-5 Not Applicable Not Applicable

Appropriate engineering controls: No special ventilation requirements. Good general ventilation should be sufficient

to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene Measures: Wash hands forearms and face thoroughly after handling chemical products.

Eye/Face protection:

Skin protection:

Respiratory protection:

None

None

## 9. Physical and Chemical Properties

Physical State:	Liquid	Specific Gravity:	1.006 (8.447 lbs/Gal)
Color	Green	Vapor Pressure:	Not Determined
Odor:	Citrus Scent	Volatiles:	100%
рН	7-8	Vapor Density:	Not Determined
Boiling Point:	>216°F	Solubility:	100% soluble in Water
Flash Point:	None	Evaporation Rate:	Not Determined
Volatile Organic Compound (VO	0.0%		

# 10. Stability and Reactivity



Printed: 02/06/2019 Revision: 02/06/2019

# **OFF-ROAD WASH**

Reactivity: No specific test data related to reactivity available for this product or its

ingredients.

Chemical stability: The product is stable.

Possibility of hazardous reactions: Under normal conditions of storage or use, hazardous reactions will not occur.

Conditions of instability: When exposed to high temperatures colors may fade and bottles may panel.

Conditions to avoid: No specific data

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

## 11. Toxicological Information

Information on toxicological effects

Acute Toxicity: Not classified

Irritation/corrosion: a) EYES – Irritation

b) SKIN - No significant effect

c) INHALATION – No significant effect d) INGESTION – Gastrointestinal irritation

Sensitization:

Mutagenecity:

Carcinogenicity:

Reproductive Toxicity:

Teratogenecity:

Not determined

Not determined

Not determined

Not determined

Specific target organ toxicity (single exposure): Not determined

Specific target organ toxicity (repeated exposure): Not determined

Aspiration hazard: Not determined

Information of likely routes of entry: Skin, Eyes, Mouth and Inhalation

Delayed and immediate effects and also chronic effects from short and long term exposure

Short Term Exposure

Potential immediate effects: Not available Potential delayed effects: Not available

Long Term Exposure

Potential immediate effects: Not available Potential delayed effects: Not available

Potential Chronic Health Effects

General:

Carcinogenicity:

No known significant effects or critical hazards.

Fertility Effects:

No known significant effects or critical hazards.

No known significant effects or critical hazards.

## 12. Ecological Information

Ecotoxicity: Not available Persistance and degradability: Readily Biodegradable Bioacumulative potential: Not available

Mobility in soil:

(soil/water) partition coefficient (Koc): Not available

Other adverse effects: No known significant effects or critical hazards.

# 13. Disposal Considerations

# SLCK

#### **SAFETY DATA SHEET**

Printed: 02/06/2019 Revision: 02/06/2019

# **OFF-ROAD WASH**

Disposal Methods:

The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerations or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See Section 8 for information on appropriate personal protective equipment.

## 14. Transport Information

	DOT	IMDG	IATA
UN Number	Not regulated	Not regulated	Not regulated
UN proper shipping name	None	None	None
Transport hazard class(es)	Not classified as Hazardous for transport	Not classified as Hazardous for transport	Not classified as Hazardous for transport
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	No	No	No
Special precautions for user	Not available	Not available	Not available
Additional Information			

Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## 15. Regulatory Information

CAS#	Hazardous Co	omponents (Chem	nical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
This material	meets the EP	<b>A</b> [ ] Yes [X] No .	Acute (imme	diate) Health Haz	ard	
Hazard Categ	ories' defined	[ ] Yes [X] No	Chronic (del	layed) Health Haz	ard	
for SARA Title	III Sections []	Yes [X] No Fire H	azard			
311/312 as inc	licated:	[] Yes [X] No Su	dden Releas	e of Pressure Haz	ard	
		[ ] Yes [X] No	Reactive Ha	zard		

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)
Clean Air Act Section 602 Class I Substances
Clean Air Act Section 602 Class II Substances
DEA List I Chemicals (Precursor Chemicals)
DEA List II Chemicals (Essential Chemicals)
Not listed
DEA 302/3043/311/312 extremely hazardous substances
SARA 302/304 emergency planning and notification
Not applicable

SARA 302/304/311/312 hazardous chemicals No products were found

## 16. Other Information



Printed: 02/06/2019 Revision: 02/06/2019

# **OFF-ROAD WASH**

## Hazardous Material Information System II (U.S.A.):

HEALTH	0
FLAMMABILITY	0
REACTIVITY	0

Caution: HMIS®ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under CFR 1910.1200, the preparer may choose to provide them. HMIS®ratings are to be used with a fully implemented HMIS®program. HMIS®registered mark of the National Paint & Coatings Association (NPCA). HMIS®materials may be purchased exlusively from J.J.Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

#### History

Date of printing : 2/01/2019
Date of issue/Date of revision : 2/01/2019
Date of previous issue : 8/1/2018
Version : 2.0
Prepared by : PPMR

References : OSHA 1910.1200 / GHS / UN / Internal Data

#### Disclaimer of Liability:

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.