

Wesco Industrial Products, Inc.

1250 Welsh Rd

North Wales, PA 19454

Phone: 800.445.5681 • Fax: 800.346.5511

Email: info@wescomfg.com

Part No. 261030, 3" x 25" Fork Fixed Base Powered Stacker



- 1-year warranty.
- Proven quality: Wesco® manufactured Hydraulic Cylinder.
- Battery and charger included.
- Forks lower to floor on all models.
- 5" Phenolic wheels on front, 4" swivel on rear
- 110V AC models available.(Special order, NO cancellations or returns.)
- To order add AC to the end of the battery powered stacker part #. Example:

Battery Powered #261030 110V AC Powered #261030AC

- Meets ANSI B56.10 specifications.
- Power Drive option available.

<u>Video</u> | <u>Specifications</u> | <u>5th Wheel Steering Option</u> | <u>Stacker Low Profile Outrigger Option</u>

Video



| Specifications - | | | | |
|------------------|-------------|-------------|--|--|
| | Part Number | 261030 | | |
| | Model | PESFL-76-25 | | |
| | Туре | Fork Models | | |

| Front Wheel | (2) 5" Phenolic |
|--------------------|-----------------|
| Rear Swivel Caster | (2) 4" Phenolic |
| Lift Height | 76" |
| Capacity | 1000 lb |
| Width Forks | 3" |
| Length Forks | 25" |
| Load Center | 15" |
| Base Leg (ID/OD) | 15"/21" |
| Overall Width | 25.5" |
| Overall Height | 92" |
| Overall Depth | 44.5" |
| Weight | 489 lb |
| | |

Made in the USA



5th Wheel Steering Option

5th Wheel Steering Option




5th Wheel Steering Option for easier mobility and precision steering in confined areas Available only on 1,500 and 2,000 lb models. 8" locking polyurethane wheels. Spring loaded handle. Can be field installed.

Order as separate option under Part # 261099

Look

5th wheel steering option

Stacker Low Profile Outrigger Option



Stacker Low Profile Outrigger Option

Stacker Low Profile Outrigger Option