JDF-2S 120V NON-LIT 2 SEG PB W/GRPHICS

33.4" x 27.6" x 10.5" (84.8cm x 70.1cm x 26.7cm)



- Two Segment Graphic Door makes graphics changes easy. Includes variety- pack of eight displays: Apple Juice; Cranberry Juice; Grape Juice; Lemonade; Orange Juice; Pineapple Juice; Prune Juice; Iced Tea
- Patented High Intensity Mixing System delivers consistent quality beverages in the cup - cup after cup, from the top of the cup to the bottom of the cup
- 7" (17.8cm) cup clearance accommodates most juice containers
- Both push and hold dispense and optional single size portion control dispense available in the same dispenser
- Quick dispense with 1.0 to 1.5oz (29.6 to 44.4ml) per second flow rate
- One dispenser delivers both frozen and ambient concentrate products to maximize profitability by providing greater flexibility in product offerings
- Service friendly design makes set up and maintenance simple
- Burst Capacity: At rate of one 12 oz drink/min, 70 drinks before exceeding 41°F (75°F ambient and 75°F incoming water temp)

Agency:



Additional Features

Specifications

Product #: 37900.0061 Flavors: 2 Flavors Water Access: Plumbed Finish: Black Door: Un-Lit Refrigerant: R134A Ice Bank: 8.00 lbs (3.629 kgs) Dispense: Push Button Legs: 4" Black Legs

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	4.5	540	Yes	NEMA 5-15P	-	60°F (15.5°C)	1	2	60

Plumbing Requirements

CAD Drawings


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-100	138-689	3/8" Male Flare Fitting	-	•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle

Created on: 04/05/2018

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	10.5 in.	33.4 in.	27.6 in.	- in.	- in.	- in.	110.000 lbs	-	
Metric	26.7 cm	84.8 cm	70.1 cm	- cm	- cm	- cm	49.896 kgs	-	



 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 04/05/2018

 For most current specifications and other info visit bunn.com.
 04/05/2018

Related Products & Accessories: JDF-2S 120V NON-LIT 2 SEG PB W/GRPHICS (37900.0061)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 04/05/2018

 For most current specifications and other info visit bunn.com.
 04/05/2018

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.



 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 04/05/2018

 For most current specifications and other info visit bunn.com.
 04/05/2018