

38911

# UST Hand Brush , 6.9" Stiff, Pink



This ULTRA SAFE TECHNOLOGY (UST) Hand Brush comes with angled Filament Security Units for optimal cleaning of conveyor belts, production lines, machinery and food-preparation surfaces in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.

The ergonomically designed brush block prevents slipping out of the hand and reduces wrist strain. The design and position of the Filament Security Units offer an effective surface contact and enables the user to apply hard pressure directly to the surface being cleaned. The angled bristles effectively clean in corners, junctions and other hard-to reach areas.

# Technical Data

Item Number	38911
Visible bristle length	1.5 "
Material	Polypropylene Polyester
Recycling Symbol "7", Miscellaneous Plastics	Yes
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA-compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Compliant with the European Brushware Federation (FEIBP) Charter	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
California Proposition 65 Compliant	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Design Registration No.	EU 002189654-001, GB 9002189654-001, EU 009198203, UK 6236778
Pat. Pending/Patent No.	EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	1080 Pcs.
Quantity Per Layer (Pallet)	120 Pcs.
Length	6.9 "
Width	2.6 "
Height	2.2 "
Net Weight	0.505 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.01 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.03 lbs
Tare Total	0.04 lbs
Gross Weight	0.5408 lbs
Cubic Feet	0.023 ft3
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F

<b>Recommended sterilisation temperature (Autoclave)</b>	249.8 °F
<b>Max. cleaning temperature (Dishwasher)</b>	199.4 °F
<b>Min. usage temperature</b>	-4 °F
<b>Max. pH-value in Usage Concentration</b>	10.5 pH
<b>Min. pH-value in usage concentration</b>	2 pH
<b>GTIN-13 Number</b>	5705020389115
<b>GTIN-14 Number (Box quantity)</b>	15705020389112
<b>Customs Tariff No.</b>	96039099
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.