



Drawn:

KJG

Checked:

GEF

Approved:

JHB

Date:

08/26/16

Scale:

NTS


Sheet: 2 of 2

T&S BRASS AND BRONZE WORKS, INC. 2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-3132-VF05

Item No.



Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • WWW.tsbrass.com			
	ITEM NO.	SALES NO.	DESCRIPTION
	1	B-0199-08-N05	VR 0.5 GPM Non-Aerated Spray Device, 13/16-27 UN Male w/ Key
	2	019087-45	6 VDC Lithium Battery, CR-P2
	3	019088-45	Auxiliary Power Connector Cable
	4	019082-45	Lever Am & Body Screw Kit w/ L-Key
	5	018544-45	Flexible Stainless Steel Hose w/ Check Valve Adapter
	6	5EF-0002	A/C Transformer
	7	019086-45	Body Plug, Pre-Set Temperature
 A maximum of (8) ChekPoint faucets can be powered by EC-HARDWIRE ChekPoint Hardwire AC Transformer when connected using EC-ADEWIRE cables. (Both sold separately) (3) 			
	_ever H e-setting	Plug Replaces andle When g Temperature h Inside of Body)	() 015425-45 018543-45 VR Aerator Key Torx T-20 VR L-Key
 Flow Control Switches are Located Behind the Sensor. Remove Battery to Access Switches. * Switches are set to DEFAULT position: - Auto Time Out = 15 seconds - Shut Off Delay = 1 second - Auto Flush = OFF 			
* Available Water Flow Control Selections: - Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min - Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec - Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF			
Product Specifications: Chrome Plated Brass Above Deck Electronics Faucet, Single Hole Deck Mount, Cast Spout w/ VR Aerator, Optional 0.5 GPM VR Spray Device, Point-of-Use Temp. Control, Battery or AC Adapter Powered, 19" Flexible Stainless Steel Supply Hoses & 3/8" Compression Inlets			Product Compliance: ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951