

UNF-0200 / UNF-0300

Nugget Ice Machines

Project _____
 Item _____
 Quantity _____
 CSI Section 11400
 Approved _____
 Date _____

UNF-0200 / UNF-0300
 Nugget Ice Machines

Models

☐ UNF-0200A ☐ UNF-0300A



Model UNF-0200A
Nugget Ice Machine



Model UNF-0300A
Nugget Ice Machine

Standard Equipment

Ice Scoop, 6" Bin Legs, Alternate Low Profile Legs
 Standard Legs Adjustable from 4-1/2" to 6" and
 Low Profile Non-Adjustable at 1/4"

Ice Machine Electric

*115/60/1 (230/50/1 also available.)
 115/60/1 ice machines are factory
 pre-wired with a 6' (180 cm)
 power cord and NEMA 5-15P plug
 configuration.

*230/50/1 ice machines are factory
 pre-wired with a 6' (180 cm) power
 cord with no plug.

Total ampacity:

Air-cooled: 10 amps.

Maximum fuse size:

Air-cooled: 15 amps.

HACR-type circuit breakers can be used
 in place of fuses

Specifications

Condenser Heat of Rejection (BTU per hour):

2,400 (average) on RNS0244 and 3,500
 (average) on RNS0385

Compressor:

Nominal rating: 1/4 HP on RNS0244 and 1/2
 HP on RNS0385

Refrigerant:

R-404A

Operating Limits:

- Ambient Temperature Range:
50° -110° F (10° -43° C)
- Water Temperature Range:
37° -90° F (3° -32° C)
- Water Pressure Ice Maker
Water In:
Min. 14 psi (96.5 kPa)
Max. 80 psi (551.6 kPa)

Standard Features

- Bite-Size Nugget that boasts one of the industry's best ice to water ratios for nugget ice, maximizing cooling capability while minimizing drink dilution.
- Undercounter installation - UNF-0200 for kitchen counters and UNF-0300 for bar height counters.
- Up to 300 lbs. (136 kgs) daily nugget ice production.
- Perfect for carbonated beverages, blended smoothies and healthcare/physical therapy.
- Up to 50 lbs. (23 kgs) ice storage capacity.
- High load capacity bearings for enhanced reliability.
- Heavy duty stainless steel cabinet resists corrosion.
- Easy access door, slides up & out of the way.



Ice Shape


Nugget ice consists of small pieces ranging from 3/8" to 1/2" in width and length on average. Offers a 85% ice to water ratio with a soft, chewable texture while still providing maximum cooling effect and great dispensibility.



COMPANY WITH
 QUALITY SYSTEM
 CERTIFIED BY DNV
 =ISO 9001:2008 =



UNF-0200 / UNF-0300




Installation Note
Minimum installation clearance:
Sides: 2" (5.10 cm)
Back: 5" (12.70 cm)

Space-Saving Designs



	UNF-0200	UNF-0300
Height	33.17" 84.24 cm	39.52" 100.4 cm
Width	19.69" 50.00 cm	29.06" 73.81 cm
Depth	25.98" 66.00 cm	27.17" 69.00 cm
Bin	20 lbs.	50 lbs.
Storage	9 kgs	23 kgs
Height includes adjustable bin legs 4.50" to 6.00" (11.43 cm to 15.24 cm) set at 6.00" (15.24 cm).		

Air Flow Overhead View



Air-Cooled Ice Machine	Model	Ice Shape	Ice Production 24 Hours		Power kWh/100 lbs @ 90°Air/70°F 32°Air/21°C	Potable Water Usage (100 lbs./ 45.4 kgs of Ice)	Application Capacity*	2017 AHRI Capacity**	2018 AHRI Capacity***
			70°Air/50°F Water 21°Air/10°C Water	90°Air/70°F Water 32°Air/21°C Water					
UNF-0200	Nugget		187 lbs.	147 lbs.	7.82	12 gal.	30lbs.	20lbs.	1.03 Cu. ft
			85 kg	67 kg		45.4 L	14 lbs.	9 kg	23 kg
UNF-0300	Nugget		300 lbs.	248 lbs.	6.89	12 gal.	60 lbs.	50 lbs.	2.04 Cu. ft
			136 kg	112 kg		45.4 L	27 lbs.	23 kg	0.06

*"A" following model number indicates "Air" condensing unit.

*Application capacity is based on 90% of the volume x 33lbs/ft³ average density of ice must be managed

**2017 Approved AHRI capacity is based on 80% of the total volume x 30 lbs/ft³ average density of ice

***2018 AHRI certified measurement for bin capacity

Welbilt reserves the right to make changes to the design or specifications without prior notice.