

44019

Detail Brush, 8.1", Extra stiff, Black



NO IMAGE



Effectively clean around gaskets, rubber strips and joints on machinery, and conveyor belts with this compact Detail Brush.

Technical Data

Item Number	44019
Bristle stiffness	Extra stiff
Visible bristle length	0.6 "
Material	Polypropylene Polyester (PBT) Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulationl CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	EU 002364174-1-2, GB 90023641740001-2
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	3600 Pcs.
Quantity Per Layer (Pallet)	180 Pcs.
Box Length	9.4 "
Box Width	5.9 "
Box Height	3 "
Length	8.1 "
Width	0.8 "
Height	1.2 "
Net Weight	0 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.02 lbs
Tare Total	0.02 lbs
Gross Weight	0.022 lbs
Cubic Feet	0.0043 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F

Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022045996
GTIN-14 Number (Box quantity)	15705028046000
Customs Tariff No.	96039091
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.