

71706

Ultra Hygiene Squeegee, 27.6", Yellow



This ultra-hygienic squeegee combines ultimate hygiene with effective water removal from walls, floors and tables. The angled blade makes it easy to remove water from corners and other difficult-to-reach areas, and the splash guard ensures that liquid does not spill onto the dried surface.

Technical Data

Item Number	71706
Material	Polypropylene TPE Rubber
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA-compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Design Registration No.	EU 002364190-1-8, GB 90023641900001-8
Box Quantity	15 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs.
Quantity Per Layer (Pallet)	60 Pcs.
Length	27.6 "
Width	2.8 "
Height	3.3 "
Net Weight	0.9039 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.02 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.06 lbs
Tare Total	0.09 lbs
Gross Weight	0.9905 lbs
Cubic Feet	0.1472 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	122 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	248 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020717062
GTIN-14 Number (Box quantity)	15705020717069
Customs Tariff No.	96039099
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.