
Replacement Cassette, Hygienic, 19.7", Blue







Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7713x and 7723x).

Technical Data

Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE GOU08048400.9 Box Quantity Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE GOU08048400.9 Box Quantity Per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) 120 Pcs Quantity Per Layer (Pallet) 130 Pcs Quantity Per Layer (Pallet) 140 Pcs Use tweight 150 Pcs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 151are Total Gross Weight Cubic Feet 10.019 ft Recommended sterilisation temperature (Autoclave) 152 Pcs Max. cleaning temperature (Dishwasher) 153 Pcs Max. usage temperature (food contact) 154 Pcs Max. usage temperature (food contact) 155 Pcs Min. usage temperature 157 Pcs Min. pH-value in usage concentration 157 Pcs Min. pH-value in usage Concentratio	Item Number	77333
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA-compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Weets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Pat. Pending/Patent No. BEP2227129 validated in EP2227129 validated in EP22271	Material	Polypropylene TPE Rubber
Manufacturing Practice FDA-compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Pat. Pending/Patent No. Bey2227129 validated in UK, DE, FR and GB, DE 602008048400.9 Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length 19.7 Width 1.8 Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDFE) Weight cardboard (Recycling symbol "20" PAP) Gross Weight Cubic Feet Recommended sterillisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (mon food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. drying temperature Max. pH-value in usage Concentration	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length 19.7 Width 1 Height 1.8 Net Weight to greeycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic Feet Quantity Cubic Feet Quantity Cubic Feet Quantity Cubic Feet Quantity Per Layer (Dishwasher) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Quantity Per Pallet (80 x 120 x 180-200 cm) Max. drying temperature Max. drying temperature Max. pH-value in usage Concentration Max. pH-value in usage Concentration 10.5 pf GTIN-13 Number GTIN-14 Number (Box quantity) 15705020773334 GTIN-14 Number (Box quantity) 15705020773334 GTIN-14 Number (Box quantity) 15705020773334	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No. Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs Length 19.7 Width 1 Height 1.8 Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.02 lb Weight cardboard (Recycling symbol "20" PAP) 0.02 lb Tare Total 0.04 lb Gross Weight 0.0199 ft Recommended sterilisation temperature (Autoclave) 249.8 °f Max. cleaning temperature (Dishwasher) 199.4 °f Max usage temperature (food contact) 122 °f Min. usage temperature (non food contact) 212 °f Min. usage temperature 248 °f Min. pH-value in usage concentration 2 pf Min. pH-value in usage concentration 10.5 pf GTIN-13 Number 5705020773334	FDA-compliant raw material (CFR 21)	Yes
New Part Par	Complies with UK 2019 No. 704 on food contact materials	Yes
Second S	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length 19.7 Width 1.8 Net Weight Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare Total Gross Weight Cubic Feet 0.0199 ft Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. drying temperature Max. drying temperature Max. ph-value in usage concentration Max. ph-value in usage Concentration Max. ph-value in usage Concentration Total Strib-13 Number Freedomended for included in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Possible for photocommended in DK, DE, FR and GB. DE 602008048400.9 Possible for photocommended in DK, DE, Proposition DK,	Use of phthalates and bisphenol A	No
DK, DE, FR and GB. DE 602008048400.9 Pos 602008048400.9 Pos 602008048400.9 Pos Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pos Quantity Per Layer (Pallet) 120 Pos Quantity Per Layer (Pallet) 19.7	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs Length 19.7 Width 1 Height 0.3307 lb Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.02 lb Weight cardboard (Recycling symbol "20" PAP) 0.02 lb Tare Total 0.04 lb Gross Weight 0.371 lb Cubic Feet 0.0199 ft Recommended sterilisation temperature (Autoclave) 249.8 °f Max. cleaning temperature (Dishwasher) 199.4 °f Max usage temperature (food contact) 122 °f Min. usage temperature (non food contact) 212 °f Min. usage temperature 248 °f Max. drying temperature 248 °f Min. pH-value in usage concentration 2 pf Max. pH-value in Usage Concentration 10.5 pf GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity) 15705020773334	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet) Length 19.7 Width 1 Height 1.8 Net Weight Neight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare Total Gross Weight Cubic Feet Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration GTIN-13 Number MIN. Weight 19.7 1	Box Quantity	20 Pcs.
Neight 1.8 Net Weight 0.3307 bs. Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.02 bs. Weight Cardboard (Recycling symbol "20" PAP) 0.02 bs. Weight Cardboard (Recycling symbol "20" PAP) 0.04 bs. Weight Cardboard (Recycling symbol "20" PAP) 0.05 bs. Weight 0.371 bs. Weight 0.371	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs.
Width 1.8 Height 1.8 Net Weight	Quantity Per Layer (Pallet)	120 Pcs.
Height 1.8 Net Weight 0.3307 brown of the Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.02 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.04 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.05 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.06 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.07 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.07 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.08 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09 brown of the Weight Cardboard (Recycling symbol "20" PAP) 0.09	Length	19.7 "
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare Total Gross Weight Cubic Feet Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration GTIN-13 Number Tare Total 0.02 lbs 0.0301 lbs 0.02 lbs 0.0311 lbs 0.371	Width	1 "
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare Total Gross Weight Cubic Feet Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Total Cubic Feet	Height	1.8 "
Weight cardboard (Recycling symbol "20" PAP) Tare Total Gross Weight Cubic Feet Cubic Feet Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Cubic Feet O.0199 ft Cubic Feet O	Net Weight	0.3307 lbs
Tare Total 0.04 lbs Gross Weight 0.371 lbs Cubic Feet 0.0199 ft Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 122 °F Max usage temperature (non food contact) 212 °F Min. usage temperature (non food contact) 248 °F Min. pH-value in usage concentration 2 pF Max. pH-value in Usage Concentration 10.5 pF GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity) 15705020773331	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.02 lbs
Gross Weight 0.371 lbs Cubic Feet 0.0199 fts Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 122 °F Max usage temperature (non food contact) 212 °F Min. usage temperature (non food contact) 248 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pF Max. pH-value in Usage Concentration 10.5 pF GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity) 15705020773331	Weight cardboard (Recycling symbol "20" PAP)	0.02 lbs
Cubic Feet 0.0199 fts Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 122 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -22 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pF Max. pH-value in Usage Concentration 10.5 pF GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity) 15705020773331	Tare Total	0.04 lbs
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Aux. pH-value in Usage Concentration CTIN-13 Number Max. gTIN-14 Number (Box quantity)	Gross Weight	0.371 lbs
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity)	Cubic Feet	0.0199 ft3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration GTIN-13 Number GTIN-14 Number (Box quantity)	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity)	Max. cleaning temperature (Dishwasher)	199.4 °F
Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration GTIN-13 Number GTIN-14 Number (Box quantity) -22 °F 248 °F 24	Max usage temperature (food contact)	122 °F
Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity)	Max usage temperature (non food contact)	212 °F
Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10.5 ph GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity) 15705020773331	Min. usage temperature	-22 °F
Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity) 15705020773331	Max. drying temperature	248 °F
GTIN-13 Number 5705020773334 GTIN-14 Number (Box quantity) 15705020773331	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020773331	Max. pH-value in Usage Concentration	10.5 pH
<u> </u>	GTIN-13 Number	5705020773334
Customs Tariff No. 96039099	GTIN-14 Number (Box quantity)	15705020773331
	Customs Tariff No.	96039099

Country of Origin Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.