

ltem#:	178GDC23LHB		Project:	
O+v.		Date		Approvale

Avantco GDC-23-HC 28 3/8" Black Customizable Left-Hinged Swing Glass Door Merchandiser Refrigerator with LED Lighting

Item#178GDC23LHB







Technical Data

Width	28 3/8 Inches	
Depth	31 7/8 Inches	
Height	83 7/8 Inches	
Power Cord Length	98 Inches	
Interior Width	25 3/16 Inches	
Shelf Width	24 5/16 Inches	
Interior Depth	28 5/16 Inches	
Shelf Depth	23 1/4 Inches	
Interior Height	53 7/8 Inches	
Amps	3 Amps	

Features

- Anti-fog dual-pane tempered glass swing door with magnetic gaskets
- Interior LED lighting illuminates product
- 4 adjustable shelves with price tag strip on each shelf
- Easy-to-use digital temperature controls
- 115V; 4/9 hp; R-290 refrigerant

Certifications










ETL Sanitation



Technical Data

Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	315 Watts	
Access Type	Doors	
Capacity	22.6 cu. ft.	
	88 lb.	
Capacity (per Shelf)	With Casters	
Casters		
Color	Black	
Compressor Location	Bottom Mounted	
Door Style	Swing	
Door Type	Glass	
Exterior Material	Black-Coated Steel	
Features	Customizable LED Lighting	
Hinge Location	Left	
Horsepower	4/9 hp	
Installation Type	Freestanding	
Interior Color	White	
Number of Doors	1 Doors	
Number of Shelves	4 Shelves	
Plug Type	NEMA 5-15P	
Refrigerant Type	R-290	
Sections	1 Section	
Shelf Material	Epoxy-Coated Steel	
Temperature Range	33 - 40 Degrees F	

Plan View





Notes & Details

Whether you want to show off a wide selection of sodas, teas, and energy drinks, or give customers quick access to pre-packaged salads and sandwiches, this Avantco black merchandising refrigerator is the perfect unit with its sharp looks and smart features! Its single section design takes up minimal space, making it great for applications like markets, delis, and restaurants. This merchandiser boasts interior LED lighting on the right side to always show your products at their best. The anti-fogging, dual-pane tempered glass door helps ensure a crystal-clear view of the interior, while integrated magnetic gaskets ensure the door closes firmly after use every time, saving energy and maintaining the quality of your food. The unit is ideal for bottled and canned beverages, and it can also be used to show off salads, sandwiches, and other pre-packaged foods.

Made from epoxy-coated steel, the shelves in this refrigerator are easy to install and adjust to meet the demands of changing inventory needs. Each shelf has a 90 lb. load capacity. A mechanical temperature control features a digital display to make monitoring interior temperatures a breeze. This unit also comes with an auto defrost function, which ensures optimal performance day in and day out. A set of casters provides the unit with convenient mobility, so when it comes time for cleaning or maintenance, simply roll the unit away from the wall!

Designed to maintain temperatures from 33-40 degrees Fahrenheit, this refrigerator boasts a bottom-mounted 4/9 hp compressor that uses R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The durable construction includes white-coated aluminum interior walls and a stainless steel floor. The exterior features peel- and chip-resistant, powder-coated cold rolled steel that is strong and permanent. This item requires a 115V electrical connection for operation.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.