



Item #: 178GDS33HCW Project: \_\_\_\_\_

Qty: \_\_\_\_\_ Date: \_\_\_\_\_ Approval: \_\_\_\_\_

# Avantco GDS-33-HCW 40" White Customizable Sliding Glass Door Merchandiser Refrigerator with LED Lighting

Item #178GDS33HCW



## Technical Data

Width	39 9/16 Inches
Depth	29 15/16 Inches
Height	83 7/8 Inches
Power Cord Length	96 Inches
Interior Width	36 7/16 Inches
Left Door Opening Width	16 3/16 Inches
Right Door Opening Width	16 3/16 Inches
Shelf Width	17 5/16 Inches
Interior Depth	26 3/8 Inches
Shelf Depth	22 Inches

## Features

- Features (2) sliding glass doors to provide easy access and eliminate the need for space to open
- Interior LED lighting illuminates product; back lit exterior top panel attracts customers' attention
- 8 adjustable shelves with price tag strip on each shelf
- Easy to use digital temperature controls
- 120V; 1/2 hp; R290 refrigerant

## Certifications




Avantco Refrigeration

## Technical Data

Interior Height	53 1/4 Inches
Amps	3.7 Amps
Voltage	120 Volts
Wattage	400 Watts
Access Type	Doors
BTU (LBP)	1252 BTU
Capacity	33.5 cu. ft.
Capacity (per Shelf)	88 lb.
Color	White
Compressor Location	Bottom Mounted
Display Case Type	Refrigerated
Door Style	Sliding
Door Type	Glass
Features	Customizable LED Lighting
Horsepower	1/2 hp
Interior Color	White
Number of Doors	2 Doors
Number of Shelves	8 Shelves
Plug Type	NEMA 5-15P
Refrigerant Capacity	4.6 oz.
Refrigerant Type	R-290
Sections	2 Sections
Starting Amps	11.1 Amps
Starting Wattage	1200 Watts
Temperature Range	33 - 40 Degrees F
Type	Merchandising Refrigeration

## Plan View






## Avantco Refrigeration

### Notes & Details

Increase your sales of "grab and go" items like bottled tea and soda, or pre-packaged sandwiches and salads with this Avantco GDS-33-HCW 40" white merchandising refrigerator! Designed with sharp looks and usability in mind, this unit is the perfect display for your products with its sleek white finish and a lighted top graphics area. And, since the housing is made from coated steel, you can be sure that it will provide superior durability. The unit's narrow design helps to minimize its footprint, allowing you to better utilize your available space.

Additionally, it boasts anti-fogging glass sliding doors to ensure that customers always have a clear view of your products, while (8) plastic-coated steel shelves help you stay organized. Plus, the shelves easily adjust to accommodate changing inventory and menus. Interior LED lighting on the right side also works to illuminate and further merchandise your products.

Designed to maintain temperatures from 33-40 degrees Fahrenheit, this refrigerator boasts a bottom-mounted 1/2 hp compressor that runs on R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. In addition, the bottom-mounted design makes it easy for employees to load and unload products due to the raised bottom shelf. For optimal temperature retention, the entire cabinet is foamed-in place using polyurethane insulation. Other helpful features include automatic defrosting and a digital temperature control. This item requires a 120V electrical connection for operation.

 **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).