Qty:	Date:	Approval:

Avantco GDW-49-BBC 53" Customizable Black Two Door Wine **Merchandiser with Black Interior**

Project:

Item #178GDW49BBC

Item #: 178GDW49BBC



REFRIGERATION





Technical Data

Width	53 1/8 Inches
Depth	31 7/8 Inches
Height	83 7/8 Inches
Power Cord Length	98 1/2 Inches
Interior Width	50 Inches
Interior Depth	28 3/8 Inches
Interior Height	62 1/2 Inches
Amps	3.14 Amps
Hertz	60 Hz
Phase	1 Phase

Features

- Crisp LED lighting offers clear visibility of your best bottles of wine •
- Chrome curved racks securely hold and effectively merchandise bottles •
- Self-closing, anti-fog swing glass doors
- Precise temperature settings between 35 and 65 degrees Fahrenheit for white, red, or sparkling wines
- Uses R-290 refrigerant; 115V; 3.14 Amps •

Certifications





•	Technical Data

Vitage504 WattsAccess TypeDoorsBTU (LBP)1285 BTUCapacity32 BottlesCapacity (per Shelf)90 lb.CastersWith CastersColorBlackCompressor LocationBettom MountedDisplay Case TypeRefrigeratedDoor StyleSwingDoor TypeElackExterior FinishBlackFeaturesCustomizable Lish (Lish		
AccesDoorsBTU (LBP)1285 BTUCapacity32 Bottles 40 cu.ft.Capacity (per Shelf)32 Bottles 40 cu.ft.Capacity (per Shelf)90 lb.CastersWith CastersColorBlackCompressor LocationBottom MountedDisplay Case TypeRefrigeratedDoor StyleSwingDoor TypeGlassExterior FinishBlackFeaturesCustomizable LED Lighting self-Closing DoorsGlass StyleFlatHinge Location1/4 hpInstallation TypePrestndingInterior ColorWiniteNumber of Doors2 DoorsNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeSelf ScionsService TypeSelf ServiceService TypeSelf ServiceService TypeSelf ServiceService TypeSelf ServiceService TypeSelf ServiceService TypeService ForService TypeService ServiceService T	Voltage	115 Volts
BTU (LBP)1285 BTUCapacity32 Bottles 40 cu.tt.Capacity (per Shelf)90 lb.CatersWith CastersColorBlackCompressor LocationBottom MountedDisplay Case TypeRefrigeratedDoor TyleGlassDoor TypeBlackExterior FinishBlackFeaturesCustomizable LED Lighting Light ef Interior Self-Closing DoorsGlass StyleFlatHinge LocationLeft RightInstallation Type2 DoorsNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeSectionsService T	Wattage	504 Watts
Capacity32 Bottles 40 cu. ft.Capacity (per Shelf)90 lb.CastersWith CastersColorBlackCompressor LocationBottom MountedDisplay Case TypeRefrigeratedDoor StyleSwingDoor TypeGlassExterior FinishBlackFeaturesCustomizable LED Lighting Lighted Interior Self-Closing DoorsGlass StyleFlatHinge LocationLeft RightInstallation TypeFreestandingInstallation TypeSoorsQuorsQuorsNumber of Doors2 DoorsPlug TypeNEMA 5-15PRefrigerant TypeSertionsService TypeSertionsService TypeSefforsericeTorpeSertionsService TypeSertionsService TypeSertionsSertions	Access Type	Doors
Capacity40 cu. ft.Capacity (per Shelf)90 lb.CastersWith CastersColorBlackCompressor LocationBottom MountedDisplay Case TypeRefrigeratedDoor StyleSwingDoor TypeGlassExterior FinishBlackFeaturesCustomizable LED Lighting LED Lighting Unterior Self-Closing DoorsGlass StyleFlatHorsepower1/4 hpInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeRefragerant TypeSections2 SectionsSections2 Sections	BTU (LBP)	1285 BTU
CastersWith CastersColorBlackCompressor LocationBottom MountedDisplay Case TypeRefrigeratedDoor StyleSwingDoor TypeGlassExterior FinishBlackFeaturesCustomizable Lighted Interior Self-Closing DoorsGlass StyleFlatHinge LocationIdeft RightHorsepower1/4 hpInstallation TypePicestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeREMS - 515PRefrigerant TypeSelf ScrviceService TypeSelf ServiceTemperature Range35 - 65 Degrees FTureMerchandisers	Capacity	
ColorBlackCompressor LocationBottom MountedDisplay Case TypeRefrigeratedDoor StyleSwingDoor TypeGlassExterior FinishBlackFeaturesCustomizable Lighted Interior Self-Closing DoorsGlass StyleFlatHinge Location1/4 hpInstallation TypePreestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeSelf ServiceService TypeSelf ServiceService TypeSelf ServiceTemperature Range35 - 65 Degrees FTureMerchandisers	Capacity (per Shelf)	90 lb.
Compressor LocationBottom MountedDisplay Case TypeRefrigeratedDoor StyleSwingDoor TypeGlassExterior FinishBlackFeaturesCustomizable LED Lighting Typed Interior Self-Closing DoorsGlass StyleFlatHinge LocationLeft RightHorsepower1/4 hpInstallation TypeDoorsNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeSelf ServiceSections2 SectionsSections2 SectionsSections2 SectionsSections2 SectionsSections2 SectionsSections2 SectionsSections35 - 65 Degrees FTuneMerchandisers	Casters	With Casters
Display Case TypeRefrigeratedDoor StyleSwingDoor TypeGlassExterior FinishBlackFeaturesCustomizable LED Lighting Lighted Interior Self-Closing DoorsGlass StyleFlatHinge LocationLeft RightHorsepower1/4 hpInstallation TypePreestandingInterior ColorWhiteNumber of DoorsDoorsNumber of ShelvesDoorsPlug TypeREADRefrigerant TypeSelf ServiceService TypeSelf ServiceTempe TumeSelf ServiceTempe TumeMerchandisers	Color	Black
Door StyleSwingDoor TypeGlassExterior FinishBlackFeaturesCustomizable LED Lighting Lighted Interior Self-Closing DoorsGlass StyleFlatHinge LocationLeft RightHorsepower1/4 hpInstallation TypeFreestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeR-290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTuraeMerchandisers	Compressor Location	Bottom Mounted
Door TypeGlassExterior FinishBlackFeaturesCustomizable LED Lighting Lighted Interior self-Closing DoorsGlass StyleFlatHinge LocationLeft RightHorsepower1/4 hpInstallation TypeFreestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeR:290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTumeMerchandisers	Display Case Type	Refrigerated
Exterior FinishBlackExterior FinishBlackFeaturesCustomizable LED Lighting Lighted Interior Self-Closing DoorsGlass StyleFlatHinge LocationLeft RightHorsepower1/4 hpInstallation TypeFreestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeR-290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTumeMerchandisers	Door Style	Swing
FeaturesCustomizable LED Lighting Lighted Interior Self-Closing DoorsGlass StyleFlatHinge LocationLeft RightHorsepower1/4 hpInstallation TypeFreestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeR-290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTumeMerchandisers	Door Type	Glass
FeaturesLED Lighting Lighted Interior Self-Closing DoorsGlass StyleFlatHinge LocationLeft RightHorsepower1/4 hpInstallation TypeFreestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeServiceService TypeSelf ServiceTemperature Range35 - 65 Degrees FTuneMerchandisers	Exterior Finish	Black
Hinge LocationLeft RightHorsepower1/4 hpInstallation TypeFreestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeR-290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTurpeMerchandisers	Features	LED Lighting Lighted Interior
Hinge LocationRightHorsepower1/4 hpInstallation TypeFreestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeR-290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTurpeMerchandisers	Glass Style	Flat
Installation TypeFreestandingInterior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeR-290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTurpeMerchandisers	Hinge Location	
Interior ColorWhiteNumber of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeR-290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTurceMerchandisers	Horsepower	1/4 hp
Number of Doors2 DoorsNumber of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeR-290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTurceMerchandisers	Installation Type	Freestanding
Number of Shelves10 ShelvesPlug TypeNEMA 5-15PRefrigerant TypeR-290Sections2 SectionsService TypeSelf ServiceTemperature Range35 - 65 Degrees FTurceMerchandisers	Interior Color	White
Plug Type NEMA 5-15P Refrigerant Type R-290 Sections 2 Sections Service Type Self Service Temperature Range 35 - 65 Degrees F Turce Merchandisers	Number of Doors	2 Doors
Refrigerant Type R-290 Sections 2 Sections Service Type Self Service Temperature Range 35 - 65 Degrees F Turce Merchandisers	Number of Shelves	10 Shelves
Sections 2 Sections Service Type Self Service Temperature Range 35 - 65 Degrees F Turce Merchandisers	Plug Type	NEMA 5-15P
Service Type Self Service Temperature Range 35 - 65 Degrees F Turce Merchandisers	Refrigerant Type	R-290
Temperature Range 35 - 65 Degrees F Turce Merchandisers	Sections	2 Sections
Tune Merchandisers	Service Type	Self Service
	Temperature Range	35 - 65 Degrees F
Wine Refrigerator	Туре	

Plan View





Notes & Details

Attract customers to your most popular wines while keeping them perfectly chilled with this Avantco GDW-49-BBC 53" single door wine merchandiser. With consistent temperature control from 35-65 degrees Fahrenheit, this wine refrigerator effectively cools anything from a light sparkling wine to a full-bodied port wine. The crisp LED lighting cleanly illuminates your bottles and combines with a self-closing, anti-fog swing glass door for optimum merchandising effect.

This merchandiser boasts a sleek black interior and exterior that allows it to blend in perfectly in any liquor store, convenience store, grocery store, or restaurant! Its chrome curved racks securely hold and effectively promote your best brands. Plus, a customizable top panel allows you to draw customers' attention to your product. The unit runs on R-290 refrigerant. Plus, the entire refrigerator is mounted on 4 casters so you can easily move it for simple cleaning. This wine refrigerator requires a 115V connection for operation.

A WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <u>www.p65warnings.ca.gov</u>.