

Item#:	178GF36HCS		Project:	
Otv.		Date:		Approval:

Avantco GF36-HC-S 36" Stainless Steel Glass Froster / Plate Chiller - 115V

Item#178GF36HCS







Technical Data

Width	36 Inches	
Depth	28 Inches	
Height	34 1/4 Inches	
Power Cord Length	90 Inches	
Interior Width	31 7/8 Inches	
Interior Depth	23 Inches	
Interior Height	15 3/4 Inches	
Amps	3.3 Amps	
Phase	1 Phase	
Voltage	115 Volts	

Features

- Designed to frost beer glasses and chill salad plates for a better guest experience
- Type 430 stainless steel exterior with locking stainless steel lids
- Easy-to-read front facing digital temperature controller
- Includes 5 epoxy-coated steel shelves
- 115V; 1/2 hp; R290 refrigerant

Certifications





5-15P • ETL, US & Canada ETL Sanitation






Technical Data

Wattage	280 Watts	
BTU (LBP)	1264 BTU	
Capacity	8.5 cu. ft.	
Capacity (per Shelf)	88 lb.	
Compressor Location	Bottom Mounted	
Door Style	Sliding	
Exterior Finish	Stainless Steel	
Horsepower	1/2 hp	
Installation Type	Freestanding	
Number of Doors	1 Doors	
Number of Shelves	5 Shelves	
Plug Type	NEMA 5-15P	
Power Type	Electric	
Refrigerant Capacity	3 oz.	
Refrigerant Type	R-290	
Starting Amps	9.9 Amps	
Starting Wattage	840 Watts	
Temperature Range	-5 - 2 Degrees F	

Plan View



Notes & Details

There's no better way to ensure properly chilled plates or frosted glasses than by using the Avantco GF36-HC-S 36" stainless steel glass froster and plate chiller! With a powerful 1/2 hp compressor and a -5 to 2 degrees Fahrenheit temperature range, this glass froster is the perfect way to cool your salad plates before service or put a delicate layer of frost on your craft beer glasses.

The 8.5 cu. ft. of interior space can hold plenty of salad plates or beer mugs. The glass froster's compressor uses R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. To simplify maintenance, this unit is equipped with an automatic defrost system.

The interior of this unit is made of white painted aluminum while the exterior is made of durable type 430 stainless steel. Polyurethane insulation helps to maintain the interior temperatures by minimizing temperature transfer while the sliding stainless steel door allows easy access when it's time to plate up your food or draw another glass of beer. A 115V electrical connection is required for operation.



▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.