

ltem#:	178HBB36HCS		Project: _		
<b>0</b> 1		Data		Δ	
Otv·		L)ate:		Approval:	

### Avantco HBB-36-HC-S 36" Stainless Steel Horizontal Bottle Cooler

Item#178HBB36HCS







### **Technical Data**

Width	36 Inches	
Depth	28 Inches	
Height	34 1/4 Inches	
Power Cord Length	90 Inches	
Interior Width	31 7/8 Inches	
Left Door Opening Width	30 3/8 Inches	
Interior Depth	23 Inches	
Interior Height	15 3/4 Inches	
Amps	2.4 Amps	
Hertz	60 Hz	

#### **Features**

- Keeps beer, cider, and soda chilled to perfection
- Spacious 8.5 cu. ft. interior
- Includes 2 stainless steel locking lids and a removable bottle opener / cap catcher
- Easy-to-read digital temperature controller and auto-defrost function
- 115V; 1/4 hp; R290 refrigerant

### **Certifications**








ETL Sanitation



# **Technical Data**

Phase	1 Phase		
Voltage	115 Volts		
Wattage	240 Watts		
BTU (LBP)	666 BTU		
Capacity	8.5 cu. ft.		
Compressor Location	Side Mounted		
Compressor Style	Side / Rear Breathing		
Construction	Stainless Steel and Aluminum		
Exterior Finish	Stainless Steel		
Horsepower	1/4 hp		
Lid Style	Sliding		
Lid Type	Solid		
Number of 12 oz. Bottles	130 Bottles		
Number of 12 oz. Cans	196 Cans		
Number of Dividers	2 Dividers		
Number of Lids	2 Lids		
Plug Type	NEMA 5-15P		
Refrigerant Capacity	2.5 oz.		
Refrigerant Type	R-290		
Starting Amps	7.2 Amps		
Starting Wattage	720 Watts		
Temperature Range	33 - 40 Degrees F		

# Plan View





#### **Notes & Details**

Keep bottles of beer, soda, or cider on hand at all times by storing them in this Avantco HBB-36-HC-S 36" bottle cooler! Maintaining temperatures from 33 to 40 degrees, the cooler provides 8.5 cu. ft. of interior storage to ensure that a wide supply of bottles are kept cold and ready for thirsty customers. It even features 2 epoxy-coated dividers inside to keep bottles organized and readily accessible. For your utmost convenience, a bottle opener / cap catcher is included with the unit. Just grab a beer, use the opener, and serve!

This unit is designed for outstanding durability to ensure that it withstands service through even your busiest days and nights. It features a sleek 430 stainless steel exterior and a painted aluminum interior. Two stainless steel lids open and close with ease, making for easy drink retrieval. Because they lock, the lids also secure your beverage selection, making sure that your supply is always safe.

This cooler guarantees optimal performance by operating with a 1/4 hp refrigeration system that circulates R290 refrigerant to maintain temperatures from 33 to 40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. Plus, the foamed-in-place polyurethane insulation adds rigidity and promotes proper temperature retention. This ensures that all beverages are held at the perfect serving temperature, which is maintained with a pre-programmed digital temperature controller. An auto-defrost function helps to make maintaining the cooler a breeze. This unit requires a 115V electrical connection for operation.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.