



Item #: 178SSWT36RA Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco SS-WT-36R-HC 36" Stainless Steel ADA Height Worktop Refrigerator with 3 1/2" Backsplash

Item #178SSWT36RA



Technical Data

| | |
|---------------------|---------------|
| Width | 36 1/4 Inches |
| Depth | 29 1/2 Inches |
| Height | 37 1/8 Inches |
| Power Cord Length | 84 Inches |
| Interior Width | 33 Inches |
| Interior Depth | 22 7/8 Inches |
| Interior Height | 23 1/2 Inches |
| Work Surface Height | 33 5/8 Inches |
| Amps | 2.3 Amps |
| Hertz | 60 Hz |

Features

- 2 1/2" casters make moving simple for easy cleaning and bring the unit to an ADA-compliant working height
- Strong and sleek type 430 stainless steel exterior with 3 1/2" backsplash and type 304 stainless steel interior
- Foamed-in-place polyurethane maintains temperatures from 33 to 40 degrees Fahrenheit
- Easy-to-read digital temperature controller and auto-defrost function
- 115V; 1/4 hp

Certifications



ETL, US



5-15P



ADA Compliant




ETL Sanitation

Avantco Refrigeration


Technical Data

| | |
|---------------------|--|
| Phase | 1 Phase |
| Voltage | 115 Volts |
| Wattage | 250 Watts |
| Access Type | Doors |
| Backsplash | With Backsplash |
| BTU (LBP) | 666 BTU |
| Capacity | 8.2 cu. ft. |
| Color | Silver |
| Compressor Location | Rear Mounted |
| Compressor Style | Side / Rear Breathing |
| Door Style | Swing |
| Door Type | Solid |
| Features | ADA Compliant Removable Magnetic Door Gaskets |
| Hinge Location | Left Right |
| Horsepower | 1/4 hp |
| Number of Doors | 2 Doors |
| Number of Shelves | 2 Shelves |
| Plug Type | NEMA 5-15P |
| Refrigerant Type | R-290 |
| Sections | 2 Sections |
| Starting Amps | 6.9 Amps |
| Starting Wattage | 750 Watts |
| Style | ADA Height |
| Temperature Range | 33 - 40 Degrees F |
| Top Capacity | 318 lb. |

Plan View



178SSWT36RA





Notes & Details

Make food preparation as convenient as possible with the Avantco SS-WT-36R-HC 36" worktop freezer. With a spacious stainless steel worktop surface for slicing, dicing, assembling, mixing, and other food prep tasks, the unit features a 3 1/2" backsplash for wall protection and freezer storage space below. The refrigerated portion is readily accessible through the two doors, which open up to two shelves that help you organize your ingredients and best utilize the large interior. Plus, because they each accommodate up to 90 lb., the epoxy coated steel shelves are well equipped for holding heavy bulk ingredients.

This unit is designed for outstanding durability to ensure that it withstands tough, busy kitchens with ease. It features a 430 type stainless steel exterior, which provides both strength and a smooth, sleek appearance. The interior, made with 304 type stainless steel, also offers the stability necessary for heavy, regular use.

This worktop freezer ensures optimal performance by operating with a 1/4 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from -8 to -1 degree Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The foamed-in-place polyurethane insulation helps to maintain interior temperatures.

Operation of the freezer is easy, thanks to a variety of special features, including an interior wall-mounted thermometer, auto-defrost, and pre-programmed digital controller. 2 1/2" casters make moving simple for easy cleaning and bring the unit to an ADA-compliant working height. This worktop freezer requires a 115V electrical connection for operation.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.