

ltem#:	178UBB1HCS		Project:	
Otv:		Date:		Approval:

Avantco UBB-1-HC-S 23" Stainless Steel Solid Door Back Bar Refrigerator

Item#178UBB1HCS







Technical Data

Width	23 1/2 Inches
Depth	30 3/4 Inches
Height	38 3/4 Inches
Power Cord Length	96 Inches
Interior Width	19 1/2 Inches
Left Door Opening Width	19 11/16 Inches
Packaging Width	26 Inches
Shelf Width	18 7/8 Inches
Interior Depth	18 1/8 Inches
Nominal Depth	Standard

Features

- 1 1/2" thick stainless steel countertop with stainless steel interior and exterior
- Casters included provide easy mobility for cleaning and organizing kitchen and bar
 workflow
- One adjustable epoxy-coated steel shelves can accommodate up to 88 lb.
- Preprogrammed digital temperature controls featuring auto-defrost function for easy setup and mainte
- 115V; 1/4 hp; R290 refrigerant

Certifications



5-15P





ETL Sanitation




Technical Data

Packaging Depth	32 1/4 Inches	
Shelf Depth	23 7/8 Inches	
Interior Height	28 5/8 Inches	
Packaging Height	45 Inches	
Amps	1.92 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	216 Watts	
Access Type	Doors	
BTU (LBP)	666 BTU	
Capacity	7.8 cu. ft.	
Capacity (per Shelf)	88 lb.	
Casters	With Casters	
Compressor Location	Rear Mounted	
Compressor Style	Side / Rear Breathing	
Countertop Type	Stainless Steel	
Door Style	Swing	
Door Type	Solid	
Exterior Finish	Stainless Steel	
Features	Automatic Electric Defrost Digital Temperature Controller Food Rated Locking Doors Removable Magnetic Door Gaskets	
Horsepower	1/4 hp	
Insulation Material	Polyurethane Foam	
Material	Stainless Steel	
Maximum Ambient Temperature	90 Degrees F	
Net Weight	132 lb.	
Number of 12 oz. Bottles	105 Bottles	
Number of 12 oz. Cans	95 Cans	
Number of Doors	1 Doors	
Number of Kegs	1 Keg	
Number of Shelves	1 Shelf	
Plug Type	NEMA 5-15P	
Refrigerant Capacity	2.1 oz.	
Refrigerant Type	R-290	
Shelf Material	Epoxy-Coated Steel	
Starting Amps	5.76 Amps	
Starting Wattage	648 Watts	
Starting Wattage	648 VVatts	
Temperature Range	33 - 40 Degrees F	



Plan View



Notes & Details

Optimize the space behind your bar by adding refrigerated storage with this Avantco UBB-2-HC 59" stainless steel counter height solid door back bar refrigerator! Providing 19.4 cu. ft. of interior storage space, the unit comes with one shelf that accommodates up to 88 lb. or (2) 1/2 kegs total. They're even illuminated by bright LED lighting for optimal product visibility. The epoxy-coated steel shelves are perfect for storing and organizing heavy bulk ingredients for your bar service, from bottles of ale to bottles of cider. Plus, since the unit is rated to safely store food products, it provides versatility and helps you maximize the space you have available.

The interior, made of strong 304 type stainless steel, is accessible through a solid door. For overall durability, the unit's exterior is made with stainless steel and is topped with a type 304 stainless steel surface.

This back bar refrigerator ensures optimal performance by operating with a 1/4 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 to 40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. The foamed-in-place polyurethane insulation provides the refrigerator with additional structural integrity and ensures that all products held in the unit remain at cool temperatures and are ready for immediate service to customers!

Delivering ease of use and maintenance, the refrigerator is easy to adjust with a digital temperature controller and features automatic defrost. Overall, the unit requires a 115V electrical connection for operation and even comes with adjustable feet for simple, convenient leveling.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.