

ltem#:	178UBB36GHC		Project:	
Otv:		Date:		Approval:

# Avantco UBB-36G-HC 36" Black Counter Height Glass Door Back Bar Refrigerator with LED Lighting

Item#178UBB36GHC







# **Technical Data**

Width	36 13/16 Inches	
Depth	24 3/8 Inches	
Height	36 1/4 Inches	
Power Cord Length	96 Inches	
Interior Width	24 1/4 Inches	
Left Door Opening Width	24 1/16 Inches	
Packaging Width	39 1/8 Inches	
Shelf Width	23 3/5 Inches	
Depth with Door Open	49 Inches	
Interior Depth	18 1/2 Inches	

#### **Features**

- Thick stainless steel countertop with stainless steel interior and black coated steel exterior
- LED interior lighting
- Preprogrammed digital temperature controls with auto-defrost function
- Two adjustable epoxy-coated steel shelves can be removed to fit one  $1/2 \, \text{keg}$
- 115V; 1/4 hp; R290 refrigerant

## **Certifications**





ETL Sanitation



ETL, US




# **Technical Data**

Nominal Depth	Narrow	
Packaging Depth	27 1/2 Inches	
Shelf Depth	17 9/10 Inches	
Interior Height	30 1/2 Inches	
Packaging Height	41 3/4 Inches	
Amps	3 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	280 Watts	
Access Type	Doors	
Capacity	(1) 1/2 Kegs 7.8 cu. ft.	
Capacity (per Shelf)	88 lb.	
Compressor Location	Left Side Mounted	
Compressor Style	Side / Rear Breathing	
Countertop Type	Stainless Steel	
Door Style	Swing	
Door Type	Glass	
Exterior Finish	Black	
Features	Automatic Electric Defrost Digital Temperature Controller LED Lighting Locking Doors Removable Magnetic Door Gaskets	
Horsepower	1/4 hp	
Insulation Material	Polyurethane Foam	
Material	Black Coated Steel / Stainless Steel	
Maximum Ambient Temperature	90 Degrees F	
Number of 12 oz. Bottles	126 Bottles	
Number of 12 oz. Cans	96 Cans	
Number of Doors	1 Doors	
Number of Kegs	1 Keg	
Number of Shelves	2 Shelves	
Plug Type	NEMA 5-15P	
Refrigerant Capacity	2.5 oz.	
Refrigerant Type	R-290	
Shelf Material	Epoxy-Coated Steel	
Starting Amps	9 Amps	
Starting Wattage	840 Watts	
Style	1/2 Barrel	
Temperature Range	33 - 40 Degrees F	
	33 - 40 Degrees F	



## **Plan View**



## **Notes & Details**

Optimize the space behind your bar by adding refrigerated storage with this Avantco UBB-36G-HC 36" black counter height glass door back bar refrigerator! Providing 7.8 cu. ft. of interior storage space, the unit houses (2) 23 11/16" x 17 15/16" shelves that each accommodate up to 88 lb. The epoxy-coated steel shelves are perfect for storing and organizing beverages for your bar service, from bottles of ale and beer to cans of crisp ciders. Plus, the shelves can be removed to fit (1) 1/2 keg.

The interior, made of strong 201 type stainless steel, is accessible through a clear glass door. Because it's made of glass, the door provides excellent product visibility, enabling you to easily view your current drink or ingredient selection for efficient drink preparation. In addition, this refrigerator has interior LED lighting to maximize product visibility. Even if your bar area is dimly lit, bartenders and servers will have no trouble finding the drinks and garnishes they need.

For overall durability, the unit's exterior is made with black coated steel and is topped with a type 201 stainless steel surface. This unit features easy-to-use, preprogrammed digital temperature controls to make setting and changing the temperature simple. Plus, the auto-defrost function ensures your unit and inventory within remain at the correct temperatures. With a narrow design, the unit fits in spaces other units can't, helping you to maximize the space you have available.

This back bar refrigerator ensures optimal performance by operating with a 1/4 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 to 40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The foamed-in-place polyurethane insulation helps to trap in the cold air and to prevent the ambient air from entering. This ensures that all food held in the unit remains at food safe temperatures and ready for preparation or direct service to customers! The unit requires a 115V electrical connection for operation and even comes with adjustable feet for simple, convenient leveling.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.