

ltem#:	178UBB48GHC		Project:	
O+v.		Date		Approvale

# Avantco UBB-48G-HC 48" Black Counter Height Narrow Glass Door Back **Bar Refrigerator with LED Lighting**

Item#178UBB48GHC







# **Technical Data**

Width	48 3/4 Inches	
Depth	24 7/16 Inches	
Height	36 1/4 Inches	
Power Cord Length	106 Inches	
Interior Width	36 1/4 Inches	
Left Door Opening Width	16 7/16 Inches	
Packaging Width	51 1/4 Inches	
Right Door Opening Width	16 7/16 Inches	
Shelf Width	17 5/8 Inches	
Interior Depth	18 1/2 Inches	

## **Features**

- Durable stainless steel countertop and interior with black-coated steel exterior
- LED interior lighting
- Four adjustable epoxy-coated steel shelves can be removed to fit two 1/2 kegs
- Preprogrammed digital temperature controls and auto-defrost function for easy setup and maintenance
- 115V; 3/7 hp; R290 refrigerant

## **Certifications**







**ETL** Sanitation




# **Technical Data**

Nominal Depth	Narrow	
Packaging Depth	27 1/2 Inches	
Shelf Depth	18 1/8 Inches	
Interior Height	30 1/2 Inches	
Packaging Height	41 3/4 Inches	
Amps	3.5 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	325 Watts	
Access Type	Doors	
BTU (LBP)	974 BTU	
Capacity	(2) 1/2 Kegs 13 cu. ft.	
Capacity (per Shelf)	88 lb.	
Compressor Location	Side Mounted	
Countertop Type	Stainless Steel	
Door Style	Swing	
Door Type	Glass	
Exterior Finish	Black	
Features	Automatic Electric Defrost Digital Temperature Controller Food Rated LED Lighting Locking Doors Removable Magnetic Door Gaskets	
Horsepower	3/7 hp	
Insulation Material	Polyurethane Foam	
Material	Black Coated Steel / Stainless Steel	
Maximum Ambient Temperature	90 Degrees F	
Net Weight	231 lb.	
Number of 12 oz. Bottles	196 Bottles	
Number of 12 oz. Cans	144 Cans	
Number of Doors	2 Doors	
Number of Kegs	2 Kegs	
Number of Shelves	4 Shelves	
Plug Type	NEMA 5-15P	
Refrigerant Capacity	2.5 oz.	
Refrigerant Type	R-290	
Shelf Material	Epoxy-Coated Steel	
Starting Amps	10.5 Amps	
Starting Wattage	975 Watts	
Temperature Range	33 - 40 Degrees F	
Top Capacity	353 lb.	
Тор Туре	Counter Height	



#### **Plan View**



### **Notes & Details**

Optimize the space behind your bar by adding refrigerated storage with this Avantco 48" counter height narrow back bar refrigerator! Providing 13 cu. ft. of interior storage space, the unit fits up to (2) 1/2 kegs and houses (4) 17 5/8" x 18 1/8" shelves that each accommodate up to 88 lb. The epoxy-coated steel shelves are perfect for storing and organizing beverages for your bar service, from bottles of ale and beer to cans of crisp ciders. Plus, with a narrow design, the unit fits in spaces other units can't, helping you to maximize the space you have available.

The interior, made of strong 304 type stainless steel, is accessible through two glass doors. Because they're made of glass, the doors provide excellent product visibility, enabling you to easily view your current drink or ingredient selection for efficient drink preparation. For overall durability, the unit's exterior is made with black coated steel and is topped with a type 304 stainless steel surface.

This back bar refrigerator ensures optimal performance by operating with a 3/7 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 to 40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The foamed-in-place polyurethane insulation helps to trap in the cold air and to prevent the ambient air from entering. This ensures that all food held in the unit remains at food safe temperatures and ready for preparation or direct service to customers! The unit requires a 115V electrical connection for operation and even comes with adjustable feet for simple, convenient leveling.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.