

Item #: 178UDD3CTS8		Project:		
Otv:	Date:		Approval:	

Avantco UDD-3-CT-S-8 Stainless Steel Kegerator / Beer Dispenser with (2) Quadruple Tap Tower and Club Top - (3) 1/2 Keg Capacity

Item#178UDD3CTS8







Technical Data

Width	69 1/8 Inches	
Depth	27 3/4 Inches	
Height	37 3/16 Inches	
Power Cord Length	108 Inches	
Club Top Shelf Width	8 1/2 Inches	
Interior Width	56 1/2 Inches	
Club Top Shelf Depth	21 1/4 Inches	
Interior Depth	21 7/8 Inches	
Nominal Depth	Standard	
Faucet Height	11 Inches	

Features

- 2 shelves included for optional bottle or can storage for increased versatility
- 2 self-closing, locking doors to protect inventory
- Club top provides an extra storage compartment
- Includes (2) quadruple tap towers and (8) "D" system couplers
- 115V; 1/3 hp; R-290 refrigerant
- Note: only the kegerator holds the ETL certification

Certifications



FTL.US



î) 5-15F




ETL Sanitation



Technical Data

Interior Height	30 1/2 Inches	
Tap Tower Height	17 Inches	
Tap Tower Diameter	3 Inches	
Amps	4.3 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	400 Watts	
BTU (LBP)	660 BTU	
Capacity (per Shelf)	88 lb.	
Compressor Location	Left Side Mounted	
Construction	Stainless Steel	
Door Style	Swing	
Door Type	Solid	
Exterior Finish	Stainless Steel	
Features	Removable Magnetic Door Gaskets Self-Closing Doors	
Horsepower	1/3 hp	
Maximum Ambient Temperature	90 Degrees F	
Number of 12 oz. Bottles	235 Bottles	
Number of 12 oz. Cans	320 Cans	
Number of Doors	2 Doors	
Number of Kegs	3 Kegs	
Number of Shelves	2 Shelves	
Number of Taps	8+ Taps	
Plug Type	NEMA 5-15P	
Refrigerant Type	R-290	
Stainless Steel Type	Type 304	
Starting Amps	12.9 Amps	
Starting Wattage	1200 Watts	
Style	1/2 Barrel	
Туре	Club Top Beer Dispensers	

Plan View





Notes & Details

Whether you operate a pub, banquet hall, catering service, or facilitate other special events, this Avantco UDD-3-CT-S-8 stainless steel kegerator / beer dispenser with (2) quadruple tap tower and club top is an excellent way to offer crisp, refreshing draft beer to your guests without investing in a complex built-in tap system! This unit features (2) stainless steel quadruple tap towers with an 11" faucet height that allows you to easily fill pint glasses and pitchers with local microbrews, international macrobrews, and everything in between. The chrome-plated brass faucet design ensures a polished look and maximum durability. It also features a club top, which provides an extra storage compartment for chilling approximately 15-18 additional beer bottles or other single-serve bottles.

This dispenser holds (3) 1/2 kegs so you can stock up on one brew or offer customers a selection to choose from. It even comes with 2 shelves for optional bottle or can storage while concealing the product behind 2 solid doors. The doors themselves are not only self-closing to prevent potential energy loss, but also lock to prevent theft during off hours. This unit is equipped with knockout plugs to install external CO2 lines.

Unlike many competitive beer dispensers, this model ships with "D" system couplers so that you can tap kegs right out of the box! This commercial kegerator features a stainless steel exterior and a 304 type stainless steel interior that is both durable and easy to clean, while a built-in drip tray further expedites end-of-day cleaning. It has a 1/3 hp refrigeration system that circulates R-290 hydrocarbon refrigerant. R-290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. A 115V electrical connection is required for operation.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.