

ltem#:	178UDD48HC		Project:		
Qty:		Date:		Approval:	

Avantco UDD-48-HC Double Tap Kegerator Beer Dispenser - Black, (2) 1/2 **Keg Capacity**

Item#178UDD48HC







Technical Data

Width	48 3/4 Inches		
Depth	24 7/16 Inches		
Height	35 5/8 Inches		
Power Cord Length	108 Inches		
Interior Width	36 1/4 Inches		
Left Door Opening Width	16 7/16 Inches		
Packaging Width	51 1/4 Inches		
Right Door Opening Width	16 7/16 Inches		
Shelf Width	17 5/8 Inches		
Interior Depth	18 1/2 Inches		

Features

- 2 shelves included for optional bottle and can storage for increased versatility
- Holds (2) 1/2 kegs; includes (2) "D" system couplers
- Digital controls for easy-to-read temperature display
- LED interior lighting
- 115V; 3/7 hp; R290 refrigerant

Certifications



ETL, US



ETL Sanitation




Technical Data

Nominal Depth	Narrow		
Packaging Depth	27 1/2 Inches		
Shelf Depth	18 1/8 Inches		
Faucet Height	10 1/4 Inches		
Interior Height	28 7/8 Inches		
Packaging Height	41 3/4 Inches		
Tap Tower Height	16 Inches		
Tap Tower Diameter	3 Inches		
Amps	3.5 Amps		
Hertz	60 Hz		
Phase	1 Phase		
Voltage	115 Volts		
Wattage	325 Watts		
BTU (LBP)	974 BTU		
Capacity	(2) 1/2 Kegs		
Capacity (per Shelf)	88 lb.		
Compressor Location	Left Side Mounted		
Door Type	Solid		
Exterior Finish	Black		
Features	Automatic Electric Defrost Digital Temperature Controller LED Lighting Removable Magnetic Door Gaskets		
Horsepower	3/7 hp		
Insulation Material	Polyurethane Foam		
Material	Black Coated Steel / Stainless Steel		
Net Volume	13 cu. ft.		
Net Weight	231 lb.		
Number of 12 oz. Bottles	196 Bottles		
Number of 12 oz. Cans	144 Cans		
Number of Doors	2 Doors		
Number of Kegs	2 Kegs		
Number of Shelves	2 Shelves		
Number of Taps	2 Taps		
Plug Type	NEMA 5-15P		
Refrigerant Capacity	2.5 oz.		
Refrigerant Type	R-290		
Shelf Material	Epoxy-Coated Steel		
Starting Amps	10.5 Amps		
Starting Wattage	975 Watts		
Style	1/2 Barrel		
Temperature Range	33 - 40 Degrees F		
Top Capacity	353 lb.		
Туре	Kegerators / Beer Dispensers		



Plan View



Notes & Details

Whether you operate a pub, banquet hall, catering service, or facilitate other special events, this Avantco UDD-48-HC beer dispenser is an excellent way to offer crisp, refreshing draft beer to your guests without investing in a complex built-in tap system! This unit features a double tap tower with a 10 1/4" faucet height that allows you to easily fill pint glasses and pitchers with local microbrews, international macrobrews, and everything in between. It holds (2) 1/2 kegs so you can stock up on one brew or offer customers a selection to choose from, and it even comes with 2 shelves for optional bottle or can storage while concealing the product behind 2 solid doors. The doors themselves are not only self-closing to prevent potential energy loss, but also lock to prevent theft during off hours. This unit is equipped with knockout plugs to install external CO2 lines.

Unlike many competitive beer dispensers, this model ships with 2 couplers so that you can tap kegs right out of the box! This commercial kegerator features a black coated steel exterior and a 304 type stainless steel interior that is both durable and easy to clean, while a built-in drip tray further expedites end-of-day cleaning. It has a 3/7 hp refrigeration system that circulates R290 hydrocarbon refrigerant. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. A 115V electrical connection is required for operation.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.