

Item #:	178UDD4CTS		Project:	
Otv:		Date:		Approval:

Avantco UDD-4-CT-S Stainless Steel Kegerator / Beer Dispenser with (2) Double Tap Tower and Club Top - (3) 1/2 Keg Capacity

Item#178UDD4CTS





Technical Data

Width	90 5/16 Inches	
Depth	27 3/4 Inches	
Height	37 3/16 Inches	
Power Cord Length	108 Inches	
Club Top Shelf Width	8 1/2 Inches	
Interior Width	77 3/4 Inches	
Left Door Opening Width	21 1/2 Inches	
Middle Door Opening Width	21 3/16 Inches	
Right Door Opening Width	21 1/2 Inches	
Club Top Shelf Depth	21 1/4 Inches	

Features

- 5 shelves included for optional bottle or can storage for increased versatility
- 3 self-closing, locking doors to protect inventory
- Club top provides an extra storage compartment
- Includes (4) "D" system couplers
- 115V; 1/4 hp; R-290 refrigerant

Certifications



ETL, US



(T) 5-15P




ETL Sanitation



Technical Data

Interior Depth	21 7/8 Inches	
Nominal Depth	Standard	
Interior Height	30 1/2 Inches	
Amps	4.8 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	480 Watts	
BTU (LBP)	910 BTU	
Capacity	(3) 1/2 Kegs	
Capacity (per Shelf)	88 lb.	
Compressor Location	Left Side Mounted	
Construction	Stainless Steel	
Door Type	Solid	
Exterior Finish	Stainless Steel	
Features	Removable Magnetic Door Gaskets	
Horsepower	1/4 hp	
Maximum Ambient Temperature	90 Degrees F	
Number of 12 oz. Bottles	320 Bottles	
Number of 12 oz. Cans	432 Cans	
Number of Doors	3 Doors	
Number of Kegs	3 Kegs	
Number of Shelves	5 Shelves	
Number of Taps	4 Taps	
Plug Type	NEMA 5-15P	
Refrigerant Capacity	3.4 oz.	
Refrigerant Type	R-290	
Stainless Steel Type	Type 304	
Starting Amps	14.4 Amps	
Starting Wattage	1440 Watts	
Style	1/2 Barrel	
Туре	Club Top Beer Dispensers	

Plan View





Notes & Details

Whether you operate a pub, banquet hall, catering service, or facilitate other special events, this Avantco UDD-4-CT-S stainless steel beer dispenser is an excellent way to offer crisp, refreshing draft beer to your guests without investing in a complex built-in tap system! This unit features (2) double tap towers with a 10 1/4" faucet height that allows you to easily fill pint glasses and pitchers with local microbrews, international macrobrews, and everything in between. It also features a club top, which provides an extra storage compartment for chilling approximately 15-18 additional beer bottles or other single-serve bottles. Or use this compartment to store garnishes to keep them close and fresh!

This dispenser holds (3) 1/2 kegs so you can stock up on one brew or offer customers a selection to choose from. It even comes with 5 shelves for optional bottle or can storage while concealing the product behind 3 solid doors. The doors themselves are not only self-closing to prevent potential energy loss, but also lock to prevent theft during off hours. This unit is equipped with knockout plugs to install external CO2 lines.

Unlike many competitive beer dispensers, this model ships with "D" system couplers so that you can tap kegs right out of the box! This commercial kegerator features a stainless steel exterior and a 304 type stainless steel interior that is both durable and easy to clean, while a built-in drip tray further expedites end-of-day cleaning. It has a 1/4 hp refrigeration system that circulates R-290 hydrocarbon refrigerant. R-290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. A 115V electrical connection is required for operation.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.